PCT

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : C12N 15/13, 15/10, 15/62, 15/70, 1/21, C07K 1/04, G01N 33/53	A1	(11) International Publication Number: **WO 97/08320** (43) International Publication Date: 6 March 1997 (06.03.97)

(21) International Application Number: PCT/EP96/03647 (22) International Filing Date: 19 August 1996 (19.08.96) (30) Priority Data: 95113021.0 18 August 1995 (18.08.95) EP *(34) Countries for which the regional or international application was filed:* DE et al. (71) Applicant *(for all designated States except US)*: MORPHOSYS GESELLSCHAFT FÜR PROTEINOPTIMIERUNG MBH [DE/DE]; Frankfurter Ring 193a, D-80807 München (DE). (72) Inventors; and (75) Inventors/Applicants *(for US only)*: KNAPPIK, Achim [DE/DE]; Killerstrasse 16, D-82166 Gräfelfing (DE). PACK, Peter [DE/DE]; Franz-Wolter-Strasse 4, D-81925 München (DE). ILAG, Vic [PH/DE]; Knorrstrasse 85, D-80807 München (DE). GE, Liming [CN/DE]; Nestroystrasse 17, D-81373 München (DE). MORONEY, Simon [NZ/DE]; Osterwaldstrasse 44, D-80805 München (DE). PLÜCKTHUN, Andreas [DE/CH]; Möhrlistrasse 97, CH-8006 Zürich (CH). (74) Agent: VOSSIUS & PARTNER; P.O. Box 86 07 67, D-81634 München (DE).	(81) Designated States: AU, CA, JP, US, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). **Published** *With international search report.* *Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.*

(54) Title: PROTEIN/(POLY)PEPTIDE LIBRARIES

(57) Abstract

The present invention relates to synthetic DNA sequences which encode one or more collections of homologous proteins/(poly)peptides, and methods for generating and applying libraries of these DNA sequences. In particular, the invention relates to the preparation of a library of human-derived antibody genes by the use of synthetic consensus sequences which cover the structural repertoire of antibodies encoded in the human genome. Furthermore, the invention relates to the use of a single consensus antibody gene as a universal framework for highly diverse antibody libraries.

construction of a synthetic human antibody library based on consensus sequences

Database of human Ig gene segments
→ Translation in amino acid sequences
→ Alignment of protein sequences
→ Germline sequences / Rearranged sequences
→ Assignment to families / Computation of germline counterpart
→ Database of used germline families → Assignment to families
→ Analysis of canonical structures → Computation of consensus sequences
→ Structural Analysis
→ Design of CDRs
→ Gene Design
→ Synthetic combinatorial antibody library

Protein/(Poly)peptide Libraries

Field of the Invention

The present invention relates to synthetic DNA sequences which encode one or more collections of homologous proteins/(poly)peptides, and methods for generating and applying libraries of these DNA sequences. In particular, the invention relates to the preparation of a library of human-derived antibody genes by the use of synthetic consensus sequences which cover the structural repertoire of antibodies encoded in the human genome. Furthermore, the invention relates to the use of a single consensus antibody gene as a universal framework for highly diverse antibody libraries.

Background to the Invention

All current recombinant methods which use libraries of proteins/(poly)peptides, e.g. antibodies, to screen for members with desired properties, e.g. binding a given ligand, do not provide the possibility to improve the desired properties of the members in an easy and rapid manner. Usually a library is created either by inserting a random oligonucleotide sequence into one or more DNA sequences cloned from an organism, or a family of DNA sequences is cloned and used as the library. The library is then screened, e.g. using phage display, for members which show the desired property. The sequences of one or more of these resulting molecules are then determined. There is no general procedure available to improve these molecules further on.

Winter (EP 0 368 684 B1) has provided a method for amplifying (by PCR), cloning, and expressing antibody variable region genes. Starting with these genes he was able to create libraries of functional antibody fragments by randomizing the CDR3 of the heavy and/or the light chain. This process is functionally equivalent to the natural process of VJ and VDJ recombination which occurs during the development of B-cells in the immune system.

However the Winter invention does not provide a method for optimizing the binding affinities of antibody fragments further on, a process which would be functionally equivalent to the naturally occurring phenomenon of "affinity maturation", which is provided by the present invention. Furthermore, the Winter invention does not provide for artificial variable region genes, which represent a whole family of

structurally similar natural genes, and which can be assembled from synthetic DNA oligonucleotides. Additionally, Winter does not enable the combinatorial assembly of portions of antibody variable regions, a feature which is provided by the present invention. Furthermore, this approach has the disadvantage that the genes of all antibodies obtained in the screening procedure have to be completely sequenced, since, except for the PCR priming regions, no additional sequence information about the library members is available. This is time and labor intensive and potentially leads to sequencing errors.

The teaching of Winter as well as other approaches have tried to create large antibody libraries having high diversity in the complementarity determining regions (CDRs) as well as in the frameworks to be able to find antibodies against as many different antigens as possible. It has been suggested that a single universal framework may be useful to build antibody libraries, but no approach has yet been successful.

Another problem lies in the production of reagents derived from antibodies. Small antibody fragments show exciting promise for use as therapeutic agents, diagnostic reagents, and for biochemical research. Thus, they are needed in large amounts, and the expression of antibody fragments, e.g. Fv, single-chain Fv (scFv), or Fab in the periplasm of E. coli (Skerra & Plückthun, 1988; Better et al., 1988) is now used routinely in many laboratories. Expression yields vary widely, however. While some fragments yield up to several mg of functional, soluble protein per liter and OD of culture broth in shake flask culture (Carter et al., 1992, Plückthun et al. 1996), other fragments may almost exclusively lead to insoluble material, often found in so-called inclusion bodies. Functional protein may be obtained from the latter in modest yields by a laborious and time-consuming refolding process. The factors influencing antibody expression levels are still only poorly understood. Folding efficiency and stability of the antibody fragments, protease lability and toxicity of the expressed proteins to the host cells often severely limit actual production levels, and several attempts have been tried to increase expression yields. For example, Knappik & Plückthun (1995) could show that expression yield depends on the antibody sequence. They identified key residues in the antibody framework which influence expression yields dramatically. Similarly, Ullrich et al. (1995) found that point mutations in the CDRs can increase the yields in periplasmic antibody fragment expression. Nevertheless, these strategies are only applicable to a few antibodies. Since the Winter invention uses existing repertoires of antibodies, no influence on expressibility of the genes is possible.

SUBSTITUTE SHEET (RULE 26)

Furthermore, the findings of Knappik & Plückthun and Ullrich demonstrate that the knowledge about antibodies, especially about folding and expression is still increasing. The Winter invention does not allow to incorporate such improvements into the library design.

The expressibility of the genes is important for the library quality as well, since the screening procedure relies in most cases on the display of the gene product on a phage surface, and efficient display relies on at least moderate expression of the gene.

These disadvantages of the existing methodologies are overcome by the present invention, which is applicable for all collections of homologous proteins. It has the following novel and useful features illustrated in the following by antibodies as an example:

Artificial antibodies and fragments thereof can be constructed based on known antibody sequences, which reflect the structural properties of a whole group of homologous antibody genes. Therefore it is possible to reduce the number of different genes without any loss in the structural repertoire. This approach leads to a limited set of artificial genes, which can be synthesized de novo, thereby allowing introduction of cleavage sites and removing unwanted cleavages sites. Furthermore, this approach enables (i), adapting the codon usage of the genes to that of highly expressed genes in any desired host cell and (ii), analyzing all possible pairs of antibody light (L) and heavy (H) chains in terms of interaction preference, antigen preference or recombinant expression titer, which is virtually impossible using the complete collection of antibody genes of an organism and all combinations thereof.

The use of a limited set of completely synthetic genes makes it possible to create cleavage sites at the boundaries of encoded structural sub-elements. Therefore, each gene is built up from modules which represent structural sub-elements on the protein/(poly)peptide level. In the case of antibodies, the modules consist of "framework" and "CDR" modules. By creating separate framework and CDR modules, different combinatorial assembly possibilities are enabled. Moreover, if two or more artificial genes carry identical pairs of cleavage sites at the boundaries of each of the genetic sub-elements, pre-built libraries of sub-elements can be inserted in these genes simultaneously, without any additional information related to any particular gene sequence. This strategy enables rapid optimization of, for example, antibody affinity, since DNA cassettes encoding libraries of genetic sub-elements can be (i), pre-built, stored and reused and (ii), inserted in any of these

SUBSTITUTE SHEET (RULE 26)

sequences at the right position without knowing the actual sequence or having to determine the sequence of the individual library member.

Additionally, new information about amino acid residues important for binding, stability, or solubility and expression could be integrated into the library design by replacing existing modules with modules modified according to the new observations.

The limited number of consensus sequences used for creating the library allows to speed up the identification of binding antibodies after screening. After having identified the underlying consensus gene sequence, which could be done by sequencing or by using fingerprint restriction sites, just those part(s) comprising the random sequence(s) have to be determined. This reduces the probability of sequencing errors and of false-positive results.

The above mentioned cleavage sites can be used only if they are unique in the vector system where the artificial genes have been inserted. As a result, the vector has to be modified to contain none of these cleavage sites. The construction of a vector consisting of basic elements like resistance gene and origin of replication, where cleavage sites have been removed, is of general interest for many cloning attempts. Additionally, these vector(s) could be part of a kit comprising the above mentioned artificial genes and pre-built libraries.

The collection of artificial genes can be used for a rapid humanization procedure of non-human antibodies, preferably of rodent antibodies. First, the amino acid sequence of the non-human, preferably rodent antibody is compared with the amino acid sequences encoded by the collection of artificial genes to determine the most homologous light and heavy framework regions. These genes are then used for insertion of the genetic sub-elements encoding the CDRs of the non-human, preferably rodent antibody.

Surprisingly, it has been found that with a combination of only one consensus sequence for each of the light and heavy chains of a scFv fragment an antibody repertoire could be created yielding antibodies against virtually every antigen. Therefore, one aspect of the present invention is the use of a single consensus sequence as a universal framework for the creation of useful (poly)peptide libraries and antibody consensus sequences useful therefor.

-4-

SUBSTITUTE SHEET (RULE 26)

Detailed Description of the Invention

The present invention enables the creation of useful libraries of (poly)peptides. In a first embodiment, the invention provides for a method of setting up nucleic acid sequences suitable for the creation of said libraries. In a first step, a collection of at least three homologous proteins is identified and then analyzed. Therefore, a database of the protein sequences is established where the protein sequences are aligned to each other. The database is used to define subgroups of protein sequences which show a high degree of similarity in both the sequence and, if information is available, in the structural arrangement. For each of the subgroups a (poly)peptide sequence comprising at least one consensus sequence is deduced which represents the members of this subgroup; the complete collection of (poly)peptide sequences represent therefore the complete structural repertoire of the collection of homologous proteins. These artificial (poly)peptide sequences are then analyzed, if possible, according to their structural properties to identify unfavorable interactions between amino acids within said (poly)peptide sequences or between said or other (poly)peptide sequences, for example, in multimeric proteins. Such interactions are then removed by changing the consensus sequence accordingly. The (poly)peptide sequences are then analyzed to identify sub-elements such as domains, loops, helices or CDRs. The amino acid sequence is backtranslated into a corresponding coding nucleic acid sequence which is adapted to the codon usage of the host planned for expressing said nucleic acid sequences. A set of cleavage sites is set up in a way that each of the sub-sequences encoding the sub-elements identified as described above, is flanked by two sites which do not occur a second time within the nucleic acid sequence. This can be achieved by either identifying a cleavage site already flanking a sub-sequence of by changing one or more nucleotides to create the cleavage site, and by removing that site from the remaining part of the gene. The cleavage sites should be common to all corresponding sub-elements or sub-sequences, thus creating a fully modular arrangement of the sub-sequences in the nucleic acid sequence and of the sub-elements in the corresponding (poly)peptide.

In a further embodiment, the invention provides for a method which sets up two or more sets of (poly)peptides, where for each set the method as described above is performed, and where the cleavage sites are not only unique within each set but also between any two sets. This method can be applied for the creation of (poly)peptide libraries comprising for example two α-helical domains from two different proteins, where said library is screened for novel hetero-association domains.

In yet a further embodiment, at least two of the sets as described above, are derived from the same collection of proteins or at least a part of it. This describes libraries comprising for example, but not limited to, two domains from antibodies such as VH and VL, or two extracellular loops of transmembrane receptors.

In another embodiment, the nucleic acid sequences set up as described above, are synthesized. This can be achieved by any one of several methods well known to the practitioner skilled in the art, for example, by total gene synthesis or by PCR-based approaches.

In one embodiment, the nucleic acid sequences are cloned into a vector. The vector could be a sequencing vector, an expression vector or a display (e.g. phage display) vector, which are well known to those skilled in the art. Any vector could comprise one nucleic acid sequence, or two or more nucleic sequences, either in different or the same operon. In the last case, they could either be cloned separately or as contiguous sequences.

In one embodiment, the removal of unfavorable interactions as described above, leads to enhanced expression of the modified (poly)peptides.

In a preferred embodiment, one or more sub-sequences of the nucleic acid sequences are replaced by different sequences. This can be achieved by excising the sub-sequences using the conditions suitable for cleaving the cleavage sites adjacent to or at the end of the sub-sequence, for example, by using a restriction enzyme at the corresponding restriction site under the conditions well known to those skilled in the art, and replacing the sub-sequence by a different sequence compatible with the cleaved nucleic acid sequence. In a further preferred embodiment, the different sequences replacing the initial sub-sequence(s) are genomic or rearranged genomic sequences, for example in grafting CDRs from non-human antibodies onto consensus antibody sequences for rapid humanization of non-human antibodies. In the most preferred embodiment, the different sequences are random sequences, thus replacing the sub-sequence by a collection of sequences to introduce variability and to create a library. The random sequences can be assembled in various ways, for example by using a mixture of mononucleotides or preferably a mixture of trinucleotides (Virnekäs et al., 1994) during automated oligonucleotide synthesis, by error-prone PCR or by other methods well known to the practitioner in the art. The random sequences may be completely randomized or biased towards or against certain codons according to

SUBSTITUTE SHEET (RULE 26)

the amino acid distribution at certain positions in known protein sequences. Additionally, the collection of random sub-sequences may comprise different numbers of codons, giving rise to a collection of sub-elements having different lengths.

In another embodiment, the invention provides for the expression of the nucleic acid sequences from a suitable vector and under suitable conditions well known to those skilled in the art.

In a further preferred embodiment, the (poly)peptides expressed from said nucleic acid sequences are screened and, optionally, optimized. Screening may be performed by using one of the methods well known to the practitioner in the art, such as phage-display, selectively infective phage, polysome technology to screen for binding, assay systems for enzymatic activity or protein stability. (Poly)peptides having the desired property can be identified by sequencing of the corresponding nucleic acid sequence or by amino acid sequencing or mass spectrometry. In the case of subsequent optimization, the nucleic acid sequences encoding the initially selected (poly)peptides can optionally be used without sequencing. Optimization is performed by repeating the replacement of sub-sequences by different sequences, preferably by random sequences, and the screening step one or more times.

The desired property the (poly)peptides are screened for is preferably, but not exclusively, selected from the group of optimized affinity or specificity for a target molecule, optimized enzymatic activity, optimized expression yields, optimized stability and optimized solubility.

In one embodiment, the cleavage sites flanking the sub-sequences are sites recognized and cleaved by restriction enzymes, with recognition and cleavage sequences being either identical or different, the restricted sites either having blunt or sticky ends.

The length of the sub-elements is preferably, but not exclusively ranging between 1 amino acid, such as one residue in the active site of an enzyme or a structure-determining residue, and 150 amino acids, as for whole protein domains. Most preferably, the length ranges between 3 and 25 amino acids, such as most commonly found in CDR loops of antibodies.

The nucleic acid sequences could be RNA or, preferably, DNA.

-7-

SUBSTITUTE SHEET (RULE 26)

In one embodiment, the (poly)peptides have an amino acid pattern characteristic of a particular species. This can for example be achieved by deducing the consensus sequences from a collection of homologous proteins of just one species, most preferably from a collection of human proteins. Since the (poly)peptides comprising consensus sequences are artificial, they have to be compared to the protein sequence(s) having the closest similarity to ensure the presence of said characteristic amino acid pattern.

In one embodiment, the invention provides for the creation of libraries of (poly)peptides comprising at least part of members or derivatives of the immunoglobulin superfamily, preferably of member or derivatives of the immnoglobulins. Most preferably, the invention provides for the creation of libraries of human antibodies, wherein said (poly)peptides are or are derived from heavy or light chain variable regions wherein said structural sub-elements are framework regions (FR) 1, 2, 3, or 4 or complementary determining regions (CDR) 1, 2, or 3. In a first step, a database of published antibody sequences of human origin is established where the antibody sequences are aligned to each other. The database is used to define subgroups of antibody sequences which show a high degree of similarity in both the sequence and the canonical fold of CDR loops (as determined by analysis of antibody structures). For each of the subgroups a consensus sequence is deduced which represents the members of this subgroup; the complete collection of consensus sequences represent therefore the complete structural repertoire of human antibodies.

These artificial genes are then constructed e.g. by total gene synthesis or by the use of synthetic genetic subunits. These genetic subunits correspond to structural sub-elements on the (poly)peptide level. On the DNA level, these genetic subunits are defined by cleavage sites at the start and the end of each of the sub-elements, which are unique in the vector system. All genes which are members of the collection of consensus sequences are constructed such that they contain a similar pattern of corresponding genetic sub-sequences. Most preferably, said (poly)peptides are or are derived from the HuCAL consensus genes: Vκ1, Vκ2, Vκ3, Vκ4, Vλ1, Vλ2, Vλ3, VH1A, VH1B, VH2, VH3, VH4, VH5, VH6, Cκ, Cλ, CH1 or any combination of said HuCAL consensus genes.

This collection of DNA molecules can then be used to create libraries of antibodies or antibody fragments, preferably Fv, disulphide-linked Fv, single-chain Fv (scFv), or Fab fragments, which may be used as sources of specificities against new target antigens. Moreover, the affinity of the antibodies can be optimized using pre-built library cassettes and a general procedure. The invention provides a method for identifying one or more genes encoding one or more antibody fragments which

SUBSTITUTE SHEET (RULE 26)

binds to a target, comprising the steps of expressing the antibody fragments, and then screening them to isolate one or more antibody fragments which bind to a given target molecule. Preferably, an scFv fragment library comprising the combination of HuCAL VH3 and HuCAL Vλ2 consensus genes and at least a random sub-sequence encoding the heavy chain CDR3 sub-element is screened for binding antibodies. If necessary, the modular design of the genes can then be used to excise from the genes encoding the antibody fragments one or more genetic sub-sequences encoding structural sub-elements, and replacing them by one or more second sub-sequences encoding structural sub-elements. The expression and screening steps can then be repeated until an antibody having the desired affinity is generated.

Particularly preferred is a method in which one or more of the genetic subunits (e.g. the CDRs) are replaced by a random collection of sequences (the library) using the said cleavage sites. Since these cleavage sites are (i) unique in the vector system and (ii) common to all consensus genes, the same (pre-built) library can be inserted into all artificial antibody genes. The resulting library is then screened against any chosen antigen. Binding antibodies are selected, collected and used as starting material for the next library. Here, one or more of the remaining genetic subunits are randomized as described above.

A further embodiment of the present invention relates to fusion proteins by providing for a DNA sequence which encodes both the (poly)peptide, as described above, as well as an additional moiety. Particularly preferred are moieties which have a useful therapeutic function. For example, the additional moiety may be a toxin molecule which is able to kill cells (Vitetta et al., 1993). There are numerous examples of such toxins, well known to the one skilled in the art, such as the bacterial toxins Pseudomonas exotoxin A, and diphtheria toxin, as well as the plant toxins ricin, abrin, modeccin, saporin, and gelonin. By fusing such a toxin for example to an antibody fragment, the toxin can be targeted to, for example, diseased cells, and thereby have a beneficial therapeutic effect. Alternatively, the additional moiety may be a cytokine, such as IL-2 (Rosenberg & Lotze, 1986), which has a particular effect (in this case a T-cell proliferative effect) on a family of cells. In a further embodiment, the additional moiety may confer on its (poly)peptide partner a means of detection and/or purification. For example, the fusion protein could comprise the modified antibody fragment and an enzyme commonly used for detection purposes, such as alkaline phosphatase (Blake et al., 1984). There are numerous other moieties which can be used as detection or purification tags, which are well known to the practitioner skilled in the art. Particularly preferred are peptides comprising at least five histidine residues (Hochuli et al., 1988), which are able to bind to metal ions,

SUBSTITUTE SHEET (RULE 26)

and can therefore be used for the purification of the protein to which they are fused (Lindner et al., 1992). Also provided for by the invention are additional moieties such as the commonly used C-myc and FLAG tags (Hopp et al., 1988; Knappik & Plückthun, 1994).

By engineering one or more fused additional domains, antibody fragments or any other (poly)peptide can be assembled into larger molecules which also fall under the scope of the present invention. For example, mini-antibodies (Pack, 1994) are dimers comprising two antibody fragments, each fused to a self-associating dimerization domain. Dimerization domains which are particularly preferred include those derived from a leucine zipper (Pack & Plückthun, 1992) or helix-turn-helix motif (Pack et al., 1993).

All of the above embodiments of the present invention can be effected using standard techniques of molecular biology known to anyone skilled in the art.

In a further embodiment, the random collection of sub-sequences (the library) is inserted into a singular nucleic acid sequence encoding one (poly)peptide, thus creating a (poly)peptide library based on one universal framework. Preferably a random collection of CDR sub-sequences is inserted into a universal antibody framework, for example into the HuCAL H3κ2 single-chain Fv fragment described above.

In further embodiments, the invention provides for nucleic acid sequence(s), vector(s) containing the nucleic acid sequence(s), host cell(s) containing the vector(s), and (poly)peptides, obtainable according to the methods described above.

In a further preferred embodiment, the invention provides for modular vector systems being compatible with the modular nucleic acid sequences encoding the (poly)peptides. The modules of the vectors are flanked by restriction sites unique within the vector system and essentially unique with respect to the restriction sites incorporated into the nucleic acid sequences encoding the (poly)peptides, except for example the restriction sites necessary for cloning the nucleic acid sequences into the vector. The list of vector modules comprises origins of single-stranded replication, origins of double-stranded replication for high- and low copy number plasmids, promotor/operator, repressor or terminator elements, resistance genes, potential recombination sites, gene III for display on filamentous phages, signal sequences, purification and detection tags, and sequences of additional moieties.

SUBSTITUTE SHEET (RULE 26)

The vectors are preferably, but not exclusively, expression vectors or vectors suitable for expression and screening of libraries.

In another embodiment, the invention provides for a kit, comprising one or more of the list of nucleic acid sequence(s), recombinant vector(s), (poly)peptide(s), and vector(s) according to the methods described above, and suitable host cell(s) for producing the (poly)peptide(s).

In a preferred embodiment, the invention provides for the creation of libraries of human antibodies. In a first step, a database of published antibody sequences of human origin is established. The database is used to define subgroups of antibody sequences which show a high degree of similarity in both the sequence and the canonical fold (as determined by analysis of antibody structures). For each of the subgroups a consensus sequence is deduced which represents the members of this subgroup; the complete collection of consensus sequences represent therefore the complete structural repertoire of human antibodies.

These artificial genes are then constructed by the use of synthetic genetic subunits. These genetic subunits correspond to structural sub-elements on the protein level. On the DNA level, these genetic subunits are defined by cleavage sites at the start and the end of each of the subelements, which are unique in the vector system. All genes which are members of the collection of consensus sequences are constructed such that they contain a similar pattern of said genetic subunits.

This collection of DNA molecules can then be used to create libraries of antibodies which may be used as sources of specificities against new target antigens. Moreover, the affinity of the antibodies can be optimised using pre-built library cassettes and a general procedure. The invention provides a method for identifying one or more genes encoding one or more antibody fragments which binds to a target, comprising the steps of expressing the antibody fragments, and then screening them to isolate one or more antibody fragments which bind to a given target molecule. If necessary, the modular design of the genes can then be used to excise from the genes encoding the antibody fragments one or more genetic sub-sequences encoding structural sub-elements, and replacing them by one or more second sub-sequences encoding structural sub-elements. The expression and screening steps can then be repeated until an antibody having the desired affinity is generated.

Particularly preferred is a method in which one or more of the genetic subunits (e.g. the CDR's) are replaced by a random collection of sequences (the library) using the said cleavage sites. Since these cleavage sites are (i) unique in the vector system and (ii) common to all consensus genes, the same (pre-built) library can be inserted into all artificial antibody genes. The resulting library is then screened against any chosen antigen. Binding antibodies are eluted, collected and used as starting material for the next library. Here, one or more of the remaining genetic subunits are randomised as described above.

SUBSTITUTE SHEET (RULE 26)

Definitions

Protein:

The term protein comprises monomeric polypeptide chains as well as homo- or heteromultimeric complexes of two or more polypeptide chains connected either by covalent interactions (such as disulphide bonds) or by non-covalent interactions (such as hydrophobic or electrostatic interactions).

Analysis of homologous proteins:

The amino acid sequences of three or more proteins are aligned to each other (allowing for introduction of gaps) in a way which maximizes the correspondence between identical or similar amino acid residues at all positions. These aligned sequences are termed homologous if the percentage of the sum of identical and/or similar residues exceeds a defined threshold. This threshold is commonly regarded by those skilled in the art as being exceeded when at least 15% of the amino acids in the aligned genes are identical, and at least 30% are similar. Examples for families of homologous proteins are: immunoglobulin superfamily, scavenger receptor superfamily, fibronectin superfamilies (e.g. type II and III), complement control protein superfamily, cytokine receptor superfamily, cystine knot proteins, tyrosine kinases, and numerous other examples well known to one of ordinary skill in the art.

Consensus sequence:

Using a matrix of at least three aligned amino acid sequences, and allowing for gaps in the alignment, it is possible to determine the most frequent amino acid residue at each position. The consensus sequence is that sequence which comprises the amino acids which are most frequently represented at each position. In the event that two or more amino acids are equally represented at a single position, the consensus sequence includes both or all of those amino acids.

Removing unfavorable interactions:

The consensus sequence is per se in most cases artificial and has to be analyzed in order to change amino acid residues which, for example, would prevent the resulting molecule to adapt a functional tertiary structure or which would block the interaction with other (poly)peptide chains in multimeric complexes. This can be done either by (i) building a three-dimensional model of the consensus sequence using known related structures as a template, and identifying amino acid residues within the model which may interact unfavorably with each other, or (ii) analyzing the matrix of aligned amino acid sequences in order to detect combinations of amino

-13-

SUBSTITUTE SHEET (RULE 26)

acid residues within the sequences which frequently occur together in one sequence and are therefore likely to interact with each other. These probable interaction-pairs are then tabulated and the consensus is compared with these "interaction maps". Missing or wrong interactions in the consensus are repaired accordingly by introducing appropriate changes in amino acids which minimize unfavorable interactions.

Identification of structural sub-elements:

Structural sub-elements are stretches of amino acid residues within a protein/(poly)peptide which correspond to a defined structural or functional part of the molecule. These can be loops (e.g. CDR loops of an antibody) or any other secondary or functional structure within the protein/(poly)peptide (domains, α-helices, ß-sheets, framework regions of antibodies, etc.). A structural sub-element can be identified using known structures of similar or homologous (poly)peptides, or by using the above mentioned matrices of aligned amino acid sequences. Here the variability at each position is the basis for determining stretches of amino acid residues which belong to a structural sub-element (e.g. hypervariable regions of an antibody).

Sub-sequence:

A sub-sequence is defined as a genetic module which is flanked by unique cleavage sites and encodes at least one structural sub-element. It is not necessarily identical to a structural sub-element.

Cleavage site:

A short DNA sequence which is used as a specific target for a reagent which cleaves DNA in a sequence-specific manner (e.g. restriction endonucleases).

Compatible cleavage sites:

Cleavage sites are compatible with each other, if they can be efficiently ligated without modification and, preferably, also without adding an adapter molecule..

Unique cleavage sites:

A cleavage site is defined as unique if it occurs only once in a vector containing at least one of the genes of interest, or if a vector containing at least one of the genes of interest could be treated in a way that only one of the cleavage sites could be used by the cleaving agent.

SUBSTITUTE SHEET (RULE 26)

Corresponding (poly)peptide sequences:
Sequences deduced from the same part of one group of homologous proteins are called corresponding (poly)peptide sequences.

Common cleavage sites:
A cleavage site in at least two corresponding sequences, which occurs at the same functional position (i.e. which flanks a defined sub-sequence), which can be hydrolyzed by the same cleavage tool and which yields identical compatible ends is termed a common cleavage site.

Excising genetic sub-sequences:
A method which uses the unique cleavage sites and the corresponding cleavage reagents to cleave the target DNA at the specified positions in order to isolate, remove or replace the genetic sub-sequence flanked by these unique cleavage sites.

Exchanging genetic sub-sequences:
A method by which an existing sub-sequence is removed using the flanking cleavage sites of this sub-sequence, and a new sub-sequence or a collection of sub-sequences, which contain ends compatible with the cleavage sites thus created, is inserted.

Expression of genes:
The term expression refers to in vivo or in vitro processes, by which the information of a gene is transcribed into mRNA and then translated into a protein/(poly)peptide. Thus, the term expression refers to a process which occurs inside cells, by which the information of a gene is transcribed into mRNA and then into a protein. The term expression also includes all events of post-translational modification and transport, which are necessary for the (poly)peptide to be functional.

Screening of protein/(poly)peptide libraries:
Any method which allows isolation of one or more proteins/(poly)peptides having a desired property from other proteins/(poly)peptides within a library.

Amino acid pattern characteristic for a species:
A (poly)peptide sequence is assumed to exhibit an amino acid pattern characteristic for a species if it is deduced from a collection of homologous proteins from just this species.

-15-

SUBSTITUTE SHEET (RULE 26)

Immunoglobulin superfamily (IgSF):

The IgSF is a family of proteins comprising domains being characterized by the immunoglobulin fold. The IgSF comprises for example T-cell receptors and the immunoglobulins (antibodies).

Antibody framework:

A framework of an antibody variable domain is defined by Kabat et al. (1991) as the part of the variable domain which serves as a scaffold for the antigen binding loops of this variable domain.

Antibody CDR:

The CDRs (complementarity determining regions) of an antibody consist of the antigen binding loops, as defined by Kabat et al. (1991). Each of the two variable domains of an antibody Fv fragment contain three CDRs.

HuCAL:

Acronym for Human Combinatorial Antibody Library. Antibody Library based on modular consensus genes according to the invention (see Example 1).

Antibody fragment:

Any portion of an antibody which has a particular function, e.g. binding of antigen. Usually, antibody fragments are smaller than whole antibodies. Examples are Fv, disulphide-linked Fv, single-chain Fv (scFv), or Fab fragments. Additionally, antibody fragments are often engineered to include new functions or properties.

Universal framework:

One single framework which can be used to create the full variability of functions, specificities or properties which is originally sustained by a large collection of different frameworks, is called universal framework.

Binding of an antibody to its target:

The process which leads to a tight and specific association between an antibody and a corresponding molecule or ligand is called binding. A molecule or ligand or any part of a molecukle or ligand which is recognized by an antibody is called the target.

Replacing genetic sub-sequences

A method by which an existing sub-sequence is removed using the flanking cleavage sites of this sub-sequence, and a new sub-sequence or collection of sub-

SUBSTITUTE SHEET (RULE 26)

sequences, which contains ends compatible with the cleavage sites thus created, is inserted.

Assembling of genetic sequences:

Any process which is used to combine synthetic or natural genetic sequences in a specific manner in order to get longer genetic sequences which contain at least parts of the used synthetic or natural genetic sequences.

Analysis of homologous genes:

The corresponding amino acid sequences of two or more genes are aligned to each other in a way which maximizes the correspondence between identical or similar amino acid residues at all positions. These aligned sequences are termed homologous if the percentage of the sum of identical and/or similar residues exceeds a defined threshold. This threshold is commonly regarded by those skilled in the art as being exceeded when at least 15 per cent of the amino acids in the aligned genes are identical, and at least 30 per cent are similar.

SUBSTITUTE SHEET (RULE 26)

Legends to Figures and Tables

Fig. 1: Flow chart outlining the process of construction of a synthetic human antibody library based on consensus sequences.

Fig. 2: Alignment of consensus sequences designed for each subgroup (amino acid residues are shown with their standard one-letter abbreviation). (A) kappa sequences, (B) lambda sequences and (C), heavy chain sequences. The positions are numbered according to Kabat (1991). In order to maximize homology in the alignment, gaps (—) have been introduced in the sequence at certain positions.

Fig. 3: Gene sequences of the synthetic V kappa consensus genes. The corresponding amino acid sequences (see Fig. 2) as well as the unique cleavage sites are also shown.

Fig. 4: Gene sequences of the synthetic V lambda consensus genes. The corresponding amino acid sequences (see Fig. 2) as well as the unique cleavage sites are also shown.

Fig. 5: Gene sequences of the synthetic V heavy chain consensus genes. The corresponding amino acid sequences (see Fig. 2) as well as the unique cleavage sites are also shown.

Fig. 6: Oligonucleotides used for construction of the consensus genes. The oligos are named according to the corresponding consensus gene, e.g. the gene Vκ1 was constructed using the six oligonucleotides O1K1 to O1K6. The oligonucleotides used for synthesizing the genes encoding the constant domains Cκ (OCLK1 to 8) and CH1 (OCH1 to 8) are also shown.

Fig. 7A/B: Sequences of the synthetic genes encoding the constant domains Cκ (A) and CH1 (B). The corresponding amino acid sequences as well as unique cleavage sites introduced in these genes are also shown.

Fig. 7C: Functional map and sequence of module M24 comprising the synthetic Cλ gene segment (huCL lambda).

Fig. 7D: Oligonucleotides used for synthesis of module M24.

Fig. 8: Sequence and restriction map of the synthetic gene encoding the consensus single-chain fragment VH3-Vκ2. The signal sequence (amino acids 1 to 21) was derived from the E. coli phoA gene (Skerra &

-18-

SUBSTITUTE SHEET (RULE 26)

Plückthun, 1988). Between the phoA signal sequence and the VH3 domain, a short sequence stretch encoding 4 amino acid residues (amino acid 22 to 25) has been inserted in order to allow detection of the single-chain fragment in Western blot or ELISA using the monoclonal antibody M1 (Knappik & Plückthun, 1994). The last 6 basepairs of the sequence were introduced for cloning purposes (EcoRI site).

Fig. 9:   Plasmid map of the vector pIG10.3 used for phage display of the H3κ2 scFv fragment. The vector is derived from pIG10 and contains the gene for the lac operon repressor, lacI, the artificial operon encoding the H3κ2-gene3ss fusion under control of the lac promoter, the lpp terminator of transcription, the single-strand replication origin of the E. coli phage f1 (F1_ORI), a gene encoding β-lactamase (bla) and the ColEI derived origin of replication.

Fig. 10: Sequencing results of independent clones from the initial library, translated into the corresponding amino acid sequences. (A) Amino acid sequence of the VH3 consensus heavy chain CDR3 (position 93 to 102, Kabat numbering). (B) Amino acid sequences of 12 clones of the 10-mer library. (C) Amino acid sequences of 11 clones of the 15-mer library, *: single base deletion.

Fig. 11: Expression test of individual library members. (A) Expression of 9 independent clones of the 10-mer library. (B) Expression of 9 independent clones of the 15-mer library. The lane designated with M contains the size marker. Both the gp3-scFv fusion and the scFv monomer are indicated.

Fig. 12: Enrichment of specific phage antibodies during the panning against FITC-BSA. The initial as well as the subsequent fluorescein-specific sub-libraries were panned against the blocking buffer and the ratio of the phage eluted from the FITC-BSA coated well vs. that from the powder milk coated well from each panning round is presented as the „specificity factor".

Fig. 13: Phage ELISA of 24 independent clones after the third round of panning tested for binding on FITC-BSA.

Fig. 14: Competition ELISA of selected FITC-BSA binding clones. The ELISA signals (OD_{405nm}) of scFv binding without inhibition are taken as 100%.

Fig. 15: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against FITC-BSA, translated into the corresponding amino acid sequences (position 93 to 102, Kabat numbering).

SUBSTITUTE SHEET (RULE 26)

Fig. 16: Coomassie-Blue stained SDS-PAGE of the purified anti-fluorescein scFv fragments: M: molecular weight marker, A: total soluble cell extract after induction, B: fraction of the flow-through, C, D and E: purified scFv fragments 1HA-3E4, 1HA-3E5 and 1HA-3E10, respectively.

Fig. 17: Enrichment of specific phage antibodies during the panning against ß-estradiol-BSA, testosterone-BSA, BSA, ESL-1, interleukin-2, lymphotoxin-ß, and LeY-BSA after three rounds of panning.

Fig. 18: ELISA of selected ESL-1 and ß-estradiol binding clones

Fig. 19: Selectivity and cross-reactivity of HuCAL antibodies: in the diagonal specific binding of HuCAL antibodies can be seen, off-diagonal signals show non-specific cross-reactivity.

Fig. 20: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against ß-estradiol-BSA, translated into the corresponding amino acid sequences (position 93 to 102, Kabat numbering). One clone is derived from the 10mer library.

Fig. 21: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against testosterone-BSA, translated into the corresponding amino acid sequences (position 93 to 102, Kabat numbering).

Fig. 22: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against lymphotoxin-ß, translated into the corresponding amino acid sequences (position 93 to 102, Kabat numbering). One clone comprises a 14mer CDR, presumably introduced by incomplete coupling of the trinucleotide mixture during oligonucleotide synthesis.

Fig. 23: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against ESL-1, translated into the corresponding amino acid sequences (position 93 to 102, Kabat numbering). Two clones are derived from the 10mer library. One clone comprises a 16mer CDR, presumably introduced by chain elongation during oligonucleotide synthesis using trinucleotides.

Fig. 24: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against BSA, translated into the corresponding amino acid sequences (position 93 to 102, Kabat numbering).

Fig. 25: Schematic representation of the modular pCAL vector system.

Fig. 25a: List of restriction sites already used in or suitable for the modular HuCAL genes and pCAL vector system.

Fig. 26: List of the modular vector elements for the pCAL vector series: shown are only those restriction sites which are part of the modular system.

SUBSTITUTE SHEET (RULE 26)

Fig. 27: Functional map and sequence of the multi-cloning site module (MCS)

Fig. 28: Functional map and sequence of the pMCS cloning vector series.

Fig. 29: Functional map and sequence of the pCAL module M1 (see Fig. 26).

Fig. 30: Functional map and sequence of the pCAL module M7-III (see Fig. 26).

Fig. 31: Functional map and sequence of the pCAL module M9-II (see Fig. 26).

Fig. 32: Functional map and sequence of the pCAL module M11-II (see Fig. 26).

Fig. 33: Functional map and sequence of the pCAL module M14-Ext2 (see Fig. 26).

Fig. 34: Functional map and sequence of the pCAL module M17 (see Fig. 26).

Fig. 35: Functional map and sequence of the modular vector pCAL4.

Fig. 35a: Functional maps and sequences of additional pCAL modules (M2, M3, M7I, M7II, M8, M10II, M11II, M12, M13, M19, M20, M21, M41) and of low-copy number plasmid vectors (pCALO1 to pCALO3).

Fig. 35b: List of oligonucleotides and primers used for synthesis of pCAL vector modules.

Fig. 36: Functional map and sequence of the ß-lactamase cassette for replacement of CDRs for CDR library cloning.

Fig. 37: Oligo and primer design for Vκ CDR3 libraries

Fig. 38: Oligo and primer design for Vλ CDR3 libraries

Fig. 39: Functional map of the pBS13 expression vector series.

Fig. 40: Expression of all 49 HuCAL scFvs obtained by combining each of the 7 VH genes with each of the 7 VL genes (pBS13, 30°C): Values are given for the percentage of soluble vs. insoluble material, the total and the soluble amount compared to the combination H3κ2, which was set to 100%. In addition, the corresponding values for the McPC603 scFv are given.

Table 1: Summary of human immunoglobulin germline sequences used for computing the germline membership of rearranged sequences. (A) kappa sequences, (B) lambda sequences and (C), heavy chain sequences. (1) The germline name used in the various calculations, (2) the references number for the corresponding sequence (see appendix for sequence related citations), (3) the family where each sequence belongs to and (4), the various names found in literature for germline genes with identical amino acid sequences.

Table 2: Rearranged human sequences used for the calculation of consensus sequences. (A) kappa sequences, (B) lambda sequences and (C), heavy chain sequences. The table summarized the name of the sequence (1),

Table 1B: Human lambda germline gene segments

Used Name[1]	Reference[2]	Family[3]	Germline genes[4]
DPL1	1	1	
DPL2	1	1	HUMLV1L1
DPL3	1	1	HUMLV122
DPL4	1	1	VLAMBDA 1.1
HUMLV117	2	1	
DPL5	1	1	HUMLV117D
DPL6	1	1	
DPL7	1	1	IGLV1S2
DPL8	1	1	HUMLV1042
DPL9	1	1	HUMLV101
DPL10	1	2	
VLAMBDA 2.1	3	2	
DPL11	1	2	
DPL12	1	2	
DPL13	1	2	
DPL14	1	2	
DPL16	1	3	Humlv418; IGLV3S1
DPL23	1	3	Vl III.1
Humlv318	4	3	
DPL18	1	7	4A; HUMIGLVA
DPL19	1	7	
DPL21	1	8	VL8.1
HUMLV801	5	8	
DPL22	1	9	
DPL24	1	unassigned	VLAMBDA N.2
gVLX-4.4	6	10	

SUBSTITUTE SHEET (RULE 26)

Table 1C: Human heavy chain germline gene segments

Used Name[1]	Reference[2]	Family[3]	Germline genes[4]
VH1-12-1	19	1	DP10; DA-2; DA-6
VH1-12-8	22	1	RR.VH1:2
VH1-12-2	6	1	hv1263
VH1-12-9	7	1	YAC-7; RR.VH1.1; 1-69
VH1-12-3	19	1	DP3
VH1-12-4	19	1	DP21; 4d275a; VH7a
VH1-12-5	18	1	I-4.1b; V1-4.1b
VH1-12-6	21	1	1D37; VH7b ; 7-81; YAC-10
VH1-12-7	19	1	DP14; VH1GRR; V1-18
VH1-13-1	10	1	71-5; DP2
VH1-13-2	10	1	E3-10
VH1-13-3	19	1	DP1
VH1-13-4	12	1	V35
VH1-13-5	8	1	V1-2b
VH1-13-6	18	1	I-2; DP75
VH1-13-7	21	1	V1-2
VH1-13-8	19	1	DP8
VH1-13-9	3	1	1-1
VH1-13-10	19	1	DP12
VH1-13-11	15	1	V13C
VH1-13-12	18	1	I-3b; DP25; V1-3b
VH1-13-13	3	1	1-92
VH1-13-14	18	1	I-3; V1-3
VH1-13-15	19	1	DP15; V1-8
VH1-13-16	3	1	21-2; 3-1; DP7; V1-46
VH1-13-17	16	1	HG3
VH1-13-18	19	1	DP4; 7-2; V1-45
VH1-13-19	27	1	COS 5
VH1-1X-1	19	1	DP5; 1-24P
VH2-21-1	18	2	II-5b
VH2-31-1	2	2	VH2S12-1
VH2-31-2	2	2	VH2S12-7
VH2-31-3	2	2	VH2S12-9; DP27
VH2-31-4	2	2	VH2S12-10
VH2-31-5	14	2	V2-26; DP26; 2-26
VH2-31-6	15	2	VF2-26

49

SUBSTITUTE SHEET (RULE 26)

Table 1C: (continued)

Used Name[1]	Reference[2]	Family[3]	Germline genes[4]
VH2-31-7	19	2	DP28; DA-7
VH2-31-14	7	2	YAC-3; 2-70
VH2-31-8	2	2	VH2S12-5
VH2-31-9	2	2	VH2S12-12
VH2-31-10	18	2	II-5; V2-5
VH2-31-11	2	2	VH2S12-2; VH2S12-8
VH2-31-12	2	2	VH2S12-4; VH2S12-6
VH2-31-13	2	2	VH2S12-14
VH3-11-1	13	3	v65-2; DP44
VH3-11-2	19	3	DP45
VH3-11-3	3	3	13-2; DP48
VH3-11-4	19	3	DP52
VH3-11-5	14	3	v3-13
VH3-11-6	19	3	DP42
VH3-11-7	3	3	8-1B; YAC-5; 3-66
VH3-11-8	14	3	V3-53
VH3-13-1	3	3	22-2B; DP35; V3-11
VH3-13-5	19	3	DP59; VH19; V3-35
VH3-13-6	25	3	f1-p1; DP61
VH3-13-7	19	3	DP46; GL-SJ2; COS 8; hv3005; hv3005f3; 3d21b; 56p1
VH3-13-8	24	3	VH26
VH3-13-9	5	3	vh26c
VH3-13-10	19	3	DP47; VH26; 3-23
VH3-13-11	3	3	1-91
VH3-13-12	19	3	DP58
VH3-13-13	3	3	1-9III; DP49; 3-30; 3d28.1
VH3-13-14	24	3	3019B9; DP50; 3-33; 3d277
VH3-13-15	27	3	COS 3
VH3-13-16	19	3	DP51
VH3-13-17	16	3	H11
VH3-13-18	19	3	DP53; COS 6; 3-74; DA-8
VH3-13-19	19	3	DP54; VH3-11; V3-7
VH3-13-20	14	3	V3-64; YAC-6
VH3-13-21	14	3	V3-48
VH3-13-22	14	3	V3-43; DP33
VH3-13-23	14	3	V3-33

SUBSTITUTE SHEET (RULE 26)

Table 1C: (continued)

Used Name[1]	Reference[2]	Family[3]	Germline genes[4]
VH3-13-24	14	3	V3-21; DP77
VH3-13-25	14	3	V3-20; DP32
VH3-13-26	14	3	V3-9; DP31
VH3-14-1	3	3	12-2; DP29; 3-72; DA-3
VH3-14-4	7	3	YAC-9; 3-73; MTGL
VH3-14-2	4	3	VHD26
VH3-14-3	19	3	DP30
VH3-1X-1	1	3	LSG8.1; LSG9.1; LSG10.1; HUM12IGVH; HUM13IGVH
VH3-1X-2	1	3	LSG11.1; HUM4IGVH
VH3-1X-3	3	3	9-1; DP38; LSG7.1; RCG1.1; LSG1.1; LSG3.1; LSG5.1; HUM15IGVH; HUM2IGVH; HUM9IGVH
VH3-1X-4	1	3	LSG4.1
VH3-1X-5	1	3	LSG2.1
VH3-1X-6	1	3	LSG6.1; HUM10IGVH
VH3-1X-7	18	3	3-15; V3-15
VH3-1X-8	1	3	LSG12.1; HUM5IGVH
VH3-1X-9	14	3	V3-49
VH4-11-1	22	4	Tou-VH4.21
VH4-11-2	17	4	VH4.21; DP63; VH5; 4d76; V4-34
VH4-11-3	23	4	4.44
VH4-11-4	23	4	4.44.3
VH4-11-5	23	4	4.36
VH4-11-6	23	4	4.37
VH4-11-7	18	4	IV-4; 4.35; V4-4
VH4-11-8	17	4	VH4.11; 3d197d; DP71; 58p2
VH4-11-9	20	4	H7
VH4-11-10	20	4	H8
VH4-11-11	20	4	H9
VH4-11-12	17	4	VH4.16
VH4-11-13	23	4	4.38
VH4-11-14	17	4	VH4.15
VH4-11-15	11	4	58
VH4-11-16	10	4	71-4; V4-59
VH4-21-1	11	4	11
VH4-21-2	17	4	VH4.17; VH4.23; 4d255; 4.40; DP69
VH4-21-3	17	4	VH4.19; 79; V4-4b

51

SUBSTITUTE SHEET (RULE 26)

Table 1C: (continued)

Used Name[1]	Reference[2]	Family[3]	Germline genes[4]
VH4-21-4	19	4	DP70; 4d68; 4.41
VH4-21-5	19	4	DP67; VH4-4B
VH4-21-6	17	4	VH4.22; VHSP; VH-JA
VH4-21-7	17	4	VH4.13; 1-9II; 12G-1; 3d28d; 4.42; DP68; 4-28
VH4-21-8	26	4	hv4005; 3d24d
VH4-21-9	17	4	VH4.14
VH4-31-1	23	4	4.34; 3d230d; DP78
VH4-31-2	23	4	4.34.2
VH4-31-3	19	4	DP64; 3d216d
VH4-31-4	19	4	DP65; 4-31; 3d277d
VH4-31-5	23	4	4.33; 3d75d
VH4-31-6	20	4	H10
VH4-31-7	20	4	H11
VH4-31-8	23	4	4.31
VH4-31-9	23	4	4.32
VH4-31-10	20	4	3d277d
VH4-31-11	20	4	3d216d
VH4-31-12	20	4	3d279d
VH4-31-13	17	4	VH4.18; 4d154; DP79
VH4-31-14	8	4	V4-39
VH4-31-15	11	4	2-1; DP79
VH4-31-16	23	4	4.30
VH4-31-17	17	4	VH4.12
VH4-31-18	10	4	71-2; DP66
VH4-31-19	23	4	4.39
VH4-31-20	8	4	V4-61
VH5-12-1	9	5	VH251; DP73; VHVCW; 51-R1; VHVLB; VHVCH; VHVTT; VHVAU; VHVBLK; VhAU; V5-51
VH5-12-2	17	5	VHVJB
VH5-12-3	3	5	1-v; DP80; 5-78
VH5-12-4	9	5	VH32; VHVRG; VHVMW; 5-2R1
VH6-35-1	4	6	VHVI; VH6; VHVIIS; VHVITE; VHVIJB; VHVICH; VHVICW; VHVIBLK; VHVIMW; DP74; 6-1G1; V6-1

52

SUBSTITUTE SHEET (RULE 26)

Table 2A: rearranged human kappa sequences

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
III-3R	108	1	O8	1	1,1%	70
No.86	109	1	O8	3	3,2%	80
AU	108	1	O8	6	6,3%	103
ROY	108	1	O8	6	6,3%	43
IC4	108	1	O8	6	6,3%	70
HIV-B26	106	1	O8	3	3,2%	8
GRI	108	1	O8	8	8,4%	30
AG	106	1	O8	8	8,6%	116
REI	108	1	O8	9	9,5%	86
CLL PATIENT 16	88	1	O8	2	2,3%	122
CLL PATIENT 14	87	1	O8	2	2,3%	122
CLL PATIENT 15	88	1	O8	2	2,3%	122
GM4672	108	1	O8	11	11,6%	24
HUM. YFC51.1	108	1	O8	12	12,6%	110
LAY	108	1	O8	12	12,6%	48
HIV-b13	106	1	O8	9	9,7%	8
MAL-NaCl	108	1	O8	13	13,7%	102
STRAb SA-1A	108	1	O2	0	0,0%	120
HuVHCAMP	108	1	O8	13	13,7%	100
CRO	108	1	O2	10	10,5%	30
Am107	108	1	O2	12	12,6%	108
WALKER	107	1	O2	4	4,2%	57
III-2R	109	1	A20	0	0,0%	70
FOG1-A4	107	1	A20	4	4,2%	41
HK137	95	1	L1	0	0,0%	10
CEA4-8A	107	1	O2	7	7,4%	41
Va'	95	1	L4	0	0,0%	90
TR1.21	108	1	O2	4	4,2%	92
HAU	108	1	O2	6	6,3%	123
HK102	95	1	L12(1)	0	0,0%	9
H20C3K	108	1	L12(2)	3	3,2%	125
CHEB	108	1	O2	7	7,4%	5
HK134	95	1	L15(2)	0	0,0%	10
TEL9	108	1	O2	9	9,5%	73

SUBSTITUTE SHEET (RULE 26)

Table 2A: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
TR1.32	103	1	O2	3	3,2%	92
RF-KES1	97	1	A20	4	4,2%	121
WES	108	1	L5	10	10,5%	61
DILp1	95	1	O4	1	1,1%	70
SA-4B	107	1	L12(2)	8	8,4%	120
HK101	95	1	L15(1)	0	0,0%	9
TR1.23	108	1	O2	5	5,3%	92
HF2-1/17	108	1	A30	0	0,0%	4
2E7	108	1	A30	1	1,1%	62
33.C9	107	1	L12(2)	7	7,4%	126
3D6	105	1	L12(2)	2	2,1%	34
I-2a	108	1	L8	8	8,4%	70
RF-KL1	97	1	L8	4	4,2%	121
TNF-E7	108	1	A30	9	9,5%	41
TR1.22	108	1	O2	7	7,4%	92
HIV-B35	106	1	O2	2	2,2%	8
HIV-b22	106	1	O2	2	2,2%	8
HIV-b27	106	1	O2	2	2,2%	8
HIV-B8	107	1	O2	10	10,8%	8
HIV-b8	107	1	O2	10	10,8%	8
RF-SJ5	95	1	A30	5	5,3%	113
GAL(I)	108	1	A30	6	6,3%	64
R3.5H5G	108	1	O2	6	6,3%	70
HIV-b14	106	1	A20	2	2,2%	8
TNF-E1	105	1	L5	8	8,4%	41
WEA	108	1	A30	8	8,4%	37
EU	108	1	L12(2)	5	5,3%	40
FOG1-G8	108	1	L8	11	11,6%	41
1X7RG1	108	1	L1	8	8,4%	70
BLI	108	1	L8	3	3,2%	72
KUE	108	1	L12(2)	11	11,6%	32
LUNm01	108	1	L12(2)	10	10,5%	6
HIV-b1	106	1	A20	4	4,3%	8
HIV-s4	103	1	O2	2	2,2%	8

54

SUBSTITUTE SHEET (RULE 26)

Table 2A: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
CAR	107	1	L12(2)	11	11,7%	79
BR	107	1	L12(2)	11	11,6%	50
CLL PATIENT 10	88	1	O2	0	0,0%	122
CLL PATIENT 12	88	1	O2	0	0,0%	122
KING	108	1	L12(2)	12	12,6%	30
V13	95	1	L24	0	0,0%	46
CLL PATIENT 11	87	1	O2	0	0,0%	122
CLL PATIENT 13	87	1	O2	0	0,0%	122
CLL PATIENT 9	88	1	O12	1	1,1%	122
HIV-B2	106	1	A20	9	9,7%	8
HIV-b2	106	1	A20	9	9,7%	8
CLL PATIENT 5	88	1	A20	1	1,1%	122
CLL PATIENT 1	88	1	L8	2	2,3%	122
CLL PATIENT 2	88	1	L8	0	0,0%	122
CLL PATIENT 7	88	1	L5	0	0,0%	122
CLL PATIENT 8	88	1	L5	0	0,0%	122
HIV-b5	105	1	L5	11	12,0%	8
CLL PATIENT 3	87	1	L8	1	1,1%	122
CLL PATIENT 4	88	1	L9	0	0,0%	122
CLL PATIENT 18	85	1	L9	6	7,1%	122
CLL PATIENT 17	86	1	L12(2)	7	8,1%	122
HIV-b20	107	3	A27	11	11,7%	8
2C12	108	1	L12(2)	20	21,1%	68
1B11	108	1	L12(2)	20	21,1%	68
1H1	108	1	L12(2)	21	22,1%	68
2A12	108	1	L12(2)	21	22,1%	68
CUR	109	3	A27	0	0,0%	66
GLO	109	3	A27	0	0,0%	16
RF-TS1	96	3	A27	0	0,0%	121
GAR'	109	3	A27	0	0,0%	67
FLO	109	3	A27	0	0,0%	66
PIE	109	3	A27	0	0,0%	91
HAH 14.1	109	3	A27	1	1,0%	51
HAH 14.2	109	3	A27	1	1,0%	51

SUBSTITUTE SHEET (RULE 26)

Table 2A: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
HAH 16.1	109	3	A27	1	1,0%	51
NOV	109	3	A27	1	1,0%	52
33.F12	108	3	A27	1	1,0%	126
8E10	110	3	A27	1	1,0%	25
TH3	109	3	A27	1	1,0%	25
HIC (R)	108	3	A27	0	0,0%	51
SON	110	3	A27	1	1,0%	67
PAY	109	3	A27	1	1,0%	66
GOT	109	3	A27	1	1,0%	67
mAbA6H4C5	109	3	A27	1	1,0%	12
BOR'	109	3	A27	2	2,1%	84
RF-SJ3	96	3	A27	2	2,1%	121
SIE	109	3	A27	2	2,1%	15
ESC	109	3	A27	2	2,1%	98
HEW'	110	3	A27	2	2,1%	98
YES8c	109	3	A27	3	3,1%	33
TI	109	3	A27	3	3,1%	114
mAb113	109	3	A27	3	3,1%	71
HEW	107	3	A27	0	0,0%	94
BRO	106	3	A27	0	0,0%	94
ROB	106	3	A27	0	0,0%	94
NG9	96	3	A27	4	4,2%	11
NEU	109	3	A27	4	4,2%	66
WOL	109	3	A27	4	4,2%	2
35G6	109	3	A27	4	4,2%	59
RF-SJ4	109	3	A11	0	0,0%	88
KAS	109	3	A27	4	4,2%	84
BRA	106	3	A27	1	1,1%	94
HAH	106	3	A27	1	1,1%	94
HIC	105	3	A27	0	0,0%	94
FS-2	109	3	A27	6	6,3%	87
JH'	107	3	A27	6	6,3%	38
EV1-15	109	3	A27	6	6,3%	83
SCA	108	3	A27	6	6,3%	65

56

SUBSTITUTE SHEET (RULE 26)

Table 2A: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
mAb112	109	3	A27	6	6,3%	71
SIC	103	3	A27	3	3,3%	94
SA-4A	109	3	A27	6	6,3%	120
SER	108	3	A27	6	6,3%	98
GOL'	109	3	A27	7	7,3%	82
B5G10K	105	3	A27	9	9,7%	125
HG2B10K	110	3	A27	−9	9,4%	125
Taykv322	105	3	A27	5	5,4%	52
CLL PATIENT 24	89	3	A27	1	1,1%	122
HIV-b24	107	3	A27	7	7,4%	8
HIV-b6	107	3	A27	7	7,4%	8
Taykv310	99	3	A27	1	1,1%	52
KA3D1	108	3	L6	0	0,0%	85
19.E7	107	3	L6	0	0,0%	126
rsv6L	109	3	A27	12	12,5%	7
Taykv320	98	3	A27	1	1,2%	52
Vh	96	3	L10(2)	0	0,0%	89
LS8	108	3	L6	1	1,1%	109
LS1	108	3	L6	1	1,1%	109
LS2S3-3	107	3	L6	2	2,1%	99
LS2	108	3	L6	1.	1,1%	109
LS7	108	3	L6	1	1,1%	109
LS2S3-4d	107	3	L6	2	2,1%	99
LS2S3-4a	107	3	L6	2	2,1%	99
LS4	108	3	L6	1	1,1%	109
LS6	108	3	L6	1	1,1%	109
LS2S3-10a	107	3	L6	2	2,1%	99
LS2S3-8c	107	3	L6	2	2,1%	99
LS5	108	3	L6	1	1,1%	109
LS2S3-5	107	3	L6	3	3,2%	99
LUNm03	109	3	A27	13	13,5%	6
IARC/BL41	108	3	A27	13	13,7%	55
slkv22	99	3	A27	3	3,5%	13
POP	108	3	L6	4	4,2%	111

SUBSTITUTE SHEET (RULE 26)

Table 2A: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
LS2S3-10b	107	3	L6	3	3,2%	99
LS2S3-8f	107	3	L6	3	3,2%	99
LS2S3-12	107	3	L6	3	3,2%	99
HIV-B30	107	3	A27	11	11,7%	8
HIV-B20	107	3	A27	11	11,7%	8
HIV-b3	108	3	A27	11	11,7%	8
HIV-s6	104	3	A27	9	9,9%	8
YSE	107	3	L2/L16	1	1,1%	72
POM	109	3	L2/L16	9	9,4%	53
Humkv328	95	3	L2/L16	1	1,1%	19
CLL	109	3	L2/L16	3	3,2%	47
LES	96	3	L2/L16	3	3,2%	38
HIV-s5	104	3	A27	11	12,1%	8
HIV-s7	104	3	A27	11	12,1%	8
slkv1	99	3	A27	7	8,1%	13
Humka31es	95	3	L2/L16	4	4,2%	18
slkv12	101	3	A27	8	9,2%	13
RF-TS2	95	3	L2/L16	3	3,2%	121
II-1	109	3	L2/L16	4	4,2%	70
HIV-s3	105	3	A27	13	14,3%	8
RF-TMC1	96	3	L6	10	10,5%	121
GER	109	3	L2/L16	7	7,4%	75
GF4/1.1	109	3	L2/L16	8	8,4%	36
mAb114	109	3	L2/L16	6	6,3%	71
HIV-loop13	109	3	L2/L16	7	7,4%	8
bkv16	86	3	L6	1	1,2%	13
CLL PATIENT 29	86	3	L6	1	1,2%	122
slkv9	98	3	L6	3	3,5%	13
bkv17	99	3	L6	1	1,2%	13
slkv14	99	3	L6	1	1,2%	13
slkv16	101	3	L6	2	2,3%	13
bkv33	101	3	L6	4	4,7%	13
slkv15	99	3	L6	2	2,3%	13
bkv6	100	3	L6	3	3,5%	13

SUBSTITUTE SHEET (RULE 26)

Table 2A: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
R6B8K	108	3	L2/L16	12	12,6%	125
AL 700	107	3	L2/L16	9	9,5%	117
slkv11	100	3	L2/L16	3	3,5%	13
slkv4	97	3	L6	4	4,8%	13
CLL PATIENT 26	87	3	L2/L16	1	1,1%	122
AL Se124	103	3	L2/L16	9	9,5%	117
slkv13	100	3	L2/L16	6	7,0%	13
bkv7	100	3	L2/L16	5	5,8%	13
bkv22	100	3	L2/L16	6	7,0%	13
CLL PATIENT 27	84	3	L2/L16	0	0,0%	122
bkv35	100	3	L6	8	9,3%	13
CLL PATIENT 25	87	3	L2/L16	4	4,6%	122
slkv3	86	3	L2/L16	7	8,1%	13
slkv7	99	1	O2	7	8,1%	13
HuFd79	111	3	L2/L16	24	24,2%	21
RAD	99	3	A27	9	10,3%	78
CLL PATIENT 28	83	3	L2/L16	4	4,8%	122
REE	104	3	L2/L16	25	27,2%	95
FR4	99	3	A27	8	9,2%	77
MD3.3	92	3	L6	1	1,3%	54
MD3.1	92	3	L6	0	0,0%	54
GA3.6	92	3	L6	2	2,6%	54
M3.5N	92	3	L6	3	3,8%	54
WEI'	82	3	A27	0	0,0%	65
MD3.4	92	3	L2/L16	1	1,3%	54
MD3.2	91	3	L6	3	3,8%	54
VER	97	3	A27	19	22,4%	20
CLL PATIENT 30	78	3	L6	3	3,8%	122
M3.1N	92	3	L2/L16	1	1,3%	54
MD3.6	91	3	L2/L16	0	0,0%	54
MD3.8	91	3	L2/L16	0	0,0%	54
GA3.4	92	3	L6	7	9,0%	54
M3.6N	92	3	A27	0	0,0%	54
MD3.10	92	3	A27	0	0,0%	54

59

Table 2A: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
MD3.13	91	3	A27	0	0,0%	54
MD3.7	93	3	A27	0	0,0%	54
MD3.9	93	3	A27	0	0,0%	54
GA3.1	93	3	A27	6	7,6%	54
bkv32	101	3	A27	5	5,7%	13
GA3.5	93	3	A27	5	6,3%	54
GA3.7	92	3	A27	_7	8,9%	54
MD3.12	92	3	A27	2	2,5%	54
M3.2N	90	3	L6	6	7,8%	54
MD3.5	92	3	A27	1	1,3%	54
M3.4N	91	3	L2/L16	8	10,3%	54
M3.8N	91	3	L2/L16	7	9,0%	54
M3.7N	92	3	A27	3	3,8%	54
GA3.2	92	3	A27	9	11,4%	54
GA3.8	93	3	A27	4	5,1%	54
GA3.3	92	3	A27	8	10,1%	54
M3.3N	92	3	A27	5	6,3%	54
B6	83	3	A27	8	11,3%	78
E29.1 KAPPA	78	3	L2/L16	0	0,0%	22
SCW	108	1	O8	12	12,6%	31
REI-based CAMPATH-9	107	1	O8	14	14,7%	39
RZ	107	1	O8	14	14,7%	50
BI	108	1	O8	14	14,7%	14
AND	107	1	O2	13	13,7%	69
2A4	109	1	O2	12	12,6%	23
KA	108	1	O8	19	20,0%	107
MEV	109	1	O2	14	14,7%	29
DEE	106	1	O2	13	14,0%	76
OU(IOC)	108	1	O2	18	18,9%	60
HuRSV19VK	111	1	O8	21	21,0%	115
SP2	108	1	O2	17	17,9%	93
BJ26	99	1	O8	21	24,1%	1
NI	112	1	O8	24	24,2%	106
BMA 0310EUCIV2	106	1	L12(1)	21	22,3%	105

66

SUBSTITUTE SHEET (RULE 26)

Table 2A: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
CLL PATIENT 6	71	1	A20	0	0,0%	122
BJ19	85	1	O8	16	21,9%	1
GM 607	113	2	A3	0	0,0%	58
R5A3K	114	2	A3	1	1,0%	125
R1C8K	114	2	A3	1	1,0%	125
VK2.R149	113	2	A3	2	2,0%	118
TR1.6	109	2	A3	4	4,0%	92
TR1.37	104	2	A3	5	5,0%	92
FS-1	113	2	A3	6	6,0%	87
TR1.8	110	2	A3	6	6,0%	92
NIM	113	2	A3	8	8,0%	28
Inc	112	2	A3	11	11,0%	35
TEW	107	2	A3	6	6,4%	96
CUM	114	2	O1	7	6,9%	44
HRF1	71	2	A3	4	5,6%	124
CLL PATIENT 19	87	2	A3	0	0,0%	122
CLL PATIENT 20	87	2	A3	0	0,0%	122
MIL	112	2	A3	16	16,2%	26
FR	113	2	A3	20	20,0%	101
MAL-Urine	83	1	O2	6	8,6%	102
Taykv306	73	3	A27	1	1,6%	52
Taykv312	75	3	A27	1	1,6%	52
HIV-b29	93	3	A27	14	17,5%	8
1-185-37	110	3	A27	0	0,0%	119
1-187-29	110	3	A27	0	0,0%	119
TT117	110	3	A27	9	9,4%	63
HIV-loop8	108	3	A27	16	16,8%	8
rsv23L	108	3	A27	16	16,8%	7
HIV-b7	107	3	A27	14	14,9%	8
HIV-b11	107	3	A27	15	16,0%	8
HIV-LC1	107	3	A27	19	20,2%	8
HIV-LC7	107	3	A27	20	21,3%	8
HIV-LC22	107	3	A27	21	22,3%	8
HIV-LC13	107	3	A27	21	22,3%	8

61

SUBSTITUTE SHEET (RULE 26)

Table 2A: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
HIV-LC3	107	3	A27	21	22,3%	8
HIV-LC5	107	3	A27	21	22,3%	8
HIV-LC28	107	3	A27	21	22,3%	8
HIV-b4	107	3	A27	22	23,4%	8
CLL PATIENT 31	87	3	A27	15	17,2%	122
HIV-loop2	108	3	L2/L16	17	17,9%	8
HIV-loop35	108	3	L2/L16	17	17,9%	8
HIV-LC11	107	3	A27	23	24,5%	8
HIV-LC24	107	3	A27	23	24,5%	8
HIV-b12	107	3	A27	24	25,5%	8
HIV-LC25	107	3	A27	24	25,5%	8
HIV-b21	107	3	A27	24	25,5%	8
HIV-LC26	107	3	A27	26	27,7%	8
G3D10K	108	1	L12(2)	12	12,6%	125
TT125	108	1	L5	8	8,4%	63
HIV-s2	103	3	A27	28	31,1%	8
265-695	108	1	L5	7	7,4%	3
2-115-19	108	1	A30	2	2,1%	119
rsv13L	107	1	O2	20	21,1%	7
HIV-b18	106	1	O2	14	15,1%	8
RF-KL5	98	3	L6	36	36,7%	97
ZM1-1	113	2	A17	7	7,0%	3
HIV-s8	103	1	O8	16	17,8%	8
K- EV15	95	5	B2	0	0,0%	112
RF-TS3	100	2	A23	0	0,0%	121
HF-21/28	111	2	A17	1	1,0%	17
RPMI6410	113	2	A17	1	1,0%	42
JC11	113	2	A17	1	1,0%	49
O-81	114	2	A17	5	5,0%	45
FK-001	113	4	B3	0	0,0%	81
CD5+.28	101	4	B3	1	1,0%	27
LEN	114	4	B3	1	1,0%	104
UC	114	4	B3	1	1,0%	111
CD5+.5	101	4	B3	1	1,0%	27

SUBSTITUTE SHEET (RULE 26)

Table 2A: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
CD5+.26	101	4	B3	1	1,0%	27
CD5+.12	101	4	B3	2	2,0%	27
CD5+.23	101	4	B3	2	2,0%	27
CD5+.7	101	4	B3	2	2,0%	27
VJI	113	4	B3	3	3,0%	56
LOC	113	4	B3	3	3,0%	72
MAL	113	4	B3	3	3,0%	72
CD5+.6	101	4	B3	3	3,0%	27
H2F	113	4	B3	3	3,0%	70
PB17IV	114	4	B3	4	4,0%	74
CD5+.27	101	4	B3	4	4,0%	27
CD5+.9	101	4	B3	4	4,0%	27
CD5-.28	101	4	B3	5	5,0%	27
CD5-.26	101	4	B3	6	5,9%	27
CD5+.24	101	4	B3	6	5,9%	27
CD5+.10	101	4	B3	6	5,9%	27
CD5-.19	101	4	B3	6	5,9%	27
CD5-.18	101	4	B3	7	6,9%	27
CD5-.16	101	4	B3	8	7,9%	27
CD5-.24	101	4	B3	8	7,9%	27
CD5-.17	101	4	B3	10	9,9%	27
MD4.1	92	4	B3	0	0,0%	54
MD4.4	92	4	B3	0	0,0%	54
MD4.5	92	4	B3	0	0,0%	54
MD4.6	92	4	B3	0	0,0%	54
MD4.7	92	4	B3	0	0,0%	54
MD4.2	92	4	B3	1	1,3%	54
MD4.3	92	4	B3	5	6,3%	54
CLL PATIENT 22	87	2	A17	2	2,3%	122
CLL PATIENT 23	84	2	A17	2	2,4%	122

63

Table 2B: rearranged human lambda sequences

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
WAH	110	1	DPL3	7	7%	68
1B9/F2	112	1	DPL3	7	7%	9
DIA	112	1	DPL2	7	7%	36
mAb67	89	1	DPL3	0	0%	29
HiH2	110	1	DPL3	12	11%	3
NIG-77	112	1	DPL2	9	9%	72
OKA	112	1	DPL2	7	7%	84
KOL	112	1	DPL2	12	11%	40
T2:C5	111	1	DPL5	0	0%	6
T2:C14	110	1	DPL5	0	0%	6
PR-TS1	110	1	DPL5	0	0%	55
4G12	111	1	DPL5	1	1%	35
KIM46L	112	1	HUMLV117	0	0%	8
Fog-B	111	1	DPL5	3	3%	31
9F2L	111	1	DPL5	3	3%	79
mAb111	110	1	DPL5	3	3%	48
PHOX15	111	1	DPL5	4	4%	49
BL2	111	1	DPL5	4	4%	74
NIG-64	111	1	DPL5	4	4%	72
RF-SJ2	100	1	DPL5	6	6%	78
AL EZI	112	1	DPL5	7	7%	41
ZIM	112	1	HUMLV117	7	7%	18
RF-SJ1	100	1	DPL5	9	9%	78
IGLV1.1	98	1	DPL4	0	0%	1
NEW	112	1	HUMLV117	11	10%	42
CB-201	87	1	DPL2	1	1%	62
MEM	109	1	DPL2	6	6%	50
H210	111	2	DPL10	4	4%	45
NOV	110	2	DPL10	8	8%	25
NEI	111	2	DPL10	8	8%	24
AL MC	110	2	DPL11	6	6%	28
MES	112	2	DPL11	8	8%	84
FOG1-A3	111	2	DPL11	9	9%	27
AL NOV	112	2	DPL11	7	7%	28

64

SUBSTITUTE SHEET (RULE 26)

Table 2B: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
HMST-1	110	2	DPL11	4	4%	82
HBW4-1	108	2	DPL12	9	9%	52
WH	110	2	DPL11	11	11%	34
11-50	110	2	DPL11	7	7%	82
HBp2	110	2	DPL12	8	8%	3
NIG-84	113	2	DPL11	12	11%	73
VIL	112	2	DPL11	9	9%	58
TRO	111	2	DPL12	10	10%	61
ES492	108	2	DPL11	15	15%	76
mAb216	89	2	DPL12	1	1%	7
BSA3	109	3	DPL16	0	0%	49
THY-29	110	3	DPL16	0	0%	27
PR-TS2	108	3	DPL16	0	0%	55
E29.1 LAMBDA	107	3	DPL16	1	1%	13
mAb63	109	3	DPL16	2	2%	29
TEL14	110	3	DPL16	6	6%	49
6H-3C4	108	3	DPL16	7	7%	39
SH	109	3	DPL16	7	7%	70
AL GIL	109	3	DPL16	8	8%	23
H6-3C4	108	3	DPL16	8	8%	83
V-lambda-2.DS	111	2	DPL11	3	3%	15
8.12 ID	110	2	DPL11	3	3%	81
DSC	111	2	DPL11	3	3%	56
PV11	110	2	DPL11	1	1%	56
33.H11	110	2	DPL11	4	4%	81
AS17	111	2	DPL11	7	7%	56
SD6	110	2	DPL11	7	7%	56
KS3	110	2	DPL11	9	9%	56
PV6	110	2	DPL12	5	5%	56
NGD9	110	2	DPL11	7	7%	56
MUC1-1	111	2	DPL11	11	10%	27
A30c	111	2	DPL10	6	6%	56
KS6	110	2	DPL12	6	6%	56
TEL13	111	2	DPL11	11	10%	49

65

Table 2B: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
AS7	110	2	DPL12	6	6%	56
MCG	112	2	DPL12	12	11%	20
U266L	110	2	DPL12	13	12%	77
PR-SJ2	110	2	DPL12	14	13%	55
BOH	112	2	DPL12	11	10%	37
TOG	111	2	DPL11	19	18%	53
TEL16	111	2	DPL11	19	18%	49
No.13	110	2	DPL10	14	13%	52
BO	112	2	DPL12	18	17%	80
WIN	112	2	DPL12	17	16%	11
BUR	104	2	DPL12	15	15%	46
NIG-58	110	2	DPL12	20	19%	69
WEIR	112	2	DPL11	26	25%	21
THY-32	111	1	DPL8	8	8%	27
TNF-H9G1	111	1	DPL8	9	9%	27
mAb61	111	1	DPL3	1	1%	29
LV1L1	98	1	DPL2	0	0%	54
HA	113	1	DPL3	14	13%	63
LA1L1	111	1	DPL2	3	3%	54
RHE	112	1	DPL1	17	16%	22
K1B12L	113	1	DPL8	17	16%	79
LOC	113	1	DPL2	15	14%	84
NIG-51	112	1	DPL2	12	11%	67
NEWM	104	1	DPL8	23	22%	10
MD3-4	106	3	DPL23	14	13%	4
COX	112	1	DPL2	13	12%	84
HiH10	106	3	DPL23	13	12%	3
VOR	112	1	DPL2	16	15%	16
AL POL	113	1	DPL2	16	15%	57
CD4-74	111	1	DPL2	19	18%	27
AMYLOID MOL	102	3	DPL23	15	15%	30
OST577	108	3	Humlv318	10	10%	4
NIG-48	113	1	DPL3	42	40%	66
CARR	108	3	DPL23	18	17%	19

66

SUBSTITUTE SHEET (RULE 26)

Table 2B: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
mAb60	108	3	DPL23	14	13%	29
NIG-68	99	3	DPL23	25	26%	32
KERN	107	3	DPL23	26	25%	59
ANT	106	3	DPL23	17	16%	19
LEE	110	3	DPL23	18	17%	85
CLE	94	3	DPL23	17	17%	19
VL8	98	8	DPL21	0	0%	81
MOT	110	3	Humlv318	23	22%	38
GAR	108	3	DPL23	26	25%	33
32.B9	98	8	DPL21	5	5%	81
PUG	108	3	Humlv318	24	23%	19
T1	115	8	HUMLV801	52	50%	6
RF-TS7	96	7	DPL18	4	4%	60
YM-1	116	8	HUMLV801	51	49%	75
K6H6	112	8	HUMLV801	20	19%	44
K5C7	112	8	HUMLV801	20	19%	44
K5B8	112	8	HUMLV801	20	19%	44
K5G5	112	8	HUMLV801	20	19%	44
K4B8	112	8	HUMLV801	19	18%	44
K6F5	112	8	HUMLV801	17	16%	44
HIL	108	3	DPL23	22	21%	47
KIR	109	3	DPL23	20	19%	19
CAP	109	3	DPL23	19	18%	84
1B8	110	3	DPL23	22	21%	43
SHO	108	3	DPL23	19	18%	19
HAN	108	3	DPL23	20	19%	19
cML23	96	3	DPL23	3	3%	12
PR-SJ1	96	3	DPL23	7	7%	55
BAU	107	3	DPL23	9	9%	5
TEX	99	3	DPL23	8	8%	19
X(PET)	107	3	DPL23	9	9%	51
DOY	106	3	DPL23	9	9%	19
COT	106	3	DPL23	13	12%	19
Pag-1	111	3	Humlv318	5	5%	31

67

SUBSTITUTE SHEET (RULE 26)

Table 2B: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
DIS	107	3	Humlv318	2	2%	19
WIT	108	3	Humlv318	7	7%	19
I.RH	108	3	Humlv318	12	11%	19
S1-1	108	3	Humlv318	12	11%	52
DEL	108	3	Humlv318	14	13%	17
TYR	108	3	Humlv318	11	10%	19
J.RH	109	3	Humlv318	13	12%	19
THO	112	2	DPL13	38	36%	26
LBV	113	1	DPL3	38	36%	2
WLT	112	1	DPL3	33	31%	14
SUT	112	2	DPL12	37	35%	65

68

SUBSTITUTE SHEET (RULE 26)

Table 2C: rearranged human heavy chain sequences

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
21/28	119	1	VH1-13-12	0	0,0%	31
8E10	123	1	VH1-13-12	0	0,0%	31
MUC1-1	118	1	VH1-13-6	4	4,1%	42
gF1	98	1	VH1-13-12	10	10,2%	75
VHGL 1.2	98	1	VH1-13-6	2	2,0%	26
HV1L1	98	1	VH1-13-6	0	0,0%	81
RF-TS7	104	1	VH1-13-6	3	3,1%	96
E55 1.A15	106	1	VH1-13-15	1	1,0%	26
HA1L1	126	1	VH1-13-6	7	7,1%	81
UC	123	1	VH1-13-6	5	5,1%	115
WIL2	123	1	VH1-13-6	6	6,1%	55
R3.5H5G	122	1	VH1-13-6	10	10,2%	70
N89P2	123	1	VH1-13-16	11	11,2%	77
mAb113	126	1	VH1-13-6	10	10,2%	71
LS2S3-3	125	1	VH1-12-7	5	5,1%	98
LS2S3-12a	125	1	VH1-12-7	5	5,1%	98
LS2S3-5	125	1	VH1-12-7	5	5,1%	98
LS2S3-12e	125	1	VH1-12-7	5	5,1%	98
LS2S3-4	125	1	VH1-12-7	5	5,1%	98
LS2S3-10	125	1	VH1-12-7	5	5,1%	98
LS2S3-12d	125	1	VH1-12-7	6	6,1%	98
LS2S3-8	125	1	VH1-12-7	5	5,1%	98
LS2	125	1	VH1-12-7	6	6,1%	113
LS4	105	1	VH1-12-7	6	6,1%	113
LS5	125	1	VH1-12-7	6	6,1%	113
LS1	125	1	VH1-12-7	6	6,1%	113
LS6	125	1	VH1-12-7	6	6,1%	113
LS8	125	1	VH1-12-7	7	7,1%	113
THY-29	122	1	VH1-12-7	0	0,0%	42
1B9/F2	122	1	VH1-12-7	10	10,2%	21
51P1	122	1	VH1-12-1	0	0,0%	105
NEI	127	1	VH1-12-1	0	0,0%	55
AND	127	1	VH1-12-1	0	0,0%	55
L7	127	1	VH1-12-1	0	0,0%	54
L22	124	1	VH1-12-1	0	0,0%	54
L24	127	1	VH1-12-1	0	0,0%	54

SUBSTITUTE SHEET (RULE 26)

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
L26	116	1	VH1-12-1	0	0,0%	54
L33	119	1	VH1-12-1	0	0,0%	54
L34	117	1	VH1-12-1	0	0,0%	54
L36	118	1	VH1-12-1	0	0,0%	54
L39	120	1	VH1-12-1	0	0,0%	54
L41	120	1	VH1-12-1	0	0,0%	54
L42	125	1	VH1-12-1	0	0,0%	54
VHGL 1.8	101	1	VH1-12-1	0	0,0%	26
783c	127	1	VH1-12-1	0	0,0%	22
X17115	127	1	VH1-12-1	0	0,0%	37
L25	124	1	VH1-12-1	0	0,0%	54
L17	120	1	VH1-12-1	1	1,0%	54
L30	127	1	VH1-12-1	1	1,0%	54
L37	120	1	VH1-12-1	1	1,0%	54
TNF-E7	116	1	VH1-12-1	2	2,0%	42
mAb111	122	1	VH1-12-1	7	7,1%	71
III-2R	122	1	VH1-12-9	3	3,1%	70
KAS	121	1	VH1-12-1	7	7,1%	79
YES8c	122	1	VH1-12-1	8	8,2%	34
RF-TS1	123	1	VH1-12-1	8	8,2%	82
BOR'	121	1	VH1-12-8	7	7,1%	79
VHGL 1.9	101	1	VH1-12-1	8	8,2%	26
mAb410.30F305	117	1	VH1-12-9	5	5,1%	52
EV1-15	127	1	VH1-12-8	10	10,2%	78
mAb112	122	1	VH1-12-1	11	11,2%	71
EU	117	1	VH1-12-1	11	11,2%	28
H210	127	1	VH1-12-1	12	12,2%	66
TRANSGENE	104	1	VH1-12-1	0	0,0%	111
CLL2-1	93	1	VH1-12-1	0	0,0%	30
CLL10 13-3	97	1	VH1-12-1	0	0,0%	29
LS7	99	1	VH1-12-7	4	4,1%	113
ALL7-1	87	1	VH1-12-7	0	0,0%	30
CLL3-1	91	1	VH1-12-7	1	1,0%	30
ALL56-1	85	1	VH1-13-8	0	0,0%	30
ALL1-1	87	1	VH1-13-6	1	1,0%	30
ALL4-1	94	1	VH1-13-8	0	0,0%	30

70

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
ALL56 15-4	85	1	VH1-13-8	5	5,1%	29
CLL4-1	88	1	VH1-13-1	1	1,0%	30
Au92.1	98	1	VH1-12-5	0	0,0%	49
RF-TS3	120	1	VH1-12-5	1	1,0%	82
Au4.1	98	1	VH1-12-5	1	1,0%	49
HP1	121	1	VH1-13-6	13	13,3%	110
BLI	127	1	VH1-13-15	5	5,1%	72
No.13	127	1	VH1-12-2	19	19,4%	76
TR1.23	122	1	VH1-13-2	23	23,5%	88
S1-1	125	1	VH1-12-2	18	18,4%	76
TR1.10	119	1	VH1-13-12	14	14,3%	88
E55 1.A2	102	1	VH1-13-15	3	3,1%	26
SP2	119	1	VH1-13-6	15	15,3%	89
TNF-H9G1	111	1	VH1-13-18	2	2,0%	42
G3D10H	127	1	VH1-13-16	19	19,4%	127
TR1.9	118	1	VH1-13-12	14	14,3%	88
TR1.8	121	1	VH1-12-1	24	24,5%	88
LUNm01	127	1	VH1-13-6	22	22,4%	9
K1B12H	127	1	VH1-12-7	23	23,5%	127
L3B2	99	1	VH1-13-6	2	2,0%	46
ss2	100	1	VH1-13-6	2	2,0%	46
No.86	124	1	VH1-12-1	20	20,4%	76
TR1.6	124	1	VH1-12-1	19	19,4%	88
ss7	99	1	VH1-12-7	3	3,1%	46
s5B7	102	1	VH1-12-1	0	0,0%	46
s6A3	97	1	VH1-12-1	0	0,0%	46
ss6	99	1	VH1-12-1	0	0,0%	46
L2H7	103	1	VH1-13-12	0	0,0%	46
s6BG8	93	1	VH1-13-12	0	0,0%	46
s6C9	107	1	VH1-13-12	0	0,0%	46
HIV-b4	124	1	VH1-13-12	21	21,4%	12
HIV-b12	124	1	VH1-13-12	21	21,4%	12
L3G5	98	1	VH1-13-6	1	1,0%	46
22	115	1	VH1-13-6	11	11,2%	118
L2A12	99	1	VH1-13-15	3	3,1%	46
PHOX15	124	1	VH1-12-7	20	20,4%	73

71

SUBSTITUTE SHEET (RULE 26)

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
LUNm03	127	1	VH1-1X-1	18	18,4%	9
CEA4-8A	129	1	VH1-12-7	1	1,0%	42
M60	121	2	VH2-31-3	3	3,0%	103
HiH10	127	2	VH2-31-5	9	9,0%	4
COR	119	2	VH2-31-2	11	11,0%	91
2-115-19	124	2	VH2-31-11	8	8,1%	124
OU	125	2	VH2-31-14	20	25,6%	92
HE	120	2	VH2-31-13	19	19,0%	27
CLL33 40-1	78	2	VH2-31-5	2	2,0%	29
E55 3.9	88	3	VH3-11-5	7	7,2%	26
MTFC3	125	3	VH3-14-4	21	21,0%	131
MTFC11	125	3	VH3-14-4	21	21,0%	131
MTFJ1	114	3	VH3-14-4	21	21,0%	131
MTFJ2	114	3	VH3-14-4	21	21,0%	131
MTFUJ4	100	3	VH3-14-4	21	21,0%	131
MTFUJ5	100	3	VH3-14-4	21	21,0%	131
MTFUJ2	100	3	VH3-14-4	22	22,0%	131
MTFC8	125	3	VH3-14-4	23	23,0%	131
TD e Vq	113	3	VH3-14-4	0	0,0%	16
rMTF	114	3	VH3-14-4	5	5,0%	131
MTFUJ6	100	3	VH3-14-4	10	10,0%	131
RF-KES	107	3	VH3-14-4	9	9,0%	85
N51P8	126	3	VH3-14-1	9	9,0%	77
TEI	119	3	VH3-13-8	21	21,4%	20
33.H11	115	3	VH3-13-19	10	10,2%	129
SB1/D8	101	3	VH3-1X-8	14	14,0%	2
38P1	119	3	VH3-11-3	0	0,0%	104
BRO'IGM	119	3	VH3-11-3	13	13,4%	19
NIE	119	3	VH3-13-7	15	15,3%	87
3D6	126	3	VH3-13-26	5	5,1%	35
ZM1-1	112	3	VH3-11-3	8	8,2%	5
E55 3.15	110	3	VH3-13-26	0	0,0%	26
gF9	108	3	VH3-13-8	15	15,3%	75
THY-32	120	3	VH3-13-26	3	3,1%	42
RF-KL5	100	3	VH3-13-26	5	5,1%	96
OST577	122	3	VH3-13-13	6	6,1%	5

72

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
BO	113	3	VH3-13-19	15	15,3%	10
TT125	121	3	VH3-13-10	15	15,3%	64
2-115-58	127	3	VH3-13-10	11	11,2%	124
KOL	126	3	VH3-13-14	16	16,3%	102
mAb60	118	3	VH3-13-17	14	14,3%	45
RF-AN	106	3	VH3-13-26	8	8,2%	85
BUT	115	3	VH3-11-6	13	13,4%	119
KOL-based CAMPATH-9	118	3	VH3-13-13	16	16,3%	41
B1	119	3	VH3-13-19	13	13,3%	53
N98P1	127	3	VH3-13-1	13	13,3%	77
TT117	107	3	VH3-13-10	12	12,2%	64
WEA	114	3	VH3-13-12	15	15,3%	40
HIL	120	3	VH3-13-14	14	14,3%	23
s5A10	97	3	VH3-13-14	0	0,0%	46
s5D11	98	3	VH3-13-7	0	0,0%	46
s6C8	100	3	VH3-13-7	0	0,0%	46
s6H12	98	3	VH3-13-7	0	0,0%	46
VH10.7	119	3	VH3-13-14	16	16,3%	128
HIV-loop2	126	3	VH3-13-7	16	16,3%	12
HIV-loop35	126	3	VH3-13-7	16	16,3%	12
TRO	122	3	VH3-13-1	13	13,3%	61
SA-4B	123	3	VH3-13-1	15	15,3%	125
L2B5	98	3	VH3-13-13	0	0,0%	46
s6E11	95	3	VH3-13-13	0	0,0%	46
s6H7	100	3	VH3-13-13	0	0,0%	46
ss1	102	3	VH3-13-13	0	0,0%	46
ss8	94	3	VH3-13-13	0	0,0%	46
DOB	120	3	VH3-13-26	21	21,4%	116
THY-33	115	3	VH3-13-15	20	20,4%	42
NOV	118	3	VH3-13-19	14	14,3%	38
rsv13H	120	3	VH3-13-24	20	20,4%	11
L3G11	98	3	VH3-13-20	2	2,0%	46
L2E8	99	3	VH3-13-19	0	0,0%	46
L2D10	101	3	VH3-13-10	1	1,0%	46
L2E7	98	3	VH3-13-10	1	1,0%	46

73

SUBSTITUTE SHEET (RULE 26)

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
L3A10	100	3	VH3-13-24	0	0,0%	46
L2E5	97	3	VH3-13-2	1	1,0%	46
BUR	119	3	VH3-13-7	21	21,4%	67
s4D5	107	3	VH3-11-3	1	1,0%	46
19	116	3	VH3-13-16	4	4,1%	118
s5D4	99	3	VH3-13-1	0	0,0%	46
s6A8	100	3	VH3-13-1	0	0,0%	46
HIV-loop13	123	3	VH3-13-12	17	17,3%	12
TR1.32	112	3	VH3-11-8	18	18,6%	88
L2B10	97	3	VH3-11-3	1	1,0%	46
TR1.5	114	3	VH3-11-8	21	21,6%	88
s6H9	101	3	VH3-13-25	0	0,0%	46
8	112	3	VH3-13-1	6	6,1%	118
23	115	3	VH3-13-1	6	6,1%	118
7	115	3	VH3-13-1	4	4,1%	118
TR1.3	120	3	VH3-11-8	20	20,6%	88
18/2	125	3	VH3-13-10	0	0,0%	32
18/9	125	3	VH3-13-10	0	0,0%	31
30P1	119	3	VH3-13-10	0	0,0%	106
HF2-1/17	125	3	VH3-13-10	0	0,0%	8
A77	109	3	VH3-13-10	0	0,0%	44
B19.7	108	3	VH3-13-10	0	0,0%	44
M43	119	3	VH3-13-10	0	0,0%	103
1/17	125	3	VH3-13-10	0	0,0%	31
18/17	125	3	VH3-13-10	0	0,0%	31
E54 3.4	109	3	VH3-13-10	0	0,0%	26
LAMBDA-VH26	98	3	VH3-13-10	1	1,0%	95
E54 3.8	111	3	VH3-13-10	1	1,0%	26
GL16	106	3	VH3-13-10	1	1,0%	44
4G12	125	3	VH3-13-10	1	1,0%	56
A73	106	3	VH3-13-10	2	2,0%	44
AL1.3	111	3	VH3-13-10	3	3,1%	117
3.A290	118	3	VH3-13-10	2	2,0%	108
Ab18	127	3	VH3-13-8	2	2,0%	100
E54 3.3	105	3	VH3-13-10	3	3,1%	26
35G6	121	3	VH3-13-10	3	3,1%	57

74

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
A95	107	3	VH3-13-10	5	5,1%	44
Ab25	128	3	VH3-13-10	5	5,1%	100
N87	126	3	VH3-13-10	4	4,1%	77
ED8.4	99	3	VH3-13-10	6	6,1%	2
RF-KL1	122	3	VH3-13-10	6	6,1%	82
AL1.1	112	3	VH3-13-10	2	2,0%	117
AL3.11	102	3	VH3-13-10	1	1,0%	117
32.B9	127	3	VH3-13-8	6	6,1%	129—
TK1	109	3	VH3-13-10	2	2,0%	117
POP	123	3	VH3-13-10	8	8,2%	115
9F2H	127	3	VH3-13-10	9	9,2%	127
VD	115	3	VH3-13-10	9	9,2%	10
Vh38Cl.10	121	3	VH3-13-10	8	8,2%	74
Vh38Cl.9	121	3	VH3-13-10	8	8,2%	74
Vh38Cl.8	121	3	VH3-13-10	8	8,2%	74
63P1	120	3	VH3-11-8	0	0,0%	104
60P2	117	3	VH3-11-8	0	0,0%	104
AL3.5	90	3	VH3-13-10	2	2,0%	117
GF4/1.1	123	3	VH3-13-10	10	10,2%	39
Ab21	126	3	VH3-13-10	12	12,2%	100
TD d Vp	118	3	VH3-13-17	2	2,0%	16
Vh38Cl.4	119	3	VH3-13-10	8	8,2%	74
Vh38Cl.5	119	3	VH3-13-10	8	8,2%	74
AL3.4	104	3	VH3-13-10	1	1,0%	117
FOG1-A3	115	3	VH3-13-19	2	2,0%	42
HA3D1	117	3	VH3-13-21	1	1,0%	81
E54 3.2	112	3	VH3-13-24	0	0,0%	26
mAb52	128	3	VH3-13-12	2	2,0%	51
mAb53	128	3	VH3-13-12	2	2,0%	51
mAb56	128	3	VH3-13-12	2	2,0%	51
mAb57	128	3	VH3-13-12	2	2,0%	51
mAb58	128	3	VH3-13-12	2	2,0%	51
mAb59	128	3	VH3-13-12	2	2,0%	51
mAb105	128	3	VH3-13-12	2	2,0%	51
mAb107	128	3	VH3-13-12	2	2,0%	51
E55 3.14	110	3	VH3-13-19	0	0,0%	26

75

Table 2C:　　(continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
F13-28	106	3	VH3-13-19	1	1,0%	94
mAb55	127	3	VH3-13-18	4	4,1%	51
YSE	117	3	VH3-13-24	6	6,1%	72
E55 3.23	106	3	VH3-13-19	2	2,0%	26
RF-TS5	101	3	VH3-13-1	3	3,1%	85
N42P5	124	3	VH3-13-2	7	7,1%	77
FOG1-H6	110	3	VH3-13-16	7	7,1%	42
O-81	115	3	VH3-13-19	11	11,2%	47
HIV-s8	122	3	VH3-13-12	11	11,2%	12
mAb114	125	3	VH3-13-19	12	12,2%	71
33.F12	116	3	VH3-13-2	4	4,1%	129
4B4	119	3	VH3-1X-3	0	0,0%	101
M26	123	3	VH3-1X-3	0	0,0%	103
VHGL 3.1	100	3	VH3-1X-3	0	0,0%	26
E55 3.13	113	3	VH3-1X-3	1	1,0%	26
SB5/D6	101	3	VH3-1X-6	3	3,0%	2
RAY4	101	3	VH3-1X-6	3	3,0%	2
82-D V-D	106	3	VH3-1X-3	5	5,0%	112
MAL	129	3	VH3-1X-3	5	5,0%	72
LOC	123	3	VH3-1X-6	5	5,0%	72
LSF2	101	3	VH3-1X-6	11	11,0%	2
HIB RC3	100	3	VH3-1X-6	11	11,0%	1
56P1	119	3	VH3-13-7	0	0,0%	104
M72	122	3	VH3-13-7	0	0,0%	103
M74	121	3	VH3-13-7	0	0,0%	103
E54 3.5	105	3	VH3-13-7	0	0,0%	26
2E7	123	3	VH3-13-7	0	0,0%	63
2P1	117	3	VH3-13-7	0	0,0%	104
RF-SJ2	127	3	VH3-13-7	1	1,0%	83
PR-TS1	114	3	VH3-13-7	1	1,0%	85
KIM46H	127	3	VH3-13-13	0	0,0%	18
E55 3.6	108	3	VH3-13-7	2	2,0%	26
E55 3.10	107	3	VH3-13-13	1	1,0%	26
3.B6	114	3	VH3-13-13	1	1,0%	108
E54 3.6	110	3	VH3-13-13	1	1,0%	26
FL2-2	114	3	VH3-13-13	1	1,0%	80

SUBSTITUTE SHEET (RULE 26)

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
RF-SJ3	112	3	VH3-13-7	2	2,0%	85
E55 3.5	105	3	VH3-13-14	1	1,0%	26
BSA3	121	3	VH3-13-13	1	1,0%	73
HMST-1	119	3	VH3-13-7	3	3,1%	130
RF-TS2	126	3	VH3-13-13	4	4,1%	82
E55 3.12	109	3	VH3-13-15	0	0,0%	26
19.E7	126	3	VH3-13-14	3	3,1%	129
11-50	119	3	VH3-13-13	6	6,1%	130
E29.1	120	3	VH3-13-15	2	2,0%	25
E55 3.16	108	3	VH3-13-7	6	6,1%	26
TNF-E1	117	3	VH3-13-7	7	7,1%	42
RF-SJ1	127	3	VH3-13-13	6	6,1%	83
FOG1-A4	116	3	VH3-13-7	8	8,2%	42
TNF-A1	117	3	VH3-13-15	4	4,1%	42
PR-SJ2	107	3	VH3-13-14	8	8,2%	85
HN.14	124	3	VH3-13-13	10	10,2%	33
CAM'	121	3	VH3-13-7	12	12,2%	65
HIV-B8	125	3	VH3-13-7	9	9,2%	12
HIV-b27	125	3	VH3-13-7	9	9,2%	12
HIV-b8	125	3	VH3-13-7	9	9,2%	12
HIV-s4	125	3	VH3-13-7	9	9,2%	12
HIV-B26	125	3	VH3-13-7	9	9,2%	12
HIV-B35	125	3	VH3-13-7	10	10,2%	12
HIV-b18	125	3	VH3-13-7	10	10,2%	12
HIV-b22	125	3	VH3-13-7	11	11,2%	12
HIV-b13	125	3	VH3-13-7	12	12,2%	12
333	117	3	VH3-14-4	24	24,0%	24
1H1	120	3	VH3-14-4	24	24,0%	24
1B11	120	3	VH3-14-4	23	23,0%	24
CLL30 2-3	86	3	VH3-13-19	1	1,0%	29
GA	110	3	VH3-13-7	19	19,4%	36
JeB	99	3	VH3-13-14	3	3,1%	7
GAL	110	3	VH3-13-19	10	10,2%	126
K6H6	119	3	VH3-1X-6	18	18,0%	60
K4B8	119	3	VH3-1X-6	18	18,0%	60
K5B8	119	3	VH3-1X-6	18	18,0%	60

77

SUBSTITUTE SHEET (RULE 26)

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
K5C7	119	3	VH3-1X-6	19	19,0%	60
K5G5	119	3	VH3-1X-6	19	19,0%	60
K6F5	119	3	VH3-1X-6	19	19,0%	60
AL3.16	98	3	VH3-13-10	1	1,0%	117
N86P2	98	3	VH3-13-10	3	3,1%	77
N54P6	95	3	VH3-13-16	7	7,1%	77
LAMBDA HT112-1	126	4	VH4-11-2	0	0,0%	3
HY18	121	4	VH4-11-2	0	0,0%	43
mAb63	126	4	VH4-11-2	0	0,0%	45
FS-3	105	4	VH4-11-2	0	0,0%	86
FS-5	111	4	VH4-11-2	0	0,0%	86
FS-7	107	4	VH4-11-2	0	0,0%	86
FS-8	110	4	VH4-11-2	0	0,0%	86
PR-TS2	105	4	VH4-11-2	0	0,0%	85
RF-TMC	102	4	VH4-11-2	0	0,0%	85
mAb216	122	4	VH4-11-2	1	1,0%	15
mAb410.7.F91	122	4	VH4-11-2	1	1,0%	52
mAbA6H4C5	124	4	VH4-11-2	1	1,0%	15
Ab44	127	4	VH4-11-2	2	2,1%	100
6H-3C4	124	4	VH4-11-2	3	3,1%	59
FS-6	108	4	VH4-11-2	6	6,2%	86
FS-2	114	4	VH4-11-2	6	6,2%	84
HIG1	126	4	VH4-11-2	7	7,2%	62
FS-4	105	4	VH4-11-2	8	8,2%	86
SA-4A	123	4	VH4-11-2	9	9,3%	125
LES-C	119	4	VH4-11-2	10	10,3%	99
DI	78	4	VH4-11-9	16	16,5%	58
Ab26	126	4	VH4-31-4	8	8,1%	100
TS2	124	4	VH4-31-12	15	15,2%	110
265-695	115	4	VH4-11-7	16	16,5%	5
WAH	129	4	VH4-31-13	19	19,2%	93
268-D	122	4	VH4-11-8	22	22,7%	6
58P2	118	4	VH4-11-8	0	0,0%	104
mAb67	128	4	VH4-21-4	1	1,0%	45
4.L39	115	4	VH4-11-8	2	2,1%	108
mF7	111	4	VH4-31-13	3	3,0%	75

78

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
33.C9	122	4	VH4-21-5	7	7,1%	129
Pag-1	124	4	VH4-11-16	5	5,2%	50
B3	123	4	VH4-21-3	8	8,2%	53
IC4	120	4	VH4-11-8	6	6,2%	70
C6B2	127	4	VH4-31-12	4	4,0%	48
N78	118	4	VH4-11-9	11	11,3%	77
B2	109	4	VH4-11-8	12	12,4%	53
WRD2	123	4	VH4-11-12	6	6,2%	90
mAb426.4.2F20	126	4	VH4-11-8	2	2,1%	52
E54 4.58	115	4	VH4-11-8	.1	1,0%	26
WRD6	123	4	VH4-11-12	10	10,3%	90
mAb426.12.3F1.4	122	4	VH4-11-9	·4	4,1%	52
E54 4.2	108	4	VH4-21-6	2	2,0%	26
WIL	127	4	VH4-31-13	0	0,0%	90
COF	126	4	VH4-31-13	0	0,0%	90
LAR	122	4	VH4-31-13	2	2,0%	90
WAT	125	4	VH4-31-13	4	4,0%	90
mAb61	123	4	VH4-31-13	5	5,1%	45
WAG	127	4	VH4-31-4	0	0,0%	90
RF-SJ4	108	4	VH4-31-12	2	2,0%	85
E54 4.4	110	4	VH4-11-7	0	0,0%	26
E55 4.A1	108	4	VH4-11-7	0	0,0%	26
PR-SJ1	103	4	VH4-11-7	1	1,0%	85
E54 4.23	111	4	VH4-11-7	1	1,0%	26
CLL7 7-2	97	4	VH4-11-12	0	0,0%	29
37P1	95	4	VH4-11-12	0	0,0%	104
ALL52 30-2	91	4	VH4-31-12	4	4,0%	29
EBV-21	98	5	VH5-12-1	0	0,0%	13
CB-4	98	5	VH5-12-1	0	0,0%	13
CLL-12	98	5	VH5-12-1	0	0,0%	13
L3-4	98	5	VH5-12-1	0	0,0%	13
CLL11	98	5	VH5-12-1	0	0,0%	17
CORD3	98	5	VH5-12-1	0	0,0%	17
CORD4	98	5	VH5-12-1	0	0,0%	17
CORD8	98	5	VH5-12-1	0	0,0%	17
CORD9	98	5	VH5-12-1	0	0,0%	17

79

SUBSTITUTE SHEET (RULE 26)

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
CD+1	98	5	VH5-12-1	0	0,0%	17
CD+3	98	5	VH5-12-1	0	0,0%	17
CD+4	98	5	VH5-12-1	0	0,0%	17
CD-1	98	5	VH5-12-1	0	0,0%	17
CD-5	98	5	VH5-12-1	0	0,0%	17
VERG14	98	5	VH5-12-1	0	0,0%	17
PBL1	98	5	VH5-12-1	0	0,0%	17
PBL10	98	5	VH5-12-1	0	0,0%	17
STRAb SA-1A	127	5	VH5-12-1	0	0,0%	125
DOB'	122	5	VH5-12-1	0	0,0%	97
VERG5	98	5	VH5-12-1	0	0,0%	17
PBL2	98	5	VH5-12-1	1	1,0%	17
Tu16	119	5	VH5-12-1	1	1,0%	49
PBL12	98	5	VH5-12-1	1	1,0%	17
CD+2	98	5	VH5-12-1	1	1,0%	17
CORD10	98	5	VH5-12-1	1	1,0%	17
PBL9	98	5	VH5-12-1	1	1,0%	17
CORD2	98	5	VH5-12-1	2	2,0%	17
PBL6	98	5	VH5-12-1	2	2,0%	17
CORD5	98	5	VH5-12-1	2	2,0%	17
CD-2	98	5	VH5-12-1	2	2,0%	17
CORD1	98	5	VH5-12-1	2	2,0%	17
CD-3	98	5	VH5-12-1	3	3,1%	17
VERG4	98	5	VH5-12-1	3	3,1%	17
PBL13	98	5	VH5-12-1	3	3,1%	17
PBL7	98	5	VH5-12-1	3	3,1%	17
HAN	119	5	VH5-12-1	3	3,1%	97
VERG3	98	5	VH5-12-1	3	3,1%	17
PBL3	98	5	VH5-12-1	3	3,1%	17
VERG7	98	5	VH5-12-1	3	3,1%	17
PBL5	94	5	VH5-12-1	0	0,0%	17
CD-4	98	5	VH5-12-1	4	4,1%	17
CLL10	98	5	VH5-12-1	4	4,1%	17
PBL11	98	5	VH5-12-1	4	4,1%	17
CORD6	98	5	VH5-12-1	4	4,1%	17
VERG2	98	5	VH5-12-1	5	5,1%	17

80

SUBSTITUTE SHEET (RULE 26)

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
83P2	119	5	VH5-12-1	0	0,0%	103
VERG9	98	5	VH5-12-1	6	6,1%	17
CLL6	98	5	VH5-12-1	6	6,1%	17
PBL8	98	5	VH5-12-1	7	7,1%	17
Ab2022	120	5	VH5-12-1	3	3,1%	100
CAV	127	5	VH5-12-4	0	0,0%	97
HOW'	120	5	VH5-12-4	0	0,0%	97
PET	127	5	VH5-12-4	0	0,0%	97
ANG	121	5	VH5-12-4	0	0,0%	97
KER	121	5	VH5-12-4	0	0,0%	97
5.M13	118	5	VH5-12-4	0	0,0%	107
Au2.1	118	5	VH5-12-4	1	1,0%	49
WS1	126	5	VH5-12-1	9	9,2%	110
TD Vn	98	5	VH5-12-4	1	1,0%	16
TEL13	116	5	VH5-12-1	9	9,2%	73
E55 5.237	112	5	VH5-12-4	2	2,0%	26
VERG1	98	5	VH5-12-1	10	10,2%	17
CD4-74	117	5	VH5-12-1	10	10,2%	42
257-D	125	5	VH5-12-1	11	11,2%	6
CLL4	98	5	VH5-12-1	11	11,2%	17
CLL8	98	5	VH5-12-1	11	11,2%	17
Ab2	124	5	VH5-12-1	12	12,2%	120
Vh383ex	98	5	VH5-12-1	12	12,2%	120
CLL3	98	5	VH5-12-2	11	11,2%	17
Au59.1	122	5	VH5-12-1	12	12,2%	49
TEL16	117	5	VH5-12-1	12	12,2%	73
M61	104	5	VH5-12-1	0	0,0%	103
TuO	99	5	VH5-12-1	5	5,1%	49
P2-51	122	5	VH5-12-1	13	13,3%	121
P2-54	122	5	VH5-12-1	11	11,2%	121
P1-56	119	5	VH5-12-1	9	9,2%	121
P2-53	122	5	VH5-12-1	10	10,2%	121
P1-51	123	5	VH5-12-1	19	19,4%	121
P1-54	123	5	VH5-12-1	3	3,1%	121
P3-69	127	5	VH5-12-1	4	4,1%	121
P3-9	119	5	VH5-12-1	4	4,1%	121

81

SUBSTITUTE SHEET (RULE 26)

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
1-185-37	125	5	VH5-12-4	0	0,0%	124
1-187-29	125	5	VH5-12-4	0	0,0%	124
P1-58	128	5	VH5-12-4	10	10,2%	121
P2-57	118	5	VH5-12-4	3	3,1%	121
P2-55	123	5	VH5-12-1	5	5,1%	121
P2-56	123	5	VH5-12-1	20	20,4%	121
P2-52	122	5	VH5-12-1	11	11,2%	121
P3-60	122	5	VH5-12-1	8	8,2%	121
P1-57	123	5	VH5-12-1	4	4,1%	121
P1-55	122	5	VH5-12-1	14	14,3%	121
MD3-4	128	5	VH5-12-4	12	12,2%	5
P1-52	121	5	VH5-12-1	11	11,2%	121
CLL5	98	5	VH5-12-1	13	13,3%	17
CLL7	98	5	VH5-12-1	14	14,3%	17
L2F10	100	5	VH5-12-1	1	1,0%	46
L3B6	98	5	VH5-12-1	1	1,0%	46
VH6.A12	119	6	VH6-35-1	13	12,9%	122
s5A9	102	6	VH6-35-1	1	1,0%	46
s6G4	99	6	VH6-35-1	1	1,0%	46
ss3	99	6	VH6-35-1	1	1,0%	46
6-1G1	101	6	VH6-35-1	0	0,0%	14
F19L16	107	6	VH6-35-1	0	0,0%	68
L16	120	6	VH6-35-1	0	0,0%	69
M71	121	6	VH6-35-1	0	0,0%	103
ML1	120	6	VH6-35-1	0	0,0%	69
F19ML1	107	6	VH6-35-1	0	0,0%	68
15P1	127	6	VH6-35-1	0	0,0%	104
VH6.N1	121	6	VH6-35-1	0	0,0%	122
VH6.N11	123	6	VH6-35-1	0	0,0%	122
VH6.N12	123	6	VH6-35-1	0	0,0%	122
VH6.N2	125	6	VH6-35-1	0	0,0%	122
VH6.N5	125	6	VH6-35-1	0	0,0%	122
VH6.N6	127	6	VH6-35-1	0	0,0%	122
VH6.N7	126	6	VH6-35-1	0	0,0%	122
VH6.N8	123	6	VH6-35-1	0	0,0%	122
VH6.N9	123	6	VH6-35-1	0	0,0%	122

SUBSTITUTE SHEET (RULE 26)

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
VH6.N10	123	6	VH6-35-1	0	0,0%	122
VH6.A3	123	6	VH6-35-1	0	0,0%	122
VH6.A1	124	6	VH6-35-1	0	0,0%	122
VH6.A4	120	6	VH6-35-1	0	0,0%	122
E55 6.16	116	6	VH6-35-1	0	0,0%	26
E55 6.17	120	6	VH6-35-1	0	0,0%	26
E55 6.6	120	6	VH6-35-1	0	0,0%	26
VHGL 6.3	102	6	VH6-35-1	0	0,0%	26
CB-201	118	6	VH6-35-1	0	0,0%	109
VH6.N4	122	6	VH6-35-1	0	0,0%	122
E54 6.4	109	6	VH6-35-1	1	1,0%	26
VH6.A6	126	6	VH6-35-1	1	1,0%	122
E55 6.14	120	6	VH6-35-1	1	1,0%	26
E54 6.6	107	6	VH6-35-1	1	1,0%	26
E55 6.10	112	6	VH6-35-1	1	1,0%	26
E54 6.1	107	6	VH6-35-1	2	2,0%	26
E55 6.13	120	6	VH6-35-1	2	2,0%	26
E55 6.3	120	6	VH6-35-1	2	2,0%	26
E55 6.7	116	6	VH6-35-1	2	2,0%	26
E55 6.2	120	6	VH6-35-1	2	2,0%	26
E55 6.X	111	6	VH6-35-1	2	2,0%	26
E55 6.11	111	6	VH6-35-1	3	3,0%	26
VH6.A11	118	6	VH6-35-1	3	3,0%	122
A10	107	6	VH6-35-1	3	3,0%	68
E55 6.1	120	6	VH6-35-1	4	4,0%	26
FK-001	124	6	VH6-35-1	4	4,0%	65
VH6.A5	121	6	VH6-35-1	4	4,0%	122
VH6.A7	123	6	VH6-35-1	4	4,0%	122
HBp2	119	6	VH6-35-1	4	4,0%	4
Au46.2	123	6	VH6-35-1	5	5,0%	49
A431	106	6	VH6-35-1	5	5,0%	68
VH6.A2	120	6	VH6-35-1	5	5,0%	122
VH6.A9	125	6	VH6-35-1	8	7,9%	122
VH6.A8	118	6	VH6-35-1	10	9,9%	122
VH6-FF3	118	6	VH6-35-1	2	2,0%	123
VH6.A10	126	6	VH6-35-1	12	11,9%	122

SUBSTITUTE SHEET (RULE 26)

Table 2C: (continued)

Name[1]	aa[2]	Computed family[3]	Germline gene[4]	Diff. to germline[5]	% diff. to germline[6]	Reference[7]
VH6-EB10	117	6	VH6-35-1	3	3,0%	123
VH6-E6	119	6	VH6-35-1	6	5,9%	123
VH6-FE2	121	6	VH6-35-1	6	5,9%	123
VH6-EE6	116	6	VH6-35-1	6	5,9%	123
VH6-FD10	118	6	VH6-35-1	6	5,9%	123
VH6-EX8	113	6	VH6-35-1	6	5,9%	123
VH6-FG9	121	6	VH6-35-1	8	7,9%	123
VH6-E5	116	6	VH6-35-1	9	8,9%	123
VH6-EC8	122	6	VH6-35-1	9	8,9%	123
VH6-E10	120	6	VH6-35-1	10	9,9%	123
VH6-FF11	122	6	VH6-35-1	11	10,9%	123
VH6-FD2	115	6	VH6-35-1	11	10,9%	123
CLL10 17-2	88	6	VH6-35-1	4	4,0%	29
VH6-BB11	94	6	VH6-35-1	4	4,0%	123
VH6-B4I	93	6	VH6-35-1	7	6,9%	123
JU17	102	6	VH6-35-1	3	3,0%	114
VH6-BD9	96	6	VH6-35-1	11	10,9%	123
VH6-BB9	94	6	VH6-35-1	12	11,9%	123

SUBSTITUTE SHEET (RULE 26)

Table 3A: assignment of rearranged V kappa sequences to their germline counterparts

Family[1]	Name	Rearranged[2]	Sum
1	Vk1-1	28	
1	Vk1-2	0	
1	Vk1-3	1	
1	Vk1-4	0	
1	Vk1-5	7	
1	Vk1-6	0	
1	Vk1-7	0	
1	Vk1-8	2	
1	Vk1-9	9	
1	Vk1-10	0	
1	Vk1-11	1	
1	Vk1-12	7	
1	Vk1-13	1	
1	Vk1-14	7	
1	Vk1-15	2	
1	Vk1-16	2	
1	Vk1-17	16	
1	Vk1-18	1	
1	Vk1-19	33	
1	Vk1-20	1	
1	Vk1-21	1	
1	Vk1-22	0	
1	Vk1-23	0	*119 entries*
2	Vk2-1	0	
2	Vk2-2	1	
2	Vk2-3	0	
2	Vk2-4	0	
2	Vk2-5	0	
2	Vk2-6	16	
2	Vk2-7	0	
2	Vk2-8	0	
2	Vk2-9	1	
2	Vk2-10	0	
2	Vk2-11	7	
2	Vk2-12	0	*25 entries*
3	Vk3-1	1	
3	Vk3-2	0	

85

SUBSTITUTE SHEET (RULE 26)

Table 3A: (continued)

Family[1]	Name	Rearranged[2]	Sum
3	Vk3-3	35	
3	Vk3-4	115	
3	Vk3-5	0	
3	Vk3-6	0	
3	Vk3-7	1	
3	Vk3-8	40	*192 entries*
4	Vk4-1	33	*33 entries*
5	Vk5-1	1	*1 entry*
6	Vk6-1	0	
6	Vk6-2	0	*0 entries*
7	Vk7-1	0	*0 entries*

86

Table 3B: assignment of rearranged V lambda sequences to their germline counterparts

Family[1]	Name	Rearranged[2]	Sum
1	DPL1	1	
1	DPL2	14	
1	DPL3	6	
1	DPL4	1	
1	HUMLV117	4	
1	DPL5	13	
1	DPL6	0	
1	DPL7	0	
1	DPL8	3	
1	DPL9	0	42 entries
2	DPL10	5	
2	VLAMBDA 2.1	0	
2	DPL11	23	
2	DPL12	15	
2	DPL13	0	
2	DPL14	0	43 entries
3	DPL16	10	
3	DPL23	19	
3	Humlv318	9	38 entries
7	DPL18	1	
7	DPL19	0	1 entries
8	DPL21	2	
8	HUMLV801	6	8 entries
9	DPL22	0	0 entries
unassigned	DPL24	0	0 entries
10	gVLX-4.4	0	0 entries

87

Table 3C: assignment of rearranged V heavy chain sequences to their germline counterparts

Family[1]	Name	Rearranged[2]	Sum
1	VH1-12-1	38	
1	VH1-12-8	2	
1	VH1-12-2	2	
1	VH1-12-9	2	
1	VH1-12-3	0	
1	VH1-12-4	0	
1	VH1-12-5	3	
1	VH1-12-6	0	
1	VH1-12-7	23	
1	VH1-13-1	1	
1	VH1-13-2	1	
1	VH1-13-3	0	
1	VH1-13-4	0	
1	VH1-13-5	0	
1	VH1-13-6	17	
1	VH1-13-7	0	
1	VH1-13-8	3	
1	VH1-13-9	0	
1	VH1-13-10	0	
1	VH1-13-11	0	
1	VH1-13-12	10	
1	VH1-13-13	0	
1	VH1-13-14	0	
1	VH1-13-15	4	
1	VH1-13-16	2	
1	VH1-13-17	0	
1	VH1-13-18	1	
1	VH1-13-19	0	
1	VH1-1X-1	1	110 entries
2	VH2-21-1	0	
2	VH2-31-1	0	
2	VH2-31-2	1	
2	VH2-31-3	1	
2	VH2-31-4	0	
2	VH2-31-5	2	
2	VH2-31-6	0	
2	VH2-31-7	0	

89

SUBSTITUTE SHEET (RULE 26)

Table 3C: (continued)

Family[1]	Name	Rearranged[2]	Sum
2	VH2-31-14	1	
2	VH2-31-8	0	
2	VH2-31-9	0	
2	VH2-31-10	0	
2	VH2-31-11	1	
2	VH2-31-12	0	
2	VH2-31-13	1	*7 entries*
3	VH3-11-1	0	
3	VH3-11-2	0	
3	VH3-11-3	5	
3	VH3-11-4	0	
3	VH3-11-5	1	
3	VH3-11-6	1	
3	VH3-11-7	0	
3	VH3-11-8	5	
3	VH3-13-1	9	
3	VH3-13-2	3	
3	VH3-13-3	0	
3	VH3-13-4	0	
3	VH3-13-5	0	
3	VH3-13-6	0	
3	VH3-13-7	32	
3	VH3-13-8	4	
3	VH3-13-9	0	
3	VH3-13-10	46	
3	VH3-13-11	0	
3	VH3-13-12	11	
3	VH3-13-13	17	
3	VH3-13-14	8	
3	VH3-13-15	4	
3	VH3-13-16	3	
3	VH3-13-17	2	
3	VH3-13-18	1	
3	VH3-13-19	13	
3	VH3-13-20	1	
3	VH3-13-21	1	
3	VH3-13-22	0	

80

Table 3C: (continued)

Family[1]	Name	Rearranged[2]	Sum
3	VH3-13-23	0	
3	VH3-13-24	4	
3	VH3-13-25	1	
3	VH3-13-26	6	
3	VH3-14-1	1	
3	VH3-14-4	15	
3	VH3-14-2	0	
3	VH3-14-3	0	
3	VH3-1X-1	0	
3	VH3-1X-2	0	
3	VH3-1X-3	6	
3	VH3-1X-4	0	
3	VH3-1X-5	0	
3	VH3-1X-6	11	
3	VH3-1X-7	0	
3	VH3-1X-8	1	
3	VH3-1X-9	0	*212 entries*
4	VH4-11-1	0	
4	VH4-11-2	20	
4	VH4-11-3	0	
4	VH4-11-4	0	
4	VH4-11-5	0	
4	VH4-11-6	0	
4	VH4-11-7	5	
4	VH4-11-8	7	
4	VH4-11-9	3	
4	VH4-11-10	0	
4	VH4-11-11	0	
4	VH4-11-12	4	
4	VH4-11-13	0	
4	VH4-11-14	0	
4	VH4-11-15	0	
4	VH4-11-16	1	
4	VH4-21-1	0	
4	VH4-21-2	0	
4	VH4-21-3	1	
4	VH4-21-4	1	

Table 3C: (continued)

Family[1]	Name	Rearranged[2]	Sum
4	VH4-21-5	1	
4	VH4-21-6	1	
4	VH4-21-7	0	
4	VH4-21-8	0	
4	VH4-21-9	0	
4	VH4-31-1	0	
4	VH4-31-2	0	
4	VH4-31-3	0	
4	VH4-31-4	2	
4	VH4-31-5	0	
4	VH4-31-6	0	
4	VH4-31-7	0	
4	VH4-31-8	0	
4	VH4-31-9	0	
4	VH4-31-10	0	
4	VH4-31-11	0	
4	VH4-31-12	4	
4	VH4-31-13	7	
4	VH4-31-14	0	
4	VH4-31-15	0	
4	VH4-31-16	0	
4	VH4-31-17	0	
4	VH4-31-18	0	
4	VH4-31-19	0	
4	VH4-31-20	0	*57 entries*
5	VH5-12-1	82	
5	VH5-12-2	1	
5	VH5-12-3	0	
5	VH5-12-4	14	*97 entries*
6	VH6-35-1	74	*74 entries*

Table 4A: Analysis of V kappa subgroup 1

amino acid[1]	Framework I															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A		1							1				102		1	
B			1			1										
C														1		
D	64															
E	8		14													
F									1	6				1		
G																105
H																
I		65														
K			1													
L		6	21								96		1			
M	1		66													
N																
P								103		1		2			1	
Q			62			88					1					
R																
S								89	102	80		103		103		
T		1			88					18						
V		1	9									8		2	98	
W																
X	1															
Y																
-																
unknown (?)																
not sequenced	31	31	18	18	17	16	16	2	1							
sum of seq[2]	74	74	87	87	88	89	89	103	104	105	105	105	105	105	105	105
oomcaa[3]	64	65	62	66	88	88	89	103	102	80	96	103	102	103	98	105
mcaa[4]	D	I	Q	M	T	Q	S	P	S	S	L	S	A	S	V	G
rel. oomcaa[5]	86%	88%	71%	76%	100%	99%	100%	100%	98%	76%	91%	98%	97%	98%	93%	100%
pos occupied[6]	4	5	5	2	1	2	1	1	3	4	3	2	3	3	5	1

92

Table 4A: Analysis of V kappa subgroup 1

amino acid[1]	17	18	19	20	21	22	23	24	25	26	27	A	B	C	D
A			1	1		1			103						
B													1		
C							105								
D	101														
E	2							1	1		2				
F					2										
G										1					
H											1				
I			6	4	101	1									
K								2			1				
L								1							
M															
N										1					
P															
Q								20			100				
R		94						81							
S		5		1						102					
T		6		99		103				1	1				
V			98		2										
W															
X	1														
Y	1														
-												105	105	105	105
unknown (?)															
not sequenced															
sum of seq[2]	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105
oomcaa[3]	101	94	98	99	101	103	105	81	103	102	100	105	105	105	105
mcaa[4]	D	R	V	T	I	T	C	R	A	S	Q	-	-	-	-
rel. oomcaa[5]	96%	90%	93%	94%	96%	98%	100%	77%	98%	97%	95%	100%	100%	100%	100%
pos occupied[6]	4	3	3	4	3	3	1	5	3	4	5	1	1	1	1

93

SUBSTITUTE SHEET (RULE 26)

Table 4A: Analysis of V kappa subgroup 1

amino acid [1]			CDRI												
	E	F	28	29	30	31	32	33	34	35	36	37	38	39	40
A						1	1	1	42						
B													1	1	
C							1								
D			25		1	5	7					1			
E							1					2			
F				1		1	7				6				
G			25			7	3		4						
H					1	2	2		1			2			
I				98		1	4		1						
K							7							95	
L						2	1	101							
M															
N			6		16	42			50						
P															102
Q												98	103	2	
R					16	3	2							3	1
S			41	2	57	32	3	1	1						1
T			7				4		4					1	
V			1	4	1				1						
W							21			104					
X										1					
Y						1	60				98				
-	105	105													
unknown (?)														3	
not sequenced						1	1	1	1	1	1	1	1	1	1
sum of seq [2]	105	105	105	105	105	104	104	104	104	104	104	104	104	104	104
oomcaa [3]	105	105	41	98	57	42	60	101	50	104	98	98	103	95	102
mcaa [4]	-	-	S	I	S	N	Y	L	N	W	Y	Q	Q	K	P
rel. oomcaa [5]	100%	100%	39%	93%	54%	40%	58%	97%	48%	100%	94%	94%	99%	91%	98%
pos occupied [6]	1	1	6	4	12	11	9	4	8	1	2	5	2	4	3

9+

Table 4A: Analysis of V kappa subgroup 1

amino acid[1]	Framework II									CDR II					
	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55
A			94							50	95				
B															
C															
D										21	1	1	1		
E	1	3			1	1					1		1		33
F						1			3				1		
G	100		1							9	2				
H									2						1
I		1				1		100					1		
K		95			86					16			2		5
L		1			89	103								101	
M								2							
N					10					2		1	25		
P				104							1				1
Q		1			1										62
R					3	3							1	1	2
S					1				5	1	1	99	41	2	
T		3			1					1	4	1	31		
V			9				9				1		1		
W															
X					1									1	
Y									92		1				
-															
unknown (?)	3														
not sequenced	1	1	1	1	1	1	2	3	3	2	1	1	1	1	1
sum of seq[2]	104	104	104	104	104	104	103	102	102	103	104	104	104	104	104
oomcaa[3]	100	95	94	104	86	89	103	100	92	50	95	99	41	101	62
mcaa[4]	G	K	A	P	K	L	L	I	Y	A	A	S	S	L	Q
rel. oomcaa[5]	96%	91%	90%	100%	83%	86%	100%	98%	90%	49%	91%	95%	39%	97%	60%
pos occupied[6]	2	6	3	1	8	6	1	2	4	10	6	6	9	3	6

95

SUBSTITUTE SHEET (RULE 26)

Table 4A: Analysis of V kappa subgroup 1

amino acid[1]	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70
A	3										2	1	1	1	
B				1											
C															
D	1														67
E													1		30
F			1				103					3			
G	2	105							105	4	101		102		
H															3
I	3		4					1	3						
K	1					1									1
L									1						
M														1	
N	6														
P	1			101	2										
Q											1				
R	1					103			1		1	1		2	
S	68			2	103			98		96		100			
T	19			1		1		2		3				101	
V			99					1							1
W															
X			1									1		1	2
Y													1		1
-															
unknown (?)															
not sequenced															
sum of seq[2]	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105
oomcaa[3]	68	105	99	101	103	103	103	98	105	96	101	100	102	101	67
mcaa[4]	S	G	V	P	S	R	F	S	G	S	G	S	G	T	D
rel. oomcaa[5]	65%	100%	94%	96%	98%	98%	98%	93%	100%	91%	96%	95%	97%	96%	64%
pos occupied[6]	10	1	4	4	2	3	3	5	1	5	4	4	4	4	7

9⁶

Table 4A: Analysis of V kappa subgroup 1

amino acid[1]	Framework III														
	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
A		3				1				2				101	1
B					1				3		2				
C															
D						1					16	101			
E											83				
F	102	1	21										73		
G								4			1			2	
H															
I					99	5							17		
K															
L			81					103	1				1		
M															1
N						7	4								1
P										97					1
Q									97						
R						2	1		2						
S		2		1		86	94			4			1		
T		98		102		2	1								97
V	1		2		4			1						11	1
W															
X				1								1	2		
Y	1														
-															
unknown (?)															
not sequenced	1	1	1	1	1	1	1	1	2	2	2	2	2	2	3
sum of seq[2]	104	104	104	104	104	104	104	104	103	103	103	103	103	103	102
oomcaa[3]	102	98	81	102	99	86	94	103	97	97	83	101	73	101	97
mcaa[4]	F	T	L	T	I	S	S	L	Q	P	E	D	F	A	T
rel. oomcaa[5]	98%	94%	78%	98%	95%	83%	90%	99%	94%	94%	81%	88%	71%	98%	95%
pos occupied[6]	3	4	3	3	3	7	5	2	4	3	5	2	5	2	6

Table 4A: Analysis of V kappa subgroup 1

amino acid'	86	87	88	89	90	91	92	93	94	95	A	B	C	D	E	F
										CDR III						
A					1	7	1		5	1						
B				2	3											
C			102													
D							23	5	1							
E							1	1		1	1					
F		7				3			13							
G						1		1	2	1			1			
H		1		4	6	7	3	1								
I							4	1	2	1						
K	1				7		1									
L				7		6	2		18	2						
M																
N						6	31	19	1							
P									1	82	6					
Q				90	86	1	2									
R						1		2	2							
S	1					27	3	58	5	10						
T						3	1	15	25							
V									5							
W									1							
X																
Y	101	93				42	32	1	23							
-										3	82	88	89	89	89	89
unknown (?)		1														
not sequenced	2	3	3	2	2	1	1	1	1	4	16	16	16	16	16	16
sum of seq²	103	102	102	103	103	104	104	104	104	101	89	89	89	89	89	89
oomcaa³	101	93	102	90	86	42	32	58	25	82	82	88	89	89	89	89
mcaa⁴	Y	Y	C	Q	Q	Y	Y	S	T	P	-	-	-	-	-	-
rel. oomcaa⁵	98%	91%	100%	87%	83%	40%	31%	56%	24%	81%	92%	99%	100%	100%	100%	100%
pos occupied⁶	3	3	1	4	5	11	12	10	14	8	3	2	1	1	1	1

Table 4A: Analysis of V kappa subgroup 1

amino acid[1]	96	97	98	99	100	101	102	103	104	105	106	A	107	108	sum
						Framework IV									
A	1														627
B				1						1					19
C															209
D	1									15					459
E					2					65					258
F	6		86									2			451
G				87	29	87								2	894
H	2	1													40
I	5								1		72				606
K	1	1						77					79		480
L	18	1	1						22	4	2				793
M		1									5				77
N	1										1		2		232
P	6				7									1	620
Q	1				48					1					865
R	6							6					2	70	413
S	2	2													1636
T	2	82					87	3					2		1021
V	2							1	63		3				440
W	15														141
X															14
Y	16														564
-	4	1										85		1	1250
unknown (?)															7
not sequenced	16	16	18	18	18	18	18	18	19	19	20	20	20	31	589
sum of seq[2]	89	89	87	87	87	87	87	87	86	86	85	85	85	74	
oomcaa[3]	18	82	86	87	48	87	87	77	63	65	72	85	79	70	
mcaa[4]	L	T	F	G	G	G	T	K	V	E	I	-	K	R	
rel. oomcaa[5]	20%	92%	99%	100%	55%	100%	100%	89%	73%	76%	85%	100%	93%	95%	
pos occupied[6]	17	7	2	1	5	1	1	4	3	5	6	1	4	4	

99

SUBSTITUTE SHEET (RULE 26)

Table 4B: Analysis of V kappa subgroup 2

amino acid[1]							Framework I														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
A																			22		
B																					
C																					
D	14																				
E	3																15				
F									1	1											
G																22					
H																					
I		8																			22
K																					
L		3		1					17		18				6						
M				15																	
N																					
P								18				18			15			22			
Q						18											7				
R																					
S							18			17										22	
T					17									21							
V		6	17	1									18								
W																					
X																					
Y																					
-																					
unknown (?)					1																
not sequenced	5	5	5	5	4	4	4	4	4	4	4	4	4	1	1						
sum of seq[2]	17	17	17	17	18	18	18	18	18	18	18	18	18	21	21	22	22	22	22	22	22
oomcaa[3]	14	8	17	15	17	18	18	18	17	17	18	18	18	21	15	22	15	22	22	22	22
mcaa[4]	D	I	V	M	T	Q	S	P	L	S	L	P	V	T	P	G	E	P	A	S	I
rel. oomcaa[5]	82%	47%	100%	88%	94%	100%	100%	100%	94%	94%	100%	100%	100%	100%	71%	100%	68%	100%	100%	100%	100%
pos occupied[6]	2	3	1	3	1	1	1	1	2	2	1	1	1	1	2	1	2	1	1	1	1

100

SUBSTITUTE SHEET (RULE 26)

Table 4B: Analysis of V kappa subgroup 2

amino acid	22	23	24	25	26	27	A	B	C	D	E	F	28	29	30	31	32	33	34	35	36
													CDRI								
A																					
B																					
C		22																			
D										1			9		1	1			11		
E																					
F															2						7
G													1	22							
H										16							1		1		
I																					
K			1													1					
L						1		22	13									22			
M										1											
N													10		7	12			9		
P																					
Q	1					21															
R			21								2										
S	21			22	22		22				19		1								
T																8					
V									8												
W									1											22	
X													1		1				1		
Y										4	1				11		21				15
-												22									
unknown (?)																					
not sequenced																					
sum of seq	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22
oomcaa	21	22	21	22	22	21	22	22	13	16	19	22	10	22	11	12	21	22	11	22	15
mcaa	S	C	R	S	S	Q	S	L	L	H	S	-	N	G	Y	N	Y	L	D	W	Y
rel. oomcaa	95%	100%	95%	100%	100%	95%	100%	100%	59%	73%	86%	100%	45%	100%	50%	55%	95%	100%	50%	100%	68%
pos occupied	2	1	2	1	1	2	1	1	3	4	3	1	5	1	5	4	2	1	4	1	2

101

SUBSTITUTE SHEET (RULE 26)

Table 4B: Analysis of V kappa subgroup 2

amino acid[1]	Framework II													CDR II							
	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57
A																			14		
B																					
C																					
D																			7		
E									1												
F																					
G					22										12				1		22
H																					
I										1		22									
K			15											5							
L	16									14	21			14	1						
M																					
N																	18				
P				22				21													
Q	6	22				22			12					1							
R			7						8	7				1				22			
S							21								2	22	2			22	
T																	1				
V											1				6						
W																					
X																					
Y													21				1				
-																					
unknown (?)																					
not sequenced							1	1	1					1	1	1					
sum of seq[2]	22	22	22	22	22	22	21	21	21	22	22	22	22	21	21	21	22	22	22	22	22
oomcaa[3]	16	22	15	22	22	22	21	21	12	14	21	22	21	14	12	22	18	22	14	22	22
mcaa[4]	L	Q	K	P	G	Q	S	P	Q	L	L	I	Y	L	G	S	N	R	A	S	G
rel. oomcaa[5]	73%	100%	68%	100%	100%	100%	100%	100%	57%	64%	95%	100%	100%	67%	57%	100%	82%	100%	64%	100%	100%
pos occupied[6]	2	1	2	1	1	1	1	1	3	3	2	1	1	4	4	1	4	1	3	1	1

102

Table 4B: Analysis of V kappa subgroup 2

amino acid[1]	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78
														Framework III							
A																					
B																					
C																					
D		22						1				1	22								
E																					
F					21									22							
G							21		22		21										
H																					
I																	1	21			
K																		19			
L														_	21	1					
M																					
N																					
P		22																			
Q																					
R			20					1												20	
S				1	22		21		22										20	1	
T				1								22				21			1		
V	22				1																21
W																					
X																					
Y																					
-																					
unknown (?)															1						
not sequenced																	1	1	1	1	1
sum of seq[2]	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	21	21	21	21	21
oomcaa[3]	22	22	22	20	21	22	21	21	22	22	21	22	22	22	22	21	21	19	21	20	20
mcaa[4]	V	P	D	R	F	S	G	S	G	S	G	T	D	F	T	L	K	I	S	R	V
rel. oomcaa[5]	100%	100%	100%	91%	95%	100%	95%	95%	100%	100%	95%	100%	100%	100%	95%	100%	90%	100%	95%	95%	100%
pos occupied[6]	1	1	1	3	2	1	2	2	1	1	2	1	1	1	1	1	3	1	2	2	1

193

SUBSTITUTE SHEET (RULE 26)

Table 4B: Analysis of V kappa subgroup 2

amino acid[1]	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	A (CDR III)	B	C	D
A		20											14			1					
B												1			1						
C										21											
D			1	21																	
E	19		20																		
F																					
G	1					21							6			1		2			
H														1	7						
I							1									1					
K																					
L							1							12			2				
M											21										
N																					
P		1														2	16	1			
Q	1											20			13						
R													1								
S																3	2				
T														8	7						
V					21		19														
W																6					
X																					
Y								21	21												
-																		14	17	17	17
unknown (?)																					
not sequenced	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	5	5	5	5
sum of seq[2]	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	20	17	17	17	17
oomcaa[3]	19	20	20	21	21	21	19	21	21	21	21	20	14	12	13	7	16	14	17	17	17
mcaa[4]	E	A	E	D	V	G	V	Y	Y	C	M	Q	A	L	Q	T	P	-	-	-	-
rel. oomcaa[5]	90%	95%	95%	100%	100%	100%	90%	100%	100%	100%	100%	95%	67%	57%	62%	33%	80%	82%	100%	100%	100%
pos occupied[6]	3	2	2	1	1	1	3	1	1	1	1	2	3	3	3	7	3	3	1	1	1

104

Table 4B: Analysis of V kappa subgroup 2

amino acid[1]	E	F	96	97	98	99	100	101	102	103	104	105	106	A	107	108	sum
					Framework IV												
A																	71
B												1					3
C																	43
D																	112
E												13					71
F			1		17												72
G						17	2	16				1					233
H																	26
I			3										14				94
K										12					13		66
L			2								11						219
M																	37
N																	56
P			1														159
Q			1				14										159
R										4						12	126
S																	325
T				17					16								140
V											5						146
W			2														31
X																	3
Y			7														123
-	17	17												13			134
unknown (?)																	2
not sequenced	5	5	5	5	5	5	6	6	6	6	6	7	8	9	9	10	211
sum of seq[7]	17	17	17	17	17	17	16	16	16	16	16	15	14	13	13	12	
oomcaa[3]	17	17	7	17	17	17	14	16	16	12	11	13	14	13	13	12	
mcaa[4]	-	-	Y	T	F	G	Q	G	T	K	L	E	I	-	K	R	
rel. oomcaa[5]	100%	100%	41%	100%	100%	100%	88%	100%	100%	75%	69%	87%	100%	100%	100%	100%	
pos occupied[6]	1	1	7	1	1	1	2	1	1	2	2	3	1	1	1	1	

105

Table 4C: Analysis of V kappa subgroup 3

amino acid[1]	Framework I															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A		5					2		27						1	
B	1															
C												2				
D	2								14							
E	76		27													
F		1												1		
G	1								82						1	152
H											1					
I		75														
K	3															
L		4	1	104			1				150		129		1	
M	5			13												
N														5		
P								124							147	
Q						123										
R						1										
S							119			3	1	150	1	141		
T		2			117					147				5	1	
V		1	89	1		.	1				1		22		1	
W																
X																
Y																
-																
unknown (?)																
not sequenced																
sum of seq[1]	88	88	117	118	118	123	123	124	126	149	151	152	152	152	152	152
oomcaa[1]	76	75	89	104	117	123	119	124	82	147	150	150	129	141	147	152
mcaa[4]	E	I	V	L	T	Q	S	P	G	T	L	S	L	S	P	G
rel. oomcaa[5]	86%	85%	76%	88%	99%	100%	97%	100%	65%	99%	99%	99%	85%	93%	97%	100%
pos occupied[6]	6	6	3	3	2	1	4	1	4	3	2	2	3	4	6	1

108

SUBSTITUTE SHEET (RULE 26)

Table 4C: Analysis of V kappa subgroup 3

amino acid[1]	17	18	19	20	21	22	23	24	25	26	27	A	B	C	D	E
													CDRI			
A			178	2					166	1						
B																
C							181			1						
D	6															
E	146	1									1					
F					7	1										
G	1	1							1	1		1				
H											17					
I		1		5	2											
K		1						5								
L				173							1	1				
M																
N											9					
P																
Q											159					
R		175						176		1	1	10				
S						180			7	175		87				
T		1		174					7	2		1				
V		1	4	1					1			1				
W								1								
X																
Y						1					1					
-												72	182	182	182	182
unknown (?)											1					
not sequenced																
sum of seq[7]	153	181	182	182	182	182	181	182	182	181	181	182	182	182	182	182
oomcaa[1]	146	175	178	174	173	180	181	176	166	175	159	87	182	182	182	182
mcaa[4]	E	R	A	T	L	S	C	R	A	S	Q	S	-	-	-	-
rel. oomcaa[5]	95%	97%	98%	96%	95%	99%	100%	97%	91%	97%	88%	48%	100%	100%	100%	100%
pos occupied[6]	3	7	2	4	3	3	1	3	5	6	6	8	1	1	1	1

107

SUBSTITUTE SHEET (RULE 26)

Table 4C: Analysis of V kappa subgroup 3

amino acid[1]	F	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
													Framewo			
A				1	1			181								
B																
C																
D			1	1	2	1										
E						1							1			1
F		1				7				1						
G			2	7	3	1		2						1	184	
H			1			2				1		12	1	1		
I		24	4	1	1											
K				1	1								153			
L		8	1			1	176					3				2
M																
N			3	12	25	32										
P					1									170		
Q						1	1				183	167	1			181
R			10	3	18	16		1				1	27	5		
S		72	86	151	118	4								5		
T		1	1	3	8	1							1			
V		76	68		1			7				3		2		
W			5						185							
X																
Y				1	1	115				183						
-	182															
unknown (?)											1					
not sequenced																
sum of seq[2]	182	182	182	181	181	182	183	184	185	185	185	185	184	184	184	184
oomcaa[3]	182	76	86	151	118	115	176	181	185	183	183	167	153	170	184	181
mcaa[4]	-	V	S	S	S	Y	L	A	W	Y	Q	Q	K	P	G	Q
rel. oomcaa[5]	100%	42%	47%	83%	65%	63%	96%	98%	100%	99%	99%	90%	83%	92%	100%	98%
pos occupied[6]	1	6	11	10	13	12	2	3	1	3	2	4	6	6	1	3

108

SUBSTITUTE SHEET (RULE 26)

Table 4C: Analysis of V kappa subgroup 3

amino acid[1]	rk II (43)	44	45	46	47	48	49	CDR II (50)	51	52	53	54	55	56	57	58
A	176							4	147				176	1		
B																
C									1							
D								43					2		4	
E																
F				1		1	4									
G								125					2	10	179	
H							9		1							
I						178								1		168
K			1								7	1				
L		1	179	174		1										
M						3					1					
N			1						1		53			2		
P	5	184								2			2	2		
Q							1									
R			182					1			4	180				
S							3	6	4	179	74	1		5		
T	3								11	2	44			164		2
V				3	9			3	19				3			15
W							1					1				
X																
Y							165								2	
-																
unknown (?)			1													
not sequenced																
sum of seq[2]	184	185	185	183	183	183	183	183	183	183	183	183	185	185	185	185
oomcaa[3]	176	184	182	179	174	178	165	125	147	179	74	180	176	164	179	168
mcaa[4]	A	P	R	L	L	I	Y	G	A	S	S	R	A	T	G	I
rel. oomcaa[5]	96%	99%	98%	98%	95%	97%	90%	68%	80%	98%	40%	98%	95%	89%	97%	91%
pos occupied[6]	3	2	3	3	2	4	6	7	6	3	6	4	5	7	3	3

109

Table 4C: Analysis of V kappa subgroup 3

Framework III

amino acid[1]	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74
A		68						3		5	3	1		3		
B																
C																
D		112				1						152				
E									1		1	30				
F				183										183	2	
G						184	3	178	—	177						
H		1														
I				1										1		3
K			1													
L				1											182	
M									1							
N		1												1		
P	177															
Q													1			
R			182		2		1				2					
S	7				180		179		185			3		7		2
T	1		2		3		2				177			172		179
V		3							1		1					
W										1						
X																
Y														1		
-																
unknown (?)									1							
not sequenced																
sum of seq[2]	185	185	185	185	185	185	185	185	185	185	185	184	184	184	184	184
oomcaa[3]	177	112	182	183	180	184	179	178	185	177	177	152	183	172	182	179
mcaa[4]	P	D	R	F	S	G	S	G	S	G	T	D	F	T	L	T
rel. oomcaa[5]	96%	61%	98%	99%	97%	99%	97%	96%	100%	96%	96%	83%	99%	93%	99%	97%
pos occupied[6]	3	5	3	3	3	2	4	5	1	5	4	4	2	5	2	3

110

SUBSTITUTE SHEET (RULE 26)

Table 4C: Analysis of V kappa subgroup 3

amino acid[1]	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
A							3			174						
B					1											
C									2				1	182		
D			1				3	182								
E					149		175									2
F		1							178		2	1	4			
G			3					1		2						
H											1				1	7
I	178							1	1		9					
K							1									
L				178		1			1		7		1			1
M										1	5					
N	1	5														
P						149										
Q					34								1	1	181	155
R		1	111							3						1
S		169	65			34			1				2			
T		8	4							1						8
V	4			6					1	3	159					7
W																
X																
Y	1										1	183	176		1	2
-																
unknown (?)																
not sequenced																
sum of seq[2]	184	184	184	184	184	184	182	184	184	184	184	184	184	183	183	183
oomcaa[3]	178	169	111	178	149	149	175	182	178	174	159	183	176	182	181	155
mcaa[4]	I	S	R	L	E	P	E	D	F	A	V	Y	Y	C	Q	Q
rel. oomcaa[5]	97%	92%	60%	97%	81%	81%	96%	99%	97%	95%	86%	99%	96%	99%	99%	85%
pos occupied[6]	4	5	5	2	3	3	4	3	6	6	7	2	5	2	3	8

1/1

SUBSTITUTE SHEET (RULE 26)

Table 4C: Analysis of V kappa subgroup 3

amino acid[1]						CDR III											
	91	92	93	94	95	A	B	C	D	E	F	96	97	98	99	100	
A		1	8	3	3											1	
B																	
C	2			1								2					
D		8	5											1			
E		2										1					
F	5		2									7	166				
G	1	104	15		1	1	2					1			166	41	
H	4	1										2					
I			1		1							4					
K			2		1							1				1	
L				2	7	5						42					
M		1			1	2											
N		28	71									1					
P				1	139	24						7	2			9	
Q	1		1		3	1						3				114	
R	34	2	3		2	2						19					
S	2	33	58	102	15	2						1	8				
T		2	13	1	1	2						1	154				
V					3	1						2					
W				69								24					
X																	
Y	134	1	1									43					
-			3	3	7	127	167	169	169	169	169	8	1	1	1	1	
unknown (?)																	
not sequenced						14	14	14	14	14	14	14	17	16	16	16	
sum of seq[2]	183	183	183	182	182	169	169	169	169	169	169	169	166	167	167	167	
oomcaa[3]	134	104	71	102	139	127	167	169	169	169	169	43	154	166	166	114	
mcaa[4]	Y	G	N	S	P	-	-	-	-	-	-	Y	T	F	G	Q	
rel. oomcaa[5]	73%	57%	39%	56%	76%	75%	99%	100%	100%	100%	100%	25%	93%	99%	99%	68%	
pos occupied[6]	8	11	13	8	11	12	2	1	1	1	1	18	5	2	2	6	

112

Table 4C: Analysis of V kappa subgroup 3

amino acid[1]	Framework IV									sum
	101	102	103	104	105	106	A	107	108	
A										1345
B										2
C										375
D					23					564
E			3		141					759
F						6				765
G	166								1	1804
H					1					64
I					143					803
K			152					157		489
L				54		1			2	1596
M						3				36
N		1						3		255
P		1		1						1147
Q			1		1					1314
R			9			2		4	134	1326
S		2								2629
T		162	1					1		1593
V				111		11				646
W										287
X										
Y			1							1014
-	1	1	1	1	1	1	166	1	1	2151
unknown (?)										4
not sequenced	16	16	15	16	16	16	17	17	45	337
sum of seq[?]	167	167	168	167	167	167	166	166	138	
oomcaa[1]	166	162	152	111	141	143	166	157	134	
mcaa[1]	G	T	K	V	E	I	-	K	R	
rel. oomcaa[1]	99%	97%	90%	66%	84%	86%	100%	95%	97%	
pos occupied[r]	2	5	7	4	5	7	1	5	4	

1/-3

Table 4D: Analysis of V kappa subgroup 4

amino acid[1]	\multicolumn Framework I																	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
A												24					1	
B																		
C											1					1		
D	25								26									
E																	25	
F																		
G												1				24		
H																		
I		26																
K						1												
L			1								26			26				
M				24														
N	1																	
P								26				1						
Q			1		25													
R																		26
S							26			25			26			1		
T					26													
V			25	1									26					
W																		
X																		
Y																		
-																		
unknown (?)																		
not sequenced	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
sum of seq[2]	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26
oomcaa[3]	25	26	25	24	26	25	26	26	26	25	26	24	26	26	26	24	25	26
mcaa[4]	D	I	V	M	T	Q	S	P	D	S	L	A	V	S	L	G	E	R
rel. oomcaa[5]	96%	100%	96%	92%	100%	96%	100%	100%	100%	96%	100%	92%	100%	100%	100%	92%	96%	100%
pos occupied[6]	2	1	2	3	1	2	1	1	1	2	1	3	1	1	1	3	2	1

1/4

SUBSTITUTE SHEET (RULE 26)

Table 4D: Analysis of V kappa subgroup 4

amino acid[1]	19	20	21	22	23	24	25	26	27	A	B	C	D	E	F	28	29	30
											CDRI							
A	26						1				1							
B																		
C					33													
D											1			1		1		
E																		
F																		
G																		
H																		
I			26								1							
K						33										2		30
L											2	31						
M																		
N				26												30	31	1
P							1								1			
Q									32									1
R									1								1	1
S							31	33		33				32	32		1	
T		26											1					
V											28	2						
W																		
X																		
Y													32					
-																		
unknown (?)																		
not sequenced	7	7	7	7														
sum of seq[2]	26	26	26	26	33	33	33	33	33	33	33	33	33	33	33	33	33	33
oomcaa[3]	26	26	26	26	33	33	31	33	32	33	28	31	32	32	32	30	31	30
mcaa[4]	A	T	I	N	C	K	S	S	Q	S	V	L	Y	S	S	N	N	K
rel. oomcaa[5]	100%	100%	100%	100%	100%	100%	94%	100%	97%	100%	85%	94%	97%	97%	97%	91%	94%	91%
pos occupied[6]	1	1	1	1	1	1	3	1	2	1	5	2	2	2	2	3	3	4

115

Table 4D: Analysis of V kappa subgroup 4

amino acid[1]	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
													Framework II					
A				32						2								
B																		
C																		
D																		
E											1							
F																		
G											32							
H						2												
I																		32
K									33						32			
L			33													29	33	
M																		1
N	33																	
P										31			31	33				
Q							32	33				32						
R							1					1			1			
S													2					
T				1														
V																4		
W					33													
X																		
Y		33				31												
-																		
unknown (?)																		
not sequenced																		
sum of seq[2]	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
oomcaa[3]	33	33	33	32	33	31	32	33	33	31	32	32	31	33	32	29	33	32
mcaa[4]	N	Y	L	A	W	Y	Q	Q	K	P	G	Q	P	P	K	L	L	I
rel. oomcaa[5]	100%	100%	100%	97%	100%	94%	97%	100%	100%	94%	97%	97%	94%	100%	97%	88%	100%	97%
pos occupied[6]	1	1	1	2	1	2	2	1	1	2	2	2	2	1	2	2	1	2

116

SUBSTITUTE SHEET (RULE 26)

Table 4D: Analysis of V kappa subgroup 4

CDR II spans columns 50–56.

amino acid[1]	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66
A			30															
B																		
C																		
D												33						
E							32											
F														33				
G									33						1	33		33
H																		
I					1													
K																		
L																		
M																		
N					2													
P				1							33		1					
Q																		
R						33							32					
S			1	31	1			33							32		33	
T			2	1	29													
V							1			33								
W		33																
X																		
Y	33																	
-																		
unknown (?)																		
not sequenced																		
sum of seq[2]	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
oomcaa[3]	33	33	30	31	29	33	32	33	33	33	33	33	32	33	32	33	33	33
mcaa[4]	Y	W	A	S	T	R	E	S	G	V	P	D	R	F	S	G	S	G
rel. oomcaa[5]	100%	100%	91%	94%	88%	100%	97%	100%	100%	100%	100%	100%	97%	100%	97%	100%	100%	100%
pos occupied[6]	1	1	3	3	4	1	2	1	1	1	1	1	2	1	2	1	1	1

117

SUBSTITUTE SHEET (RULE 26)

Table 4D: Analysis of V kappa subgroup 4

amino acid[1]	Framework III																	
	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84
A														33				32
B																		
C																		
D				32												33		
E															33			
F					32													
G		33		1														1
H																		
I									33									
K																		
L							33					32						
M												1						
N										2	1							
P																		
Q													32					
R												1						
S	33									30	32							
T			33			33		33		1								
V					1												33	
W																		
X																		
Y																		
-																		
unknown (?)																		
not sequenced																		
sum of seq[2]	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
oomcaa[3]	33	33	33	32	32	33	33	33	33	30	32	32	32	33	33	33	33	32
mcaa[4]	S	G	T	D	F	T	L	T	I	S	S	L	Q	A	E	D	V	A
rel. oomcaa[5]	100%	100%	100%	97%	97%	100%	100%	100%	100%	91%	97%	97%	97%	100%	100%	100%	100%	97%
pos occupied[6]	1	1	1	2	2	1	1	1	1	3	2	2	2	1	1	1	1	2

118

Table 4D: Analysis of V kappa subgroup 4

amino acid[1]	85	86	87	88	89	90	91	92	93	94	95	A	B	C	D	E	F	96
												CDR III						
A										1								
B																		
C				33														
D								1	1									
E																		
F			1					1										
G									2	–								
H			1		3													
I										2								
K																		
L						1		2		1	3							1
M																		
N										4	4							
P										1	29	1						4
Q					30	32					1							1
R									1				1					2
S							2		23	2								1
T									2	22								
V	33																	
W																		2
X																		
Y		33	31				31	29										1
-												13	15	15	15	15	15	3
unknown (?)																		
not sequenced												18	18	18	18	18	18	18
sum of seq[2]	33	33	33	33	33	33	33	33	33	33	33	15	15	15	15	15	15	15
oomcaa[3]	33	33	31	33	30	32	31	29	23	22	29	13	15	15	15	15	15	4
mcaa[4]	V	Y	Y	C	Q	Q	Y	Y	S	T	P	-	-	-	-	-	-	P
rel. oomcaa[5]	100%	100%	94%	100%	91%	97%	94%	88%	70%	67%	88%	87%	100%	100%	100%	100%	100%	27%
pos occupied[6]	1	1	3	1	2	2	2	4	6	7	3	3	1	1	1	1	1	8

119

SUBSTITUTE SHEET (RULE 26)

Table 4D: Analysis of V kappa subgroup 4

amino acid[1]	Framework IV													sum
	97	98	99	100	101	102	103	104	105	106	A	107	108	
A														183
B														
C														68
D														154
E									14					105
F		15												82
G			15	4	15									228
H														6
I										14				135
K							14					13		158
L								4						258
M	1													27
N												1		136
P						1								195
Q				11				1						264
R							1		1			1	11	116
S	2									1				499
T	12					14								236
V								9						196
W								1						69
X														
Y														254
-											15			106
unknown (?)														
not sequenced	18	18	18	18	18	18	18	18	18	18	18	18	22	518
sum of seq[7]	15	15	15	15	15	15	15	15	15	15	15	15	11	
oomcaa[1]	12	15	15	11	15	14	14	9	14	14	15	13	11	
mcaa[4]	T	F	G	Q	G	T	K	V	E	I	-	K	R	
rel. oomcaa[5]	80%	100%	100%	73%	100%	93%	93%	60%	93%	93%	100%	87%	100%	
pos occupied[6]	3	1	1	2	1	2	2	4	2	2	1	3	1	

/20

SUBSTITUTE SHEET (RULE 26)

Table 5A: Analysis of V lambda subgroup 1

amino acid[1]	|— Framework I —| 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
A											19		18	20					
B																			
C																			
D																			
E																		1	
F																			
G													22			42			
H	2																		
I			1								1								
K																		14	
L			1	41							1								
M																			
N																			
P							41	41					1	41					
Q	22		1			41										42			
R																	25		
S		39							41			41			1			1	
T					41								19					1	
V		1	38								20		1	1					42
W																			
X																			
Y																			
Z	16																		
-											41								
unknown (?)																			
not sequenced	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1				
sum of seq[2]	40	40	41	41	41	41	41	41	41	41	41	41	41	41	42	42	42	42	42
oomcaa[3]	22	39	38	41	41	41	41	41	41	41	20	41	22	20	41	42	42	25	42
mcaa[4]	Q	S	V	L	T	Q	P	P	S	-	V	S	G	A	P	G	Q	R	V
rel. oomcaa[5]	55%	98%	93%	100%	100%	100%	100%	100%	100%	100%	49%	100%	54%	49%	98%	100%	100%	60%	100%
pos occupied[6]	3	2	4	1	1	1	1	1	1	1	4	1	3	4	2	1	1	5	1

12-1

SUBSTITUTE SHEET (RULE 26)

Table 5A: Analysis of V lambda subgroup 1

amino acid[1]	20	21	22	23	24	25	26	27	D	E	28	29	30	31	A	32	33	34	35
					CDRI →														
A	2							1				2	2			1			
B																			
C				42															
D										3			3	1		3		1	
E													1						
F					1				1	1						1			
G						42	3	1			2	39	4	2					
H														2		2		2	
I	1	41								1	37							1	
K											1		1						
L		1									1								
M											1								
N								2	1	37			13	31		2	1	9	
P																1			
Q																1			
R							1	1					5						
S	1		42		38		34	34	38				13	1	1	3		19	
T	38				3		4	3	2					1		7		2	
V												1				2	40		
W																			42
X																			
Y														4	1	20		7	
Z																			
-															36				
unknown (?)																			
not sequenced																1	1	1	1
sum of seq[7]	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	41	41	41	42
oomcaa[3]	38	41	42	42	38	42	34	34	38	37	37	39	13	31	36	20	40	19	42
mcaa[4]	T	I	S	C	S	G	S	S	S	N	I	G	N	N	-	Y	V	S	W
rel. oomcaa[5]	90%	98%	100%	100%	90%	100%	81%	81%	90%	88%	88%	93%	31%	74%	88%	49%	98%	46%	100%
pos occupied[6]	4	2	1	1	3	1	4	6	4	4	5	3	8	7	5	10	2	7	1

122

SUBSTITUTE SHEET (RULE 26)

Table 5A: Analysis of V lambda subgroup 1

amino acid[1]	Framework II 36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
A							4	40									1		
B																			
C																			
D						1									13	10	8		
E										2					5			1	
F	1			4										1					
G						39									1				
H	1	1	6	1										1				1	
I													40		1				
K							1			35					1	1		18	
L			1	31							41	40						1	1
M							1						1					1	
N											1				3	28	30	2	
P					42	1			42										
Q		39	34															15	
R		2		1		1				4					7			2	40
S								1							9	2	3	1	
T							36	1							1				
V			1	5							1	2	1						
W																			1
X																			
Y	40														40	1	1		
Z																			
-																			
unknown (?)																			
not sequenced																			
sum of seq[7]	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42
oomcaa[1]	40	39	34	31	42	39	36	40	42	35	41	40	40	40	13	28	30	18	40
mcaa[4]	Y	Q	Q	L	P	G	T	A	P	K	L	L	I	Y	D	N	N	K	R
rel. oomcaa[5]	95%	93%	81%	74%	100%	93%	86%	95%	100%	83%	98%	95%	95%	95%	31%	67%	71%	43%	95%
pos occupied[6]	3	3	4	5	1	4	4	3	1	4	2	2	3	3	10	5	4	9	3

12-3

SUBSTITUTE SHEET (RULE 26)

Table 5A: Analysis of V lambda subgroup 1

amino acid[1]	CDR II																		
	55	56	A	B	C	D	E	57	58	59	60	61	62	63	64	65	66	A	B
A	1														5				
B																			
C																			
D											38								
E																			
F													38						
G								41			2				36				
H											1								
I									17				3						
K																	38		
L		1								1									
M																			
N																			
P	38									38									
Q																			
R												42					4		
S	2	40								2				42		42			
T															1				
V									24				1						
W																			
X																			
Y																			
Z																			
-			41	41	41	41	42											42	42
unknown (?)																			
not sequenced	1	1						1	1	1	1								
sum of seq[2]	41	41	41	41	41	41	42	41	41	41	41	42	42	42	42	42	42	42	42
oomcaa[3]	38	40	41	41	41	41	42	41	24	38	38	42	38	42	36	42	38	42	42
mcaa[4]	P	S	-	-	-	-	-	G	V	P	D	R	F	S	G	S	K	-	-
rel. oomcaa[5]	93%	98%	100%	100%	100%	100%	100%	100%	59%	93%	93%	100%	90%	100%	86%	100%	90%	100%	100%
pos occupied[6]	3	2	1	1	1	1	1	1	2	3	3	1	3	1	3	1	2	1	1

124

Table 5A: Analysis of V lambda subgroup 1

amino acid[1]							Framework III											
	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
A		1	3		41			24						2				38	1
B																			
C																			
D		1													1	41			37
E													1	24			42		1
F																			
G		40						17		1	42			15					
H													1						2
I									41										1
K																			
L						42						41							
M																			
N																1			
P														2					
Q													31						
R													8						
S	42		1	42		24				20				20				1	
T		38				18				21				17				3	
V					1			1	1			1		1					
W													1		2				
X																			
Y																			
Z																			
-																			
unknown (?)																			
not sequenced																			
sum of seq[2]	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42
oomcaa[3]	42	40	38	42	41	24	42	24	41	21	42	41	31	20	24	41	42	38	37
mcaa[4]	S	G	T	S	A	S	L	A	I	T	G	L	Q	S	E	D	E	A	D
rel. oomcaa[5]	100%	95%	90%	100%	98%	57%	100%	57%	98%	50%	100%	98%	74%	48%	57%	98%	100%	90%	88%
pos occupied[6]	1	3	3	1	2	2	1	3	2	3	1	2	5	5	4	2	1	3	5

125

SUBSTITUTE SHEET (RULE 26)

Table 5A: Analysis of V lambda subgroup 1

amino acid[1]	86	87	88	89	90	91	92	93	94	95	A	B	C	D	E	F	96	97	98
															CDR III				
A				22	15			1				16					4	1	
B																			
C			42																
D							39	17			7								
E												1					1		
F		2							1										36
G				14				1				17	1				5	1	
H		1											1						
I											1							1	
K											1								
L				1						37			1					1	
M																		1	
N							2	2			9	1							
P									1								6		
Q				3															
R									5	1	2						2		
S					4			17	35		18		1				1		
T					22			1	1		1								
V				1				1		1		2					9	34	
W						38													
X																			
Y	42	39				3		1									3		
Z																			
-												2	4	35	39	38	38	1	
unknown (?)																			
not sequenced				1	1	1	1	1	1	1	1	1	3	3	3	3	3	3	4
sum of seq[7]	42	42	42	41	41	41	41	41	41	41	41	41	39	39	38	38	39	39	36
oomcaa[3]	42	39	42	22	22	38	39	17	35	37	18	17	35	39	38	38	9	34	36
mcaa[4]	Y	Y	C	A	T	W	D	D	S	L	S	G	-	-	-	-	V	V	F
rel. oomcaa[5]	100%	93%	100%	54%	54%	93%	95%	41%	85%	90%	44%	41%	90%	100%	100%	100%	23%	87%	100%
pos occupied[6]	1	3	1	5	3	2	2	8	3	5	8	6	5	1	1	1	10	6	1

126

SUBSTITUTE SHEET (RULE 26)

Table 5A: Analysis of V lambda subgroup 1

amino acid[1]	Framework IV											sum
	99	100	101	102	103	104	105	106	A	107	108	
A												285
B												
C												84
D												224
E		1										81
F												87
G	36	31	36							26		559
H												25
I												188
K					30							141
L						25			34			344
M										-		5
N					1							176
P											1	296
Q					3				1		18	251
R					1					2		156
S		1								2		720
T		3	36	1		36						359
V						11	36	1				282
W										1		92
X												
Y												202
Z												16
-												524
unknown (?)												
not sequenced	4	6	6	6	6	6	6	6	6	10	22	141
sum of seq[2]	36	36	36	36	36	36	36	36	36	31	19	
oomcaa[3]	36	31	36	36	30	25	36	36	34	26	18	
mcaa[4]	G	G	G	T	K	L	T	V	L	G	Q	
rel. oomcaa[5]	100%	86%	100%	100%	83%	69%	100%	100%	94%	84%	95%	
pos occupied[6]	1	4	1	1	5	2	1	1	3	4	2	

127

SUBSTITUTE SHEET (RULE 26)

Table 5B: Analysis of V lambda subgroup 2

amino acid [1]							Framework I												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
A			35					30			6		1	1					
B																			
C																			
D																1			
E																			
F																			
G													42			42			
H	2																1		
I			1																28
K																			
L				40											3				1
M																			
N																			
P							42	6							40				
Q	22		4			41											42		
R								6	1										
S		41							40			42		42				43	
T					42				1										
V		1	2								36								14
W																			
X																			
Y																			
Z	16																		
-										42									
unknown (?)						1													
not sequenced	3	1	1	3	1	1	1	1	1	1	1	1							
sum of seq [2]	40	42	42	40	42	42	42	42	42	42	42	42	43	43	43	43	43	43	43
oomcaa [3]	22	41	35	40	42	41	42	30	40	42	36	42	42	42	40	42	42	43	28
mcaa [4]	Q	S	A	L	T	Q	P	A	S	-	V	S	G	S	P	G	Q	S	I
rel. oomcaa [5]	55%	98%	83%	100%	100%	98%	100%	71%	95%	100%	86%	100%	98%	98%	93%	98%	98%	100%	65%
pos occupied [6]	3	2	4	1	1	1	1	3	3	1	2	1	2	2	2	2	2	1	3

128

SUBSTITUTE SHEET (RULE 26)

Table 5B: Analysis of V lambda subgroup 2

amino acid[1]	Framework IV											sum
	99	100	101	102	103	104	105	106	A	107	108	
A		1										280
B												
C												99
D												188
E												107
F												113
G	42	33	42					—		19		567
H												48
I						1						184
K				36								189
L					28				40			264
M												29
N					1							146
P												238
Q					1						14	250
R		1			2					4		121
S						1				2		831
T		7		41			40					398
V						14		42	1			327
W												48
X												
Y					1							285
Z												16
-												555
unknown (?)												8
not sequenced	1	1	1	2	2	1	1	1	2	15	28	80
sum of seq[2]	42	42	42	41	41	42	42	42	41	25	14	
oomcaa[3]	42	33	42	41	36	28	40	42	40	19	14	
mcaa[4]	G	G	G	T	K	L	T	V	L	G	Q	
rel. oomcaa[5]	100%	79%	100%	100%	88%	67%	95%	100%	98%	76%	100%	
pos occupied[6]	1	4	1	1	5	2	3	1	2	3	1	

134

SUBSTITUTE SHEET (RULE 26)

Table 5C: Analysis of V lambda subgroup 3

amino acid[1]	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
A					1		1	2	7					20	1				27
B																			
C																			
D			5				10												
E			20										1			1			
F	1	1										1				1			
G			1													37			
H																			
I																			
K																	2		
L				37							4		1		9				
M																			
N																			
P							26	35	1						27				1
Q	4		4			38											36		
R																			
S	13	14				1		1		28		37		18					
T					36				1									38	
V			8	1						2	34		36						10
W																			
X																			
Y			23																
Z																			
-	20										38								
unknown (?)																			
not sequenced																			
sum of seq[2]	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38
oomcaa[3]	20	23	20	37	36	38	26	35	28	38	34	37	36	20	27	37	36	38	27
mcaa[4]	-	Y	E	L	T	Q	P	P	S	-	V	S	V	A	P	G	Q	T	A
rel. oomcaa[5]	53%	61%	53%	97%	95%	100%	68%	92%	74%	100%	89%	97%	95%	53%	71%	97%	95%	100%	71%
pos occupied[6]	4	3	5	2	3	1	4	3	4	1	2	2	3	2	4	2	2	1	3

135

SUBSTITUTE SHEET (RULE 26)

Table 5C: Analysis of V lambda subgroup 3

amino acid[1]						CDRI												
	20	21	22	23	24	25	26	27	D	E	28	29	30	31	A	32	33	34	35
A			1					5						1	1		21	3	
B																			
C				38															5
D							30	1					10			3		1	
E							2	2				1	3	6					
F														1		2			
G					9	38		1				23	4						
H							1									2		9	
I		38									9			1					
K								7					2	13					
L											28								
M	1													1					
N			2				4	9				1		2		1		2	
P			1										3						
Q					10									4					
R	25							2				10	1				1		
S	9		1		19			10					11	2		8		14	
T	3		33					1				1	4						
V																1	15		
W																			38
X																			
Y							1							8		20	1	4	
Z																			
-									38	38						37			
unknown (?)																			
not sequenced																1	1		
sum of seq[2]	38	38	38	38	38	38	38	38	38	38	38	38	38	37	37	37	38	38	38
oomcaa[3]	25	38	33	38	19	38	30	10	38	38	28	23	11	13	37	20	21	14	38
mcaa[4]	R	I	T	C	S	G	D	S	-	-	L	G	S	K	-	Y	A	S	W
rel. oomcaa[5]	66%	100%	87%	100%	50%	100%	79%	26%	100%	100%	74%	61%	29%	35%	100%	54%	55%	37%	100%
pos occupied[6]	4	1	5	1	3	1	5	9	1	1	3	5	9	9	1	7	4	7	1

130

SUBSTITUTE SHEET (RULE 26)

Table 5C: Analysis of V lambda subgroup 3

amino acid[1]		36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
									Framework II										
A									23								1		1	
B																				
C																	5	3	3	
D																9	22	2	8	
E				1											2			1		
F		3															9	2		
G							36									1	3		1	
H								1												
I											1			28				1		
K					32											2	6	1	13	
L				2							6	33								
M																				
N												1	1				1	19	9	
P						36		1		38							9		1	
Q			37	35	1			36								9		1	1	
R			1		4														10	38
S					1	1	2		14										4	
T																		2		
V									1		31	4	37	9						
W																				
X																				
Y		35													35					
Z																				
-																				
unknown (?)																				
not sequenced																				
sum of seq[2]		38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38
oomcaa[3]		35	37	35	32	36	36	36	23	38	31	33	37	28	35	9	22	19	13	38
mcaa[4]		Y	Q	Q	K	P	G	Q	A	P	V	L	V	I	Y	D	D	N	K	R
rel. oomcaa[5]		92%	97%	92%	84%	95%	95%	95%	61%	100%	82%	87%	97%	74%	92%	24%	58%	50%	34%	100%
pos occupied[6]		2	2	3	4	2	2	3	3	1	3	3	2	3	3	7	8	7	9	1

Table 5C: Analysis of V lambda subgroup 3

amino acid[1]		CDR II																	
	55	56	A	B	C	D	E	57	58	59	60	61	62	63	64	65	66	A	B
A		1																	
B																			
C																			
D											9								
E											27								
F													38						
G								38							38				
H																			
I									37										
K																			
L																			
M																			
N																	21		
P	37	1								36									
Q																			
R												38							
S	1	36								1				38		38	12		
T																	5		
V																			
W																			
X																			
Y																			
Z																			
-			38	38	38	38	38											38	38
unknown (?)											1								
not sequenced									1	1	1								
sum of seq[2]	38	38	38	38	38	38	38	38	37	37	37	38	38	38	38	38	38	38	38
oomcaa[3]	37	36	38	38	38	38	38	38	37	36	27	38	38	38	38	38	21	38	38
mcaa[4]	P	S	-	-	-	-	-	G	I	P	E	R	F	S	G	S	N	-	-
rel. oomcaa[5]	97%	95%	100%	100%	100%	100%	100%	100%	100%	97%	73%	100%	100%	100%	100%	100%	55%	100%	100%
pos occupied[6]	2	3	1	1	1	1	1	1	1	2	2	1	1	1	1	1	3	1	1

138

Table 5C: Analysis of V lambda subgroup 3

amino acid'	Framework III																		
	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
A				1	36	1		1				11	1	34				38	
B																			
C																			
D																38			37
E														10	14		38		1
F																			
G		37									28		10						
H			1												1				
I						1		1	37	1									
K			1												2				
L							38								10				
M															10				
N			28								1								
P																			
Q		1												25					
R											1	10	1						
S	37		2		11					23				1					
T	1		6	37		25		36		12		13		2					
V					2					1		14	1	1	1	1			
W																			
X																			
Y																			
Z																			
-																			
unknown (?)																			
not sequenced																			
sum of seq'	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38
oomcaa'	37	37	28	37	36	25	38	36	37	23	28	14	25	34	14	38	38	38	37
mcaa'	S	G	N	T	A	T	L	T	I	S	G	V	Q	A	E	D	E	A	D
rel. oomcaa'	97%	97%	74%	97%	95%	66%	100%	95%	97%	61%	74%	37%	66%	89%	37%	100%	100%	100%	97%
pos occupied'	2	2	5	2	2	4	1	3	2	5	2	3	5	4	6	1	1	1	2

139

Table 5C: Analysis of V lambda subgroup 3

amino acid[1]	86	87	88	89	90	91	92	93	94	95	A	B	C	D	E	F	96	97	98
									CDR III										
A					13	3	2			1	2						4		
B																			
C			38																
D							32	1	1			6							
E				1								2					2		
F		2						2											35
G									3	14	3			1			3	1	
H												12	1						
I																		4	
K											1								
L				1				1		1		1	1				4	2	
M									1								1	1	
N				10			2	1	2		10	1							
P									1					3			1		
Q				25						1	1								
R						10		1	2			2							
S				1	14	1		28	26	13		1				1			
T						1		3		7	2								
V					11												18	28	
W						23													
X																			
Y	38	36					1		1		1		3	1			3		
Z																			
-											10	15	31	36	37	36		1	
unknown (?)																			
not sequenced							1	1	1	1	2	1	1	1	1	1	1	1	3
sum of seq[2]	38	38	38	38	38	38	37	37	37	37	36	37	37	37	37	37	37	37	35
oomcaa[1]	38	36	38	25	14	23	32	28	26	14	10	15	31	36	37	36	18	28	35
mcaa[4]	Y	Y	C	Q	S	W	D	S	S	G	N	-	-	-	-	-	V	V	F
rel. oomcaa[5]	100%	95%	100%	66%	37%	61%	86%	76%	70%	38%	28%	41%	84%	97%	100%	97%	49%	76%	100%
pos occupied[6]	1	2	1	5	3	5	4	7	8	6	9	8	5	2	1	2	9	6	1

140

SUBSTITUTE SHEET (RULE 26)

Table 5C: Analysis of V lambda subgroup 3

amino acid[1]	99	100	101	102	103	104	105	106	A	107	108	sum
A												265
B												
C										1		82
D												225
E					2							145
F												90
G	35	31	35							24		461
H												32
I												160
K					30							110
L						28			33			233
M												17
N												126
P										1		249
Q											7	275
R					2							154
S										2		501
T		4		35			35					347
V						7		35				308
W												62
X												
Y												211
Z												
-												603
unknown (?)												1
not sequenced	3	3	3	3	4	3	3	3	4	11	28	89
sum of seq[2]	35	35	35	35	34	35	35	35	34	27	7	
oomcaa[3]	35	31	35	35	30	28	35	35	33	24	7	
mcaa[4]	G	G	G	T	K	L	T	V	L	G	Q	
rel. oomcaa[5]	100%	89%	100%	100%	88%	80%	100%	100%	97%	89%	100%	
pos occupied[6]	1	2	1	1	3	2	1	1	2	3	1	

141

SUBSTITUTE SHEET (RULE 26)

Table 6A: Analysis of V heavy chain subgroup 1A

amino acid[1]	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
																Framework I				
A					1	14			60							24	1			
B																				
C																				
D																				
E	1				2	1		2		64										
F																				
G								58	1						64					
H			2																	
I		2																		
K		2										57	64						60	
L			2	59							3									
M		1																		
N												6								
P														63						
Q	53		56		2	45														
R												1							3	
S							60		3					1		40	63			
T																			1	
V	2	55		1	55						61							64		64
W																				
X																				
Y																				
Z	3																			
-																				
unknown (?)																				
not sequenced	11	10	10	10	10	10	10	10	6	6	6	6	6	6	6	6	6	6	6	6
sum of seq[7]	59	60	60	60	60	60	60	60	64	64	64	64	64	64	64	64	64	64	64	64
oomcaa[3]	53	55	56	59	55	45	60	58	60	64	61	57	64	63	64	40	63	64	60	64
mcaa[4]	Q	V	Q	L	V	Q	S	G	A	E	V	K	K	P	G	S	S	V	K	V
rel. oomcaa[5]	90%	92%	93%	98%	92%	75%	100%	97%	94%	100%	95%	89%	100%	98%	100%	63%	98%	100%	94%	100%
pos occupied[6]	4	4	3	2	4	3	1	2	3	1	2	3	1	2	1	2	2	1	3	1

142

SUBSTITUTE SHEET (RULE 26)

Table 6A: Analysis of V heavy chain subgroup 1A

amino acid[1]	21	22	23	24	25	26	27	28	29	30	31	A	B	32	33	34	35	36	37	38
												CDRI								
A				62				1							41					
B																				
C		63																		
D								1												
E																				
F									69						3	3				
G			1			69	41		1		—				23					
H											1				1		1			
I								1								61	1		1	
K			63								1	1								
L															1	2				
M																4				
N											2	5						4		
P															1					
Q																				70
R		1	1								1	1								
S	63			68		1					40	60			2		60			
T	1			2				68	25	3					3	4				
V															1				69	
W																		70		
X																				
Y							27								64					
Z																				
-											70	70								
unknown (?)																				
not sequenced	6	6	6	5	2	1														
sum of seq[7]	64	64	64	65	68	69	70	70	70	70	70	70	70	70	70	70	70	70	70	70
oomcaa[3]	63	63	63	62	68	69	41	68	69	40	60	70	70	64	41	61	60	70	69	70
mcaa[4]	S	C	K	A	S	G	G	T	F	S	S	-	-	Y	A	I	S	W	V	R
rel. oomcaa[5]	98%	98%	98%	95%	100%	100%	59%	97%	99%	57%	86%	100%	100%	91%	59%	87%	86%	100%	99%	100%
pos occupied[6]	2	2	2	3	1	1	4	3	2	6	5	1	1	4	6	4	5	1	2	1

143

SUBSTITUTE SHEET (RULE 26)

Table 6A: Analysis of V heavy chain subgroup 1A

amino acid[1]	39	40	41	42	43	44	45	46	47	48	49	50	51	52	A	B	C	53	54	55
						Framework II														
A		70									1				5					
B																				
C																				
D								1												
E								69												
F														2				3	39	
G			1	68		69			1		69	39			1					68
H			1																	
I													65	38				34		
K																				
L				1			68			1		1						2	4	
M										67				2				4		
N														4				3	22	
P			68					1								44				
Q	69				69													1	1	1
R	1		1			1						4						1		
S				1					1		1			22					1	1
T													1	2	4			1	3	
V										1				2	2	16		1		
W							1		67			26								
X																				
Y										1								20		
Z																				
-																70	70			
unknown (?)																				
not sequenced																				
sum of seq[2]	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
oomcaa[3]	69	70	68	68	69	69	68	69	67	67	69	39	65	38	44	70	70	34	39	68
mcaa[4]	Q	A	P	G	Q	G	L	E	W	M	G	G	I	I	P	-	-	I	F	G
rel. oomcaa[5]	99%	100%	97%	97%	99%	99%	97%	99%	96%	96%	99%	56%	93%	54%	63%	100%	100%	49%	56%	97%
pos occupied[6]	2	1	3	3	2	2	3	2	4	4	2	4	4	6	5	1	1	10	6	3

144

SUBSTITUTE SHEET (RULE 26)

Table 6A: Analysis of V heavy chain subgroup 1A

amino acid[1]	CDR II											67	68	69	70	71	72	73	74	75
	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
A	1	34			69											43				
B																				
C																				
D	15		1							2							70			
E								1										33		
F			1				48					3		4						
G	1					3			67											
H			1																	
I	4												1	44				1		
K	1		2	1			47		1		1							8		
L	1	1						22					2		1		3			
M														21						
N	9		59				18													
P	1	7																		
Q	1	1				70			64											
R	2						2		1		69							1		
S			1	2	1										5				70	
T	34	26	4						3				66			65	24	27		67
V										1		65	3							3
W																				
X																				
Y				1	68															
Z																				
-																				
unknown (?)																				
not sequenced																				
sum of seq[2]	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
oomcaa[3]	34	34	59	68	69	70	47	48	64	67	69	65	66	44	65	43	70	33	70	67
mcaa[4]	T	A	N	Y	A	Q	K	F	Q	G	R	V	T	I	T	A	D	E	S	T
rel. oomcaa[5]	49%	49%	84%	97%	99%	100%	67%	69%	91%	96%	99%	93%	94%	63%	93%	61%	100%	47%	100%	96%
pos occupied[6]	11	6	7	3	2	1	4	2	5	3	2	3	3	4	2	3	1	5	1	2

145

Table 6A: Analysis of V heavy chain subgroup 1A

amino acid[1]	Framework III																			
	76	77	78	79	80	81	82	A	B	C	83	84	85	86	87	88	89	90	91	92
A			64			1						3			1	70				
B																				
C																				70
D						2							26	70						
E						64							44							
F																	1	1	2	
G									1											
H				1				1												
I		1					3	1	1								2			
K											3									
L					3		63			70							2			
M					67										1		1			
N	4							1	16											
P																				
Q				1		3														
R	3							23	1		62									
S	62		1					41	49			67			1					
T	1	69	2					3	2		4				67					
V			3				4				1	1					64			
W																				
X																				
Y				68														69	68	
Z																				
-																				
unknown (?)																				
not sequenced																				
sum of seq[2]	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
oomcaa[3]	62	69	64	68	67	64	63	41	49	70	62	67	44	70	67	70	64	69	68	70
mcaa[4]	S	T	A	Y	M	E	L	S	S	L	R	S	E	D	T	A	V	Y	Y	C
rel. oomcaa[5]	89%	99%	91%	97%	96%	91%	90%	59%	70%	100%	89%	96%	63%	100%	96%	100%	91%	99%	97%	100%
pos occupied[6]	4	2	4	3	2	4	3	6	6	1	4	2	2	1	4	1	5	2	2	1

148

SUBSTITUTE SHEET (RULE 26)

Table 6A: Analysis of V heavy chain subgroup 1A

amino acid'		CDR III																	
	93	94	95	96	97	98	99	100	A	B	C	D	E	F	G	H	I	J	K	101
A	66	2	16		1	1	1	4	1	2	2	1	1		1	1	1	2		1
B																				
C				1	1	16		2		1	1	7	2	1						
D			16	5	3		3	5	4	3	4				1	1	14			59
E			9				2			1			1			1				
F					1	3		2		3	1	2		2	1				28	2
G		2	14	13	20	10	14	5	20	15	16	3	3	4	15	1	1	7		
H										1	1	1		1						
I				2	5	2	2		2	2	1	1			1					
K		5			2	1			1											
L		1	4	4	2	5	2	1	1		4	2			1		1		1	
M			1		2		1		1				1	1					10	
N				2	2	1	2	1	2	2	2	2				1	1	4		
P			20	3			1	3	2	2	2	4	2	1	4	1		1		1
Q				1			1		1	1	1									
R		55	1	5	7	8	1	4		2		1		16						
S		1	1	5	5	5	5	21	5	11	8	4	3		2	1		2		1
T	1	3	3	5	4	1	3	4	2	5	2		1			1	1			
V	3		3	2	4	3	3	3	4	2	2	2	1	2	1					
W				1	1	3	1	1			2			3			1	5	1	
X																				
Y		1		2	3	20	5	4	9	1	2	11	20	10	6	9	10	7	1	
Z																				
-				1	2	2	3	6	11	11	14	23	26	26	31	34	46	39	21	1
unknown (?)														1		1	1	2	3	
not sequenced			2	2	2	4	4	4	4	5	5	5	5	5	5	5	5	5	5	5
sum of seq²	70	70	68	68	68	66	66	66	66	65	65	65	65	65	65	65	65	65	65	65
oomcaa³	66	55	16	20	20	20	16	21	20	15	16	23	26	26	31	34	46	39	28	59
mcaa⁴	A	R	A	P	G	Y	C	S	G	-	-	-	-	-	-	-	-	-	F	D
rel. oomcaa⁵	94%	79%	24%	29%	29%	30%	24%	32%	30%	23%	25%	35%	40%	40%	48%	52%	71%	60%	43%	91%
pos occupied⁶	3	8	10	14	18	15	18	15	15	17	17	15	12	11	11	10	8	7	6	6

147

SUBSTITUTE SHEET (RULE 26)

Table 6A: Analysis of V heavy chain subgroup 1A

amino acid[1]	102	103	104	105	106	107	108	109	110	111	112	113	sum
A													670
B													
C													165
D			1	1									308
E	1	1											297
F	2												226
G			58		59	1	1						928
H					1								14
I	3								4				286
K					3		1						325
L		3			1			40	1				386
M	1						3						189
N					1								176
P	5											1	238
Q					52								494
R					1								351
S											53	51	972
T						54	11	1	51		1		736
V	15			1			1	54		54		1	699
W			59		1								243
X													
Y	34			1									542
Z													3
-		1											578
unknown (?)													8
not sequenced	5	9	9	10	11	14	14	14	15	16	16	17	406
sum of seq[2]	65	61	61	60	59	56	56	56	55	54	54	53	
oomcaa[3]	34	59	58	52	59	54	40	54	51	54	53	51	
mcaa[4]	Y	W	G	Q	G	T	L	V	T	V	S	S	
rel. oomcaa[5]	52%	97%	95%	87%	100%	96%	71%	96%	93%	100%	98%	96%	
pos occupied[6]	9	3	4	7	1	3	5	3	2	1	2	3	

Framework IV (columns 102–113)

148

SUBSTITUTE SHEET (RULE 26)

Table 6B: Analysis of V heavy chain subgroup 1B

Framework I

amino acid[1]	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
A									32							34				
B																				
C																				
D																				
E		1			5	1				35										
F																				
G								27							35					
H			1											1						
I																				1
K		3	1									34	33						33	
L			3	26	1															
M				1	1															
N																				
P									1					33			1			
Q	21		20			26														
R	1											1	2							
S							27									1	34			
T									1					1					2	
V	3	21			20						35							35		34
W																				
X																				
Y																				
Z																				
-																				
unknown (?)																				
not sequenced	15	15	15	13	13	13	13	13	6	5	5	5	5	5	5	5	5	5	5	5
sum of seq[2]	25	25	25	27	27	27	27	27	34	35	35	35	35	35	35	35	35	35	35	35
oomcaa[3]	21	21	20	26	20	26	27	27	32	35	35	34	33	33	35	34	34	35	33	34
mcaa[4]	Q	V	Q	L	V	Q	S	G	A	E	V	K	K	P	G	A	S	V	K	V
rel. oomcaa[5]	84%	84%	80%	96%	74%	96%	100%	100%	94%	100%	100%	97%	94%	94%	100%	97%	97%	100%	94%	97%
pos occupied[6]	3	3	4	2	4	2	1	1	3	1	1	2	2	3	1	2	2	1	2	2

149

SUBSTITUTE SHEET (RULE 26)

Table 6B: Analysis of V heavy chain subgroup 1B

amino acid[1]	21	22	23	24	25	26	27	28	29	30	31	A	B	32	33	34	35	36	37	38
																	CDRI			
A				30							2				6					
B																				
C		35																		
D											1				5					1
E			3								1									
F								2	39					2	2					
G			1			40				1	14				1					1
H														3	1		34			
I								1			1					9				
K			28																	
L									1		1					5			2	
M																23				
N							1			1	3					1				
P															1					
Q			2								1				1		1			1
R			2						2					1	1					37
S	35				40				5	2	15			2	2					
T				3				32		34					1					
V				1			1			1	1					2			38	
W																		40		
X																				
Y								36						32	19		1			
Z																				
-												40	40							
unknown (?)																				
not sequenced	5	5	5	5																
sum of seq[2]	35	35	35	35	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
oomcaa[3]	35	35	28	30	40	40	36	32	39	34	15	40	40	32	19	23	34	40	38	37
mcaa[4]	S	C	K	A	S	G	Y	T	F	T	S	-	-	Y	Y	M	H	W	V	R
rel. oomcaa[5]	100%	100%	80%	86%	100%	100%	90%	80%	98%	85%	38%	100%	100%	80%	48%	58%	85%	100%	95%	93%
pos occupied[6]	1	1	4	4	1	1	4	4	2	6	10	1	1	5	11	5	5	1	2	4

150

Table 6B: Analysis of V heavy chain subgroup 1B

amino acid[1]	Framework II																			
	39	40	41	42	43	44	45	46	47	48	49	50	51	52	A	B	C	53	54	55
A		39				1					1				7			1		
B																				
C														1						
D																		1	1	
E				1				39										1	1	
F							2						1					1	1	
G				39		28					39	1			1			9	1	39
H																		2		
I										3			34						1	
K					1														1	
L			1				37						1							
M										37										
N														35				20	12	1
P		1	34				1								31					
Q	39				39			1												
R	1					10						4		2				3	1	
S			1			1													20	
T			4											1				1		
V														1						
W									40			33		1	1					
X																			2	
Y																				
Z																				
-																40	40			
unknown (?)																				
not sequenced																				
sum of seq[2]	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
oomcaa[3]	39	39	34	39	39	28	37	39	40	37	39	33	34	35	31	40	40	20	20	39
mcaa[4]	Q	A	P	G	Q	G	L	E	W	M	G	W	I	N	P	-	-	N	S	G
rel. oomcaa[5]	98%	98%	85%	98%	98%	70%	93%	98%	100%	93%	98%	83%	85%	88%	78%	100%	100%	50%	50%	98%
pos occupied[6]	2	2	4	2	2	4	3	2	1	2	2	4	4	5	4	1	1	9	8	2

151

SUBSTITUTE SHEET (RULE 26)

Table 6B: Analysis of V heavy chain subgroup 1B

amino acid[1]	CDR II																			
	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
A	1	2			27	2				1		1					2			12
B																				
C																				
D	1									4								35		
E	2		2			1				1							1			
F				4				39						3						
G	15		6		1					34										
H			1	1														1		
I		1	1									1	1	13						22
K	2	2	8				36		1								1			
L						1		1						1						
M														23					1	1
N	17		18				1										4			
P																		3		
Q							36		37											
R			2					1	2		37						34		1	
S	1		2	11		1											1		37	
T		35	2		1		1						39		40	1		38		5
V	1											38								
W											3									
X																				
Y				33																
Z																				
-																				
unknown (?)																				
not sequenced																				
sum of seq[2]	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
oomcaa[3]	17	35	18	33	27	36	36	39	37	34	37	38	39	23	40	34	35	38	37	22
mcaa[4]	N	T	N	Y	A	Q	K	F	Q	G	R	V	T	M	T	R	D	T	S	I
rel. oomcaa[5]	43%	88%	45%	83%	68%	90%	90%	98%	93%	85%	93%	95%	98%	58%	100%	85%	88%	95%	93%	55%
pos occupied[6]	8	4	8	4	4	4	5	2	3	4	2	3	2	4	1	6	3	3	2	4

152

SUBSTITUTE SHEET (RULE 26)

Table 6B: Analysis of V heavy chain subgroup 1B

amino acid[1]				Framework III															
	76	77	78	79	80	81	82	A	B	C	83	84	85	86	87	88	89	90	91	92
A			35									1	2			40				
B																				
C																				37
D	1					4							19	40			1			
E						35							19							
F			1									2							2	1
G						1		1	2											
H																				
I		1															1			
K											1									
L					2		39			39							2			1
M					37		1										2			
N	7							1	2											
P												1							1	
Q																				
R	4							2	16		37									
S	27			1				35	20		1	36						1	1	
T	1	39						1			1				40					
V			4		1					1							33			
W																				
X																				
Y				39														38	35	
Z																				
–																				
unknown (?)																				
not sequenced																	1	1	1	1
sum of seq[7]	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	39	39	39	39
oomcaa[3]	27	39	35	39	37	35	39	35	20	39	37	36	19	40	40	40	33	38	35	37
mcaa[4]	S	T	A	Y	M	E	L	S	S	L	R	S	D	D	T	A	V	Y	Y	C
rel. oomcaa[5]	68%	98%	88%	98%	93%	88%	98%	88%	50%	98%	93%	90%	48%	100%	100%	100%	85%	97%	90%	95%
pos occupied[6]	5	2	3	2	3	3	2	5	4	2	4	4	3	1	1	1	5	2	4	3

153

Table 6B: Analysis of V heavy chain subgroup 1B

amino acid[1]						CDR III													
	93	94	95	96	97	98	99	100	A	B	C	D	E	F	G	H	I	J	K	101
A	37	1	6		1	1		2	3	1	3		1					5		
B																				
C		1				3				2	1									
D			7		5	2	3	1	5	4		1		2	2	1	2			27
E			2		1			1	1			2		1		1				
F				1	1	3			2	1	1	1	1					2	15	
G		1	7	7	5	5	9	4	7	1	3		2	2	1		1	3		1
H			1				2			1	1									
I		1		1		3	1	1	1	1	1	1						1		
K		1							1	1		1		1			1			
L			2	4	4	4	3			1	2	1	1	2		1			2	
M			2			1	1								1				4	
N					1			1		1	1	1			3		1			1
P				6	4				1	1		3	2				1			
Q					1							1	2	1						
R	1	31		5	1	1	3					1		1				1		
S		1	3	3	1	4	3	6	3	2	2	1		1		1				
T		2	1	1	2	2	1	5	1	1	1		1			1		1		
V	1		7	1	1		1	3	1	2		1			1	2	1			1
W			1		1		2	2		1	1					1		4		
X																				
Y				5	5	4	2	3		4	3	3	2	1	2	5	6	2		
Z																				
-				1	1	4	6	8	10	11	14	20	23	25	25	25	23	18	11	6
unknown (?)																			3	
not sequenced	1	1	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	4	4
sum of seq[2]	39	39	37	37	37	37	37	37	36	36	36	36	36	36	36	36	36	36	36	36
oomcaa[3]	37	31	7	7	5	5	9	8	10	11	14	20	23	25	25	25	23	18	15	27
mcaa[4]	A	R	D	G	D	G	G	-	-	-	-	-	-	-	-	-	-	-	F	D
rel. oomcaa[5]	95%	79%	19%	19%	14%	14%	24%	22%	28%	31%	39%	56%	64%	69%	69%	69%	64%	50%	42%	75%
pos occupied[6]	3	8	10	12	18	13	13	12	12	17	14	13	10	9	8	7	8	8	5	5

154

SUBSTITUTE SHEET (RULE 26)

Table 6B: Analysis of V heavy chain subgroup 1B

amino acid[1]	Framework IV												sum
	102	103	104	105	106	107	108	109	110	111	112	113	
A													340
B													
C													79
D	2												179
E				1									159
F	1												130
G			27		26					1			450
H	1												51
I	7								3				113
K				2									194
L							12				1		204
M							2						144
N	1												138
P	1			1									128
Q				23									253
R							1						247
S	3								1		18	18	432
T						21	6		16	1			390
V	6							21		18			342
W		29											158
X													
Y	11												294
Z													
-	3												394
unknown (?)													3
not sequenced	4	11	13	13	14	19	19	19	20	20	21	22	458
sum of seq[2]	36	29	27	27	26	21	21	21	20	20	19	18	
oomcaa[3]	11	29	27	23	26	21	12	21	16	18	18	18	
mcaa[4]	Y	W	G	Q	G	T	L	V	T	V	S	S	
rel. oomcaa[5]	31%	100%	100%	85%	100%	100%	57%	100%	80%	90%	95%	100%	
pos occupied[6]	10	1	1	4	1	1	4	1	3	3	2	1	

155

SUBSTITUTE SHEET (RULE 26)

Table 6C: Analysis of V heavy chain subgroup 2

amino acid[1]	Framework I																			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
A										3										
B																				
C																				
D																				
E	1					6										2				
F																				
G								6												
H																				
I		1																		
K				3										6	1					
L			6								6							6		6
M																				
N							1													
P							1		6					6			1			
Q	2															4				
R				2																
S								4												
T			6		1						2				5		5		6	
V		5									1		6							
W																				
X																				
Y																				
Z	3																			
-																				
unknown (?)																				
not sequenced	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
sum of seq[7]	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
oomcaa[3]	3	5	6	6	3	6	4	6	6	3	6	6	6	6	5	4	5	6	6	6
mcaa[4]	Z	V	T	L	K	E	S	G	P	A	L	V	K	P	T	Q	T	L	T	L
rel. oomcaa[5]	50%	83%	100%	100%	50%	100%	67%	100%	100%	50%	100%	100%	100%	100%	83%	67%	83%	100%	100%	100%
pos occupied[6]	3	2	1	1	3	1	3	1	1	3	1	1	1	1	2	2	2	1	1	1

156

SUBSTITUTE SHEET (RULE 26)

Table 6C: Analysis of V heavy chain subgroup 2

amino acid[1]	21	22	23	24	25	26	27	28	29	30	31	A	B	32	33	34	35	36	37	38
															CDRI					
A								1			1				1					
B																				
C		7													2					
D												1								
E																				
F				3				6		1										
G						7					⌐		4		3	3				
H																				
I													1						7	
K																				
L			2					1		6										
M														5						
N											2									
P																				
Q																				
R													2		1					7
S			1			6			6		6	2	4				4			
T	6		6								1	3	1							
V				2										2		7				
W																		7		
X																				
Y						1														
Z																				
-																				
unknown (?)																				
not sequenced	1																			
sum of seq[2]	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
oomcaa[3]	6	7	6	3	6	7	6	6	6	6	3	4	4	5	3	7	4	7	7	7
mcaa[4]	T	C	T	F	S	G	F	S	L	S	T	S	G	M	G	V	S	W	I	R
rel. oomcaa[5]	100%	100%	86%	43%	86%	100%	86%	86%	86%	86%	43%	57%	57%	71%	43%	100%	57%	100%	100%	100%
pos occupied[6]	1	1	2	3	2	1	2	2	2	2	3	4	3	2	4	1	2	1	1	1

157

SUBSTITUTE SHEET (RULE 26)

Table 6C: Analysis of V heavy chain subgroup 2

amino acid[1]	Framework II																			
	39	40	41	42	43	44	45	46	47	48	49	50	51	52	A	B	C	53	54	55
A						6					7									
B																				
C																				
D														2					3	6
E								7												
F														2						
G		1		7		1														
H												2								1
I													6							
K					6															
L							7			7		2	1	1						
M																				
N																			3	
P		5	7																	
Q	6																			
R	1				1							2								
S		1																2		
T																				
V																				
W									7			1						4		
X														1				1	1	
Y														1	1					
Z																				
-															6	7	7			
unknown (?)																				
not sequenced																				
sum of seq[2]	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
oomcaa[3]	6	5	7	7	6	6	7	7	7	7	7	2	6	2	6	7	7	4	3	6
mcaa[4]	Q	P	P	G	K	A	L	E	W	L	A	H	I	D	-	-	-	W	D	D
rel. oomcaa[5]	86%	71%	100%	100%	86%	86%	100%	100%	100%	100%	100%	29%	86%	29%	86%	100%	100%	57%	43%	86%
pos occupied[6]	2	3	1	1	2	2	1	1	1	1	1	4	2	5	2	1	1	3	3	2

SUBSTITUTE SHEET (RULE 26)

Table 6C: Analysis of V heavy chain subgroup 2

amino acid[1]	CDR II																			
	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
A																				
B																				
C																				
D	5																6	1		
E	1								1											
F		1		1																
G																				
H				1																
I														6						
K	1	6							4							6				6
L								7				7								
M																				
N																	1			
P						2														
Q																				
R			2			1			2		7					1				1
S			2		6		7			4			1		5				7	
T						4				3			6		2			6		
V														1						
W				1																
X					1															
Y			3	4																
Z																				
-																				
unknown (?)																				
not sequenced																				
sum of seq[2]	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
oomcaa[3]	5	6	3	4	6	4	7	7	4	4	7	7	6	6	5	6	6	6	7	6
mcaa[4]	D	K	Y	Y	S	T	S	L	K	S	R	L	T	I	S	K	D	T	S	K
rel. oomcaa[5]	71%	86%	43%	57%	86%	57%	100%	100%	57%	57%	100%	100%	86%	86%	71%	86%	86%	86%	100%	86%
pos occupied[6]	3	2	3	4	2	3	1	1	3	2	1	1	2	2	2	2	2	2	1	2

159

SUBSTITUTE SHEET (RULE 26)

Table 6C: Analysis of V heavy chain subgroup 2

amino acid[1]	Framework III																			
	76	77	78	79	80	81	82	A	B	C	83	84	85	86	87	88	89	90	91	92
A													1			5				
B																				
C																				7
D											6			7						
E																				
F					1															
G																2				
H																				
I						2		1												
K																				
L					6															
M							7			5										
N	5								6		1									
P												7								
Q		7																		
R																				
S	2																			
T						5		5							7		7			
V			7	7						1			6							
W																				
X																				
Y																			7	7
Z																				
-								1	1	1										
unknown (?)																				
not sequenced																				
sum of seq[2]	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
oomcaa[3]	5	7	7	7	6	5	7	5	6	5	6	7	6	7	7	5	7	7	7	7
mcaa[4]	N	Q	V	V	L	T	M	T	N	M	D	P	V	D	T	A	T	Y	Y	C
rel. oomcaa[5]	71%	100%	100%	100%	86%	71%	100%	71%	86%	71%	86%	100%	86%	100%	100%	71%	100%	100%	100%	100%
pos occupied[6]	2	1	1	1	2	2	1	3	2	3	2	1	2	1	1	2	1	1	1	1

SUBSTITUTE SHEET (RULE 26)

Table 6C: Analysis of V heavy chain subgroup 2

amino acid[1]	93	94	95	96	97	98	99	100	A	B	C	D	E	F	G	H	I	J	K	101
															CDR III					
A	5							1	2	1										
B																				
C																				6
D																				
E								2			1									
F																			3	
G					1		1		1	2	1	1	1	1						
H		1			1															
I			3			2														
K							1													
L								1		1									1	
M								1											2	
N				1	2													1		
P				1	1		1		1											
Q			1																	
R		6	1			1			1											
S				1		1	1													
T				1		1			1											
V	2		1	1	1		1	1				1								
W						1									1			1		
X																				
Y					2								1	2	1	1		2		
Z																				
-											2	2	3	4	4	4	6	5	3	
unknown (?)																				
not sequenced		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
sum of seq[2]	7	7	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
oomcaa[3]	5	6	3	1	2	2	1	2	2	2	2	3	4	4	4	6	5	3	3	6
mcaa[4]	A	R	I	H	N	I	G	E	A	-	-	-	-	-	-	-	-	-	F	D
rel. oomcaa[5]	71%	86%	50%	17%	33%	33%	17%	33%	33%	33%	33%	50%	67%	67%	67%	100%	83%	50%	50%	100%
pos occupied[6]	2	2	4	6	4	5	6	5	5	4	5	3	3	3	3	1	2	3	3	1

161

SUBSTITUTE SHEET (RULE 26)

Table 6C: Analysis of V heavy chain subgroup 2

amino acid[1]	Framework IV												sum
	102	103	104	105	106	107	108	109	110	111	112	113	
A									1				35
B													
C													16
D													43
E													21
F													18
G			6		6								55
H													6
I													29
K				1			1						42
L	1						3						78
M													20
N													23
P	1						1						41
Q				3									23
R				2									41
S											6	3	82
T						6	1		5				102
V		3						6		6			68
W			6										29
X													4
Y		1											35
Z													3
-													56
unknown (?)													
not sequenced	1	1	1	1	1	1	1	1	1	1	1	4	54
sum of seq[2]	6	6	6	6	6	6	6	6	6	6	6	3	
oomcaa[3]	3	6	6	3	6	6	3	6	5	6	6	3	
mcaa[4]	V	W	G	Q	G	T	L	V	T	V	S	S	
rel. oomcaa[5]	50%	100%	100%	50%	100%	100%	50%	100%	83%	100%	100%	100%	
pos occupied[6]	4	1	1	3	1	1	4	1	2	1	1	1	

162

SUBSTITUTE SHEET (RULE 26)

Table 6D: Analysis of V heavy chain subgroup 3

	Frame														
amino acid[1]	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
A					1		1			12		1		3	1
B			1			1							1		
C															
D	1					1				16					
E	110		9		15	166			9				8		2
F												4			
G								181	193	174		1			202
H			5										4		
I													9		
K		5	3										26		
L		1	5	176	43						140			1	
M		12		1											
N											1				
P													1	194	
Q	41		138	1	3	12							162		
R			6										4		
S								178			2			8	
T								1							
V	5	147		1	118							62	195		
W															1
X															
Y															
Z	8														
-															
unknown (?)															
not sequenced	47	47	45	33	32	32	32	31	10	7	6	6	6	6	6
sum of seq[2]	165	165	167	179	180	180	180	181	202	205	206	206	206	206	206
oomcaa[3]	110	147	138	176	118	166	178	181	193	174	140	195	162	194	202
mcaa[4]	E	V	Q	L	V	E	S	G	G	G	L	V	Q	P	G
rel. oomcaa[5]	67%	89%	83%	98%	66%	92%	99%	100%	96%	85%	68%	95%	79%	94%	98%
pos occupied[6]	5	4	7	4	5	4	3	1	2	5	3	4	7	4	4

163

SUBSTITUTE SHEET (RULE 26)

Table 6D: Analysis of V heavy chain subgroup 3

amino acid[1]	work I														
	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
A								183	192		1				
B															
C						1	209								
D															7
E	8							8			3	1			
F		1	1			1						201		201	
G	134								2		207				3
H															1
I								2				3	17	1	
K				15											4
L			205		201							6		3	
M			1									1			
N													10		10
P								1					2		
Q			1												
R	62			191											11
S		206				207		4	2	209			15		174
T	4	1		2				4	4			1	163		
V					8			7	9				1	6	
W															
X															
Y															
Z															
-															
unknown (?)															
not sequenced	4	4	4	4	3	3	3	3	3	3	1	1	2	1	2
sum of seq[2]	208	208	208	208	209	209	209	209	209	209	211	211	210	211	210
oomcaa[3]	134	206	205	191	201	207	209	183	192	209	207	201	163	201	174
mcaa[4]	G	S	L	R	L	S	C	A	A	S	G	F	T	F	S
rel. oomcaa[5]	64%	99%	99%	92%	96%	99%	100%	88%	92%	100%	98%	95%	78%	95%	83%
pos occupied[6]	4	3	4	3	2	3	1	7	5	1	3	4	8	4	7

SUBSTITUTE SHEET (RULE 26)

Table 6D: Analysis of V heavy chain subgroup 3

amino acid[1]	31	A	B	32	33	34	35	36	37	38	39	40	41	42	43
				CDRI								Frame			
A	1			17	80		1			1		187		1	
B															
C													1	1	
D	26			3	7		2								
E	1				10									1	1
F				5											
G	13				31		1					2		209	
H				4			88								
I	1			1		15			12						
K	7										1				202
L	3					3				2	3	1	2	1	
M						193									
N	35			8	3		34								
P				1			1					4	191		
Q											209		1		1
R	7									207		7			8
S	103			17	8		72					3	14		
T	9				15		10					4	5		
V	2				7	1			197			2			
W					30			212							
X	1														
Y	1			154	19		3								
Z															
-		210	210												
unknown (?)															
not sequenced	2			2	2					1	1	1			
sum of seq[2]	210	210	210	210	210	212	212	212	211	211	211	212	212	212	212
oomcaa[3]	103	210	210	154	80	193	88	212	197	207	209	187	191	209	202
mcaa[4]	S	-	-	Y	A	M	H	W	V	R	Q	A	P	G	K
rel. oomcaa[5]	49%	100%	100%	73%	38%	91%	42%	100%	93%	98%	99%	88%	90%	99%	95%
pos occupied[6]	14	1	1	9	10	4	9	1	3	3	3	9	5	4	4

165

SUBSTITUTE SHEET (RULE 26)

Table 6D: Analysis of V heavy chain subgroup 3

amino acid'	work II														
	44	45	46	47	48	49	50	51	52	A	B	C	53	54	55
A	1					77	42		1	2		14		7	
B			3							1					
C													1		
D			1							7			94	8	3
E			198						3	2	1		2		1
F							7	1	2	1				1	8
G	207					33	11		10	46			4	163	85
H							6			1					
I					3		3	191		1					1
K								1	37	2	30		3	1	
L		211			5		12	1							
M							1	1							
N							13		7	9	2		13	11	1
P		1								1			1		
Q			7				7			10					
R	1						24	1	17	5	1		2		16
S	3			1		102	11	9	118	43		1	74	17	82
T							3	5	4	2		13	12	3	3
V			3		204		49	2		1		6			
W				210			1		8	6					
X													4		3
Y				1			22		5	58					8
Z															
-										14	178	178	2	1	1
unknown (?)															
not sequenced															
sum of seq'	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212
oomcaa'	207	211	198	210	204	102	49	191	118	58	178	178	94	163	85
mcaa'	G	L	E	W	V	S	V	I	S	Y	-	-	D	G	G
rel. oomcaa'	98%	100%	93%	99%	96%	48%	23%	90%	56%	27%	84%	84%	44%	77%	40%
pos occupied'	4	2	5	3	3	3	15	9	11	19	5	5	12	9	12

165

SUBSTITUTE SHEET (RULE 26)

Table 6D: Analysis of V heavy chain subgroup 3

amino acid[1]	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70
A	9	1	2		174	33							1		
B	1	2													
C															
D	11		17			160									
E	8	3	2			1			2						
F	1		3	2								207			
G	5	1	5		4	5				212	1				
H	1		4												
I	3	37	2					8					14	208	
K	1	61							199		8				
L	1	1	1		1								1		1
M	8		2		1										
N	51		4				2		2						
P	1	1				6	8	18	1						
Q	3	2							2		2				
R	5	4			5				6		201				
S	48		11		4		193					2	7		211
T	42	97	5		7								189		1
V		2			10	2		204				1		3	
W			2												
X	4		1				1								
Y	9		151	210				1				1	1		
Z															
-															
unknown (?)															
not sequenced															
sum of seq[2]	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212
oomcaa[3]	51	97	151	210	174	160	193	204	199	212	201	207	189	208	211
mcaa[4]	N	T	Y	Y	A	D	S	V	K	G	R	F	T	I	S
rel. oomcaa[5]	24%	46%	71%	99%	82%	75%	91%	96%	94%	100%	95%	98%	89%	98%	100%
pos occupied[6]	19	12	15	2	9	8	3	2	6	1	4	5	5	3	2

167

SUBSTITUTE SHEET (RULE 26)

Table 6D: Analysis of V heavy chain subgroup 3

amino acid[1]	71	72	73	74	75	76	77	78	79	80	81	82	A	B	C
A				57			1	8						1	
B											2				
C															
D		199	38		2	2			1				10		
E		6			4						5				
F									13						
G													1	4	
H						1			1		2		2		
I			1				2	2				3	1	1	
K					186	6							3		
L								188		209		3	1		212
M	1				2		10	3		2		205			
N		5	170		2	188					3		181	10	
P							1								
Q					7						199				
R	211				1	1							2	8	
S			153		8	10	56			3			6	186	
T						142						1	4	2	
V				1					11		1	1			
W															
X		2	2			4							1		
Y									194						
Z															
-															
unknown (?)															
not sequenced			1	1											
sum of seq[2]	212	212	211	211	212	212	212	212	212	212	212	212	212	212	212
oomcaa[3]	211	199	170	153	186	188	142	188	194	209	199	205	181	186	212
mcaa[4]	R	D	N	S	K	N	T	L	Y	L	Q	M	N	S	L
rel. oomcaa[5]	100%	94%	81%	73%	88%	89%	67%	89%	92%	99%	94%	97%	85%	88%	100%
pos occupied[6]	2	4	4	3	8	7	6	5	5	3	6	4	11	7	1

168

Table 6D: Analysis of V heavy chain subgroup 3

amino acid[1]	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97
A		149	1		1	207					173	2	15	9	11
B															
C									1	210		5	2		1
D		5	15	209								2	54	7	6
E	1		190										11	2	11
F							1		15			1		9	6
G	1	1	6			4	1				2	8	34	26	35
H		1							1					3	11
I		8					2						4	15	10
K	30											60	4	3	5
L							18					1	6	11	7
M					2		1							6	1
N		1		1								2	20	4	3
P		9									1	3	4	29	10
Q				1								5	3	9	2
R	177											103	9	30	19
S		1			1							3	9	8	11
T	3	28			207		1				25	15	7	6	20
V		9					187				10	1	7	7	15
W										1			3	4	3
X				1											
Y								211	194				12	9	8
Z															
-													1	3	4
unknown (?)															
not sequenced					1	1	1	1	1	1	1	1	7	12	13
sum of seq[7]	212	212	212	212	211	211	211	211	211	211	211	211	205	200	199
oomcaa[3]	177	149	190	209	207	207	187	211	194	210	173	103	54	30	35
mcaa[4]	R	A	E	D	T	A	V	Y	Y	C	A	R	D	R	G
rel. oomcaa[5]	83%	70%	90%	99%	98%	98%	89%	100%	92%	100%	82%	49%	26%	15%	18%
pos occupied[6]	5	10	4	4	4	2	7	1	4	2	5	14	18	20	21

16a

SUBSTITUTE SHEET (RULE 26)

Table 6D: Analysis of V heavy chain subgroup 3

amino acid[1]	98	99	100	A	B	C	D	E	F	G	H	I	J	K	101
						CDR III									
A	7	13	7	9	6	2	3	5	5		9		13		2
B															
C	13	5		1	2	11	3		2					1	
D	11	7	10	4	2	3	10	3	3	1			3	2	146
E	6	3	1	13		1	1								1
F	3	5	4	5	5	6	3	5	7	2		1	1	65	1
G	34	17	35	17	14	23	10	5	1	5	3	2	32		6
H	3	4	3	2	9	2		3	1		2	8	1		
I	6	11	4	4	3	1	3	10	3	3	2		1	2	
K	2	11			3	1									
L	26	13	4	12	8	2	6	3	10	3				2	1
M		1	2								1			32	
N	4	6	4	3	2	2	6				2	5			2
P	6	5	5	6	9	8	2	3	2	1			3	9	
Q	4		1	1	1	1	1						1		
R	4	10	9	7	5	5	2	3	1		1		2		4
S	16	28	27	25	24	8	11	9	3			2	3	1	1
T	6	12	9	17	17	1	2	5	1	9	3	1			
V	13	7	15	4	3	6	2	12			1	1	1	1	
W	6	5	6	7	2	4					1		6	10	
X				1											1
Y	16	14	17	5	8	18	20	13	20	25	28	32	28		
Z															
-	12	21	35	54	73	87	102	110	126	135	134	120	91	71	21
unknown (?)							3	2	1	1			3	2	
not sequenced	14	14	14	14	15	19	21	22	23	23	23	25	25	26	25
sum of seq[2]	198	198	198	197	196	192	190	189	188	188	188	186	186	185	186
oomcaa[3]	34	28	35	54	73	87	102	110	126	135	134	120	91	71	146
mcaa[4]	G	S	G	-	-	-	-	-	-	-	-	-	-	-	D
rel. oomcaa[5]	17%	14%	18%	27%	37%	45%	54%	58%	67%	72%	71%	65%	49%	38%	78%
pos occupied[6]	20	20	19	20	19	20	17	14	14	12	12	13	12	8	11

170

SUBSTITUTE SHEET (RULE 26)

Table 6D: Analysis of V heavy chain subgroup 3

amino acid[1]	Framework IV												sum
	102	103	104	105	106	107	108	109	110	111	112	113	
A	1		1				2						1767
B				1									13
C													470
D	2												1121
E						1							832
F	2												807
G			140		130		1						2743
H	4												179
I	15								1	1			651
K				13									933
L	10			1			91					2	1881
M							6						496
N	1					1							844
P	17					1	1						568
Q				111									949
R				8									1413
S	7	1									118	110	3009
T						123	27		122			1	1426
V	34		1			1		125		119			1851
W		158											686
X													26
Y	82												1598
Z													8
-	9	2	2	2	2	2	2	2	2	2	1	1	2023
unknown (?)													12
not sequenced	27	50	67	75	78	81	83	84	86	89	92	97	1650
sum of seq[7]	184	161	144	136	133	130	128	127	125	122	119	114	
oomcaa[3]	82	158	140	111	130	123	91	125	122	119	118	110	
mcaa[4]	Y	W	G	Q	G	T	L	V	T	V	S	S	
rel. oomcaa[5]	45%	98%	97%	82%	98%	95%	71%	98%	98%	98%	99%	96%	
pos occupied[6]	12	3	4	6	3	6	6	2	3	3	2	4	

171

SUBSTITUTE SHEET (RULE 26)

Table 6E: Analysis of V heavy chain subgroup 4

amino acid[1]															Framework I					
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
A									19					1			1		1	
B																				
C																				
D																				
E						32										44				
F																				
G								54	1	53	←					2				
H			4		2															
I																				
K												1	54						1	
L		7		54							53	19		1				53		50
M																				
N																				
P									33						51	1				2
Q	52		50		51	20										7				
R	1																			
S						33									52			52		
T									1								52			
V		47				1						34								1
W						20														
X																				
Y																				
Z	1																			
-																				
unknown (?)																				
not sequenced	3	3	3	3	4	4	4	3	3	4	4	3	3	4	4	4	4	4	3	4
sum of seq[2]	54	54	54	54	53	53	53	54	54	53	53	54	54	53	53	53	53	53	54	53
oomcaa[3]	52	47	50	54	51	32	33	54	33	53	53	34	54	51	52	44	52	53	52	50
mcaa[4]	Q	V	Q	L	Q	E	S	G	P	G	L	V	K	P	S	E	T	L	S	L
rel. oomcaa[5]	96%	87%	93%	100%	96%	60%	62%	100%	61%	100%	100%	63%	100%	96%	98%	83%	98%	100%	96%	94%
pos occupied[6]	3	2	2	1	2	3	2	1	4	1	1	3	1	3	2	3	2	1	3	3

172

SUBSTITUTE SHEET (RULE 26)

Table 6E: Analysis of V heavy chain subgroup 4

amino acid[1]	21	22	23	24	25	26	27	28	29	30	31	A	B	32	33	34	35	36	37	38
												CDRI								
A			22											1						
B																				
C		53													1					
D			1								4	1	1	1			1			
E																				
F					1				22					1	1				1	
G						53	53				21	3	4				8			
H							1							2						
I			1					1	32										51	
K																				
L																			1	
M																				
N											1	1	2	2			1			
P								3												
Q											1									
R						1					3	2	1							57
S			2		35			51	1	52	25	5	9	1			44		1	
T	53		29								2	1					3			
V				55		1			1										3	
W											1				2	56		57		
X																				
Y					19		1							48	52					
Z																				
-												45	39							
unknown (?)																				
not sequenced	4	4	2	2	2	2	2	2	1	1	1			1	1	1				
sum of seq[2]	53	53	55	55	55	55	55	55	56	56	56	56	56	56	56	56	57	57	57	57
oomcaa[3]	53	53	29	55	35	53	53	51	32	52	25	45	39	48	52	56	44	57	51	57
mcaa[4]	T	C	T	V	S	G	G	S	I	S	S	-	-	Y	Y	W	S	W	I	R
rel. oomcaa[5]	100%	100%	53%	100%	64%	96%	96%	93%	57%	93%	45%	80%	70%	86%	93%	100%	77%	100%	89%	100%
pos occupied[6]	1	1	5	1	3	3	3	3	4	3	7	6	6	7	4	1	5	1	5	1

173

Table 6E: Analysis of V heavy chain subgroup 4

amino acid[1]	Framework II																			
	39	40	41	42	43	44	45	46	47	48	49	50	51	52	A	B	C	53	54	55
A			8	1							1									
B																				
C																				
D														1				1		
E				1				56				22								
F												1		1						
G				55		55					56	1						1		57
H		2																24		
I										54		1	54							
K					54															
L		1					55			2										
M																				
N													21							
P		50	49				2													
Q	56							1				1								
R					3	2						9		1						
S		3										7		1					52	
T	1	1																8	5	
V									1				3							
W									56											
X																				
Y									1			15		32				23		
Z																				
-															57	57	57			
unknown (?)																				
not sequenced																				
sum of seq[2]	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57
oomcaa[3]	56	50	49	55	54	55	55	56	56	54	56	22	54	32	57	57	57	24	52	57
mcaa[4]	Q	P	P	G	K	G	L	E	W	I	G	E	I	Y	-	-	-	H	S	G
rel. oomcaa[5]	98%	88%	86%	96%	95%	96%	96%	98%	98%	95%	98%	39%	95%	56%	100%	100%	100%	42%	91%	100%
pos occupied[6]	2	5	2	3	2	2	2	2	2	3	2	8	2	6	1	1	1	5	2	1

174

Table 6E: Analysis of V heavy chain subgroup 4

amino acid[1]		CDR II																		
	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
A		1									1		1			1				1
B																				
C																				
D			2									1					55			
E																	1			
F				3														1		
G	1									1										
H			2																	
I	1	1										1	1	48		3				
K					1				53									1		51
L						1		55				1				3				1
M														7				2		
N	2		40		53								2							1
P						54		1												
Q																	1			
R	2								3	56										2
S	49		1		2		56			56			1		56			1	57	
T	1	54	1				1		1				51			1		52		
V	1	1										53		2		50				1
W																				
X																				
Y			11	54																
Z																				
-																				
unknown (?)																				
not sequenced					1	1	1	1				1	1							
sum of seq[2]	57	57	57	57	56	56	56	56	57	57	57	56	56	57	57	57	57	57	57	57
oomcaa[3]	49	54	40	54	53	54	56	55	53	56	56	53	51	48	56	50	55	52	57	51
mcaa[4]	S	T	N	Y	N	P	S	L	K	S	R	V	T	I	S	V	D	T	S	K
rel. oomcaa[5]	86%	95%	70%	95%	95%	96%	100%	98%	93%	98%	98%	95%	91%	84%	98%	88%	96%	91%	100%	89%
pos occupied[6]	7	4	6	2	3	3	1	2	3	2	2	4	5	3	2	4	3	5	1	6

175

SUBSTITUTE SHEET (RULE 26)

Table 6E: Analysis of V heavy chain subgroup 4

amino acid[1]	Framework III 76	77	78	79	80	81	82	A	B	C	83	84	85	86	87	88	89	90	91	92
A												55	57			57				
B																				
C																				57
D					1									57						
E						1														
F			54						1											
G									1											
H																				
I			1				1	1			3									
K	3					46	2													
L		3	1		55		53			2							1			
M						1		1		1							1			
N	54					3		3												
P																				
Q		54			1	1														
R						2		2				1								
S			1	57		2	1	44	55		1				2				1	
T						1		4			53				55					
V								2		54		1					55			
W																				
X																				
Y																		57	56	
Z																				
–																				
unknown (?)																				
not sequenced																				
sum of seq[2]	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57
oomcaa[3]	54	54	54	57	55	46	53	44	55	54	53	55	57	57	55	57	55	57	56	57
mcaa[4]	N	Q	F	S	L	K	L	S	S	V	T	A	A	D	T	A	V	Y	Y	C
rel. oomcaa[5]	95%	95%	95%	100%	96%	81%	93%	77%	96%	95%	93%	96%	100%	100%	96%	100%	96%	100%	98%	100%
pos occupied[6]	2	2	4	1	3	8	4	7	3	3	3	3	1	1	2	1	3	1	2	1

176

SUBSTITUTE SHEET (RULE 26)

Table 6E: Analysis of V heavy chain subgroup 4

amino acid[1]	93	94	95	96	97	98	99	100	A	B	C	D	E	F	G	H	I	J	K	101
															CDR III					
A	56		3	3	3	2	5	4	2	2	4		2	1		1	1	12		
B																				
C				1					1											
D			6		5	5	5	4	3	2	4	3	1		1	2	1			41
E			6	1	1	2	1			1	3	1	2	1						
F				4	1	1		2	3	2	2		1	1					31	
G			25	9	10	8	10	11	4	7	7	6	1	1	1	2	1	9		
H			1				1						1			1				2
I				1		2	4	1	3	2	3		1						1	
K			2	1						2	2			1						
L			2	6	7	3	5	3	2	4	1	5	3	3		1				
M				1	4		3	1		2	1			~					9	
N				3					2	1	1	5	1	1			2			
P				4	5	3	1	1	2	1	1	1	2	3	1	2	1			
Q				1	1		1			1	1				3					1
R		54	4	12	2	5	5	3	2	3	1	2			2	1				
S		1	1	4	8	8	1	2	5	7	4	2	1	1	1					
T		1	1	2	1	3	4	4	3	3			1	1	1					
V	1	1	4	2	2	5	4	4	7	3	1	2	1							
W			1	2	1	2	2	4	5	1	1	2		2	1		3	2		
X																				
Y			1	4	5	3	6	4	2	3	4	8	4	8	3	5	8			2
Z																				
-						1	2	4	6	9	11	16	23	27	29	34	31	14	4	
unknown (?)														1			1	1	1	
not sequenced			1	1	1	1	1	2	3	3	6	7	8	9	9	10	11	11	11	11
sum of seq[2]	57	57	56	56	56	56	56	55	54	54	51	50	49	48	48	47	46	46	46	46
oomcaa[3]	56	54	25	12	10	8	10	11	7	9	11	16	23	27	29	34	31	14	31	41
mcaa[4]	A	R	G	R	G	G	G	G	V	-	-	-	-	-	-	-	-	-	F	D
rel. oomcaa[5]	98%	95%	45%	21%	18%	14%	18%	20%	13%	17%	22%	32%	47%	56%	60%	72%	67%	30%	67%	89%
pos occupied[6]	2	4	12	16	16	16	16	16	16	18	18	13	15	13	10	9	8	5	4	4

177

SUBSTITUTE SHEET (RULE 26)

Table 6E: Analysis of V heavy chain subgroup 4

amino acid[1]	Framework IV												sum
	102	103	104	105	106	107	108	109	110	111	112	113	
A						1			1				332
B													
C													113
D													210
E													176
F													135
G			41		40	1							674
H	1								1				45
I	9					1							282
K				3									278
L	4						19						540
M							9						43
N						1							204
P	3			2								2	281
Q			29										334
R	1			4			1						250
S	1			1							36	33	986
T				1		33	8		34				532
V	12							36		36			488
W		46											267
X													
Y	16												455
Z													1
-													466
unknown (?)	.												4
not sequenced	10	11	16	17	17	20	20	21	21	21	21	22	426
sum of seq[2]	47	46	41	40	40	37	37	36	36	36	36	35	
oomcaa[3]	16	46	41	29	40	33	19	36	34	36	36	33	
mcaa[4]	Y	W	G	Q	G	T	L	V	T	V	S	S	
rel. oomcaa[5]	34%	100%	100%	73%	100%	89%	51%	100%	94%	100%	100%	94%	
pos occupied[6]	8	1	1	6	1	5	4	1	3	1	1	2	

178

SUBSTITUTE SHEET (RULE 26)

Table 6F: Analysis of V heavy chain subgroup 5

amino acid[1]														Framework I						
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
A					1			1	89		1			1						
B																				
C							1													
D										2										
E	88	1			2				4	93						92				
F																	1			
G	1							92							94					
H																				
I																				96
K												94	94					77		
L		1		91		2										95				
M											3							1		
N																				
P				1					1					94						
Q	3		92			1	90									3		1		
R						1						1	1	1				17		
S							92									94				
T																				
V		90			89				1		91									
W																				
X																				
Y																				
Z																				
-																				
unknown (?)																				
not sequenced	5	5	5	5	4	4	4	4	2	2	2	2	2	2	2	2	2	2	1	1
sum of seq[2]	92	92	92	92	93	93	93	93	95	95	95	95	95	95	95	95	95	95	96	96
oomcaa[3]	88	90	92	91	89	90	92	92	89	93	91	94	94	94	94	92	94	95	77	96
mcaa[4]	E	V	Q	L	V	Q	S	G	A	E	V	K	K	P	G	E	S	L	K	I
rel. oomcaa[5]	96%	98%	100%	99%	96%	97%	99%	99%	94%	98%	96%	99%	99%	99%	99%	97%	99%	100%	80%	100%
pos occupied[6]	3	3	1	2	4	3	2	2	4	2	3	2	2	2	2	2	2	2	1	4	1

179

SUBSTITUTE SHEET (RULE 26)

Table 6F: Analysis of V heavy chain subgroup 5

amino acid'	21	22	23	24	25	26	27	28	29	30	31	A	B	32	33	34	35	36	37	38
											CDRI									
A				3	2						4						8		1	
B																				
C		96						1			1									
D								2			2						1			
E						2					1									
F				3		6			97					2						
G			92		93						1						72			
H											1				4					1
I											4					93				
K			89					1												
L															1				2	
M			1												1				1	
N			1					2			4	14			2					
P				1																1
Q			4																	
R			1				1	2							1					95
S	94			1	90			84		10	61			2	2		15			
T	2							5		75	16					2	1			
V															1	1			93	
W															93			97		
X																				
Y							90							87						
Z																				
-												97	97							
unknown (?)																				
not sequenced	1	1	1	1	1	1	1													
sum of seq'	96	96	96	96	96	96	96	97	97	97	97	97	97	97	97	97	97	97	97	97
oomcaa'	94	96	89	92	90	93	90	84	97	75	61	97	97	87	93	93	72	97	93	95
mcaa'	S	C	K	G	S	G	Y	S	F	T	S	-	-	Y	W	I	G	W	V	R
rel. oomcaa'	98%	100%	93%	96%	94%	97%	94%	87%	100%	77%	63%	100%	100%	90%	96%	96%	74%	100%	96%	98%
pos occupied'	2	1	5	3	4	3	2	7	1	5	8	1	1	5	4	4	5	1	4	3

180

SUBSTITUTE SHEET (RULE 26)

Table 6F: Analysis of V heavy chain subgroup 5

amino acid[1]	39	40	41	42	43	44	45	46	47	48	49	50	51	52	A	B	C	53	54	55
									Framework II											
A			1			1										1		2	1	
B																				
C														1				1		
D														14				8	93	
E					3			97											2	
F												1		2						
G				97		96					95							69	1	
H														3	1					
I										1		75	92							
K		1		94																
L							94			2		2	1							
M		92								89			1							
N																				
P			96				2							1	93					1
Q	97						1													
R		1									1	14						1		
S													1			1		16		96
T		1										3	1		1					
V		2								5	1	1	2							
W								94												
X																				
Y									3					76						
Z																				
-															97	97				
unknown (?)																				
not sequenced																				
sum of seq[2]	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97
oomcaa[3]	97	92	96	97	94	96	94	97	94	89	95	75	92	76	93	97	97	69	93	96
mcaa[4]	Q	M	P	G	K	G	L	E	W	M	G	I	I	Y	P	-	-	G	D	S
rel. oomcaa[5]	100%	95%	99%	100%	97%	99%	97%	100%	97%	92%	98%	77%	95%	78%	96%	100%	100%	71%	96%	99%
pos occupied[6]	1	5	2	1	2	2	3	1	2	4	3	7	5	6	5	1	1	6	4	2

181

SUBSTITUTE SHEET (RULE 26)

Table 6F: Analysis of V heavy chain subgroup 5

amino acid[1]	CDR II																			
	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
A		6					1									88				
B																				
C					1					1										
D	77									2							97			
E	3								2									2		
F				2				91					1	3						
G	1									94										
H											15									
I		4	1					1				3		88						91
K			2															93		
L					1			4							2					
M														3						1
N	2		14	2																
P						95	1		1										1	
Q									91		81							1		
R			78						3		1			1				1		
S	2	2			95	1	95	1				1			95				96	1
T		85	2			1							96							4
V				1								93		2		9				
W																				
X																				
Y	12			92																
Z																				
–																				
unknown (?)																				
not sequenced																				
sum of seq[2]	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97
oomcaa[3]	77	85	78	92	95	95	95	91	91	94	81	93	96	88	95	88	97	93	96	91
mcaa[4]	D	T	R	Y	S	P	S	F	Q	G	Q	V	T	I	S	A	D	K	S	I
rel. oomcaa[5]	79%	88%	80%	95%	98%	98%	98%	94%	94%	97%	84%	96%	99%	91%	98%	91%	100%	96%	99%	94%
pos occupied[6]	6	4	5	4	3	3	3	4	4	3	3	3	2	5	2	2	1	4	2	4

182

SUBSTITUTE SHEET (RULE 26)

Table 6F: Analysis of V heavy chain subgroup 5

amino acid[1]	Framework III																			
	76	77	78	79	80	81	82	A	B	C	83	84	85	86	87	88	89	90	91	92
A		1	91								1	96				93				
B																				
C						1														95
D				1										96						
E												1								
F																			2	6
G								3	1							4				
H						3														
I																	9	2		
K											91						2	1		
L					96					97								2		
M																	84			
N	7							2	2								2			
P			1																	
Q						93														
R	1							1	1	3	3									
S	87	2	1	1				90	91				96			5				
T	2	94	2								1		1	1	88		1			
V			2	1											1					
W							95													
X																				
Y				94														94	89	
Z																				
-																				
unknown (?)																			1	2
not sequenced																				2
sum of seq[2]	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	96	95
oomcaa[3]	87	94	91	94	96	93	95	90	91	97	91	96	96	96	88	93	84	94	89	95
mcaa[4]	S	T	A	Y	L	Q	W	S	S	L	K	A	S	D	T	A	M	Y	Y	C
rel. oomcaa[5]	90%	97%	94%	97%	99%	96%	98%	93%	94%	100%	94%	99%	99%	99%	91%	96%	87%	98%	94%	100%
pos occupied[6]	4	3	5	4	2	3	3	5	4	1	5	2	2	2	4	2	5	2	2	1

183

Table 6F: Analysis of V heavy chain subgroup 5

amino acid[1]	CDR III																			
	93	94	95	96	97	98	99	100	A	B	C	D	E	F	G	H	I	J	K	101
A	92		1	1	2		3	4	3	2		1			1			4		2
B																				
C					1	1	1					2		1						
D			3	3	3	3	1		2	1	1	2			2	1	1	2		37
E		1	1	1	2				1	1						1		1		
F					1		3			3	2		1						26	
G		1	9	11	12	12	5	2	4	3	10	2	1					5		
H		10	1		2					1	1		1							
I			3		2	2	1		1	4	1	1			1	1				
K		1	1	1		1	3	1								2				
L			11	2	3	1	1	2	5		1			1		1				
M				2	1		1			1	1	1	1						10	
N			1		2		1		1	2				1				2		
P			5	1	4	3	1	2					1	1	1	1				3
Q		1	3	2		1	1	4	2	1	2									
R		92	7	9	2	2		2	1		2									
S		1	1	3	2	6	4	4	5	3	5	3	2	2			1		1	
T	1		1	3	2	1	2	6	3	3	6	1			1					
V	2		2	4	4		1		1	2				1						
W			1		2	1						1		2		1		1	1	
X																				
Y				1	6	3	6	9	8	7	2	1	2	6	8	9	9	10		1
Z																				
-						1	1	2	8	10	16	23	30	30	31	32	30	22	7	2
unknown (?)																1		1	1	
not sequenced	2	2	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	53	52
sum of seq[7]	95	95	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	44	45
oomcaa[1]	92	92	11	9	11	12	12	9	8	10	16	23	30	30	31	32	30	22	26	37
mcaa[4]	A	R	L	G	G	G	G	Y	Y	-	-	-	-	-	-	-	-	-	F	D
rel. oomcaa[5]	97%	97%	24%	20%	24%	27%	27%	20%	18%	22%	36%	51%	67%	67%	69%	71%	67%	49%	59%	82%
pos occupied[6]	3	4	13	16	14	18	16	15	16	15	14	11	11	9	8	4	6	6	4	5

184

SUBSTITUTE SHEET (RULE 26)

Table 6F: Analysis of V heavy chain subgroup 5

amino acid[1]	102	103	104	105	106	107	108	109	110	111	112	113	sum
					Framework IV								
A												1	611
B													
C													205
D	1												458
E				1									404
F	2												256
G			41		41								1065
H													44
I	9								2				588
K				3									650
L	2						25	1					549
M							8						303
N													64
P	2						1				1		414
Q				34									612
R				3									351
S	2										40	39	1545
T	1					40	8		39				604
V	11								40		41		594
W			43										432
X													
Y	13												738
Z													
-	2												635
unknown (?)													4
not sequenced	52	54	56	56	56	56	56	56	56	56	56	57	1678
sum of seq[2]	45	43	41	41	41	41	41	41	41	41	41	40	
oomcaa[3]	13	43	41	34	41	40	25	40	39	41	40	39	
mcaa[4]	Y	W	G	Q	G	T	L	V	T	V	S	S	
rel. oomcaa[5]	29%	100%	100%	83%	100%	98%	61%	98%	95%	100%	98%	98%	
pos occupied[6]	10	1	1	4	1	2	3	2	2	1	2	2	

185

SUBSTITUTE SHEET (RULE 26)

Table 6G: Analysis of V heavy chain subgroup 6

amino acid[1]	Framework I																			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
A												1								
B																				
C																				
D																				
E																				
F																				
G								52		67										
H																				
I																				
K													68							
L				52							68							67	1	68
M																				
N																				
P									68					67					1	
Q	52		52		51	52										68				
R					1						1									
S							52							1	68				66	
T																	68			
V		52										66						1		
W																				
X																				
Y																				
Z																				
-																				
unknown (?)																				
not sequenced	22	22	22	22	22	22	22	22	6	6	6	6	6	6	6	6	6	6	6	6
sum of seq[2]	52	52	52	52	52	52	52	52	68	68	68	68	68	68	68	68	68	68	68	68
oomcaa[3]	52	52	52	52	51	52	52	52	68	67	68	66	68	67	68	68	68	67	66	68
mcaa[4]	Q	V	Q	L	Q	Q	S	G	P	G	L	V	K	P	S	Q	T	L	S	L
rel. oomcaa[5]	100%	100%	100%	100%	98%	100%	100%	100%	100%	99%	100%	97%	100%	99%	100%	100%	100%	100%	99%	97%
pos occupied[6]	1	1	1	1	2	1	1	1	1	2	1	3	1	2	1	1	1	2	3	1

186

SUBSTITUTE SHEET (RULE 26)

Table 6G: Analysis of V heavy chain subgroup 6

amino acid[1]	21	22	23	24	25	26	27	28	29	30	31	A	B	32	33	34	35	36	37	38
														CDRI						
A	1		67											66	67					
B																				
C		68																		
D							68				1									
E																				
F										2					1	1			1	
G			1			69									3	1	2			
H																		1		
I				64								2						1	70	
K												3								
L																				
M																				
N							1				2	66					70			
P																				
Q																				
R											2	1								74
S		1		1	69			69		68	66		67			3		1		
T	67										2	1	4			1				
V			1	4					70						6				2	
W			1													74		74		
X																				
Y													1						1	
Z																				
-																				
unknown (?)													1							
not sequenced	5	5	5	5	5	5	5	5	4	4										
sum of seq[2]	69	69	69	69	69	69	69	69	70	70	74	74	74	74	74	74	74	74	74	74
oomcaa[3]	67	68	67	64	69	69	68	69	70	68	66	66	67	66	67	74	70	74	70	74
mcaa[4]	T	C	A	I	S	G	D	S	V	S	S	N	S	A	A	W	N	W	I	R
rel. oomcaa[5]	97%	99%	97%	93%	100%	100%	99%	100%	100%	97%	89%	89%	91%	89%	91%	100%	95%	100%	95%	100%
pos occupied[6]	3	2	3	3	1	1	2	1	1	2	5	6	3	4	5	1	5	1	4	1

187

SUBSTITUTE SHEET (RULE 26)

Table 6G: Analysis of V heavy chain subgroup 6

amino acid[1]	39	40	41	42	43	44	45	46	47	48	49	50	51	52	A	B	C	53	54	55
								Framework II												
A				1									1					1		
B																				
C																				
D																				
E								74												
F														2	1			1		
G						74					74	1							1	
H															1					
I																				
K	1				1										1				66	
L	1						74		74											
M																				
N																			1	
P		73																		
Q	72																			
R					73						73					72			1	1
S		74	1	73											1			72		
T													73						5	
V																				
W								74												73
X																				
Y														72	72					
Z																				
-																	74			
unknown (?)																				
not sequenced																				
sum of seq[2]	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
oomcaa[3]	72	74	73	73	73	74	74	74	74	74	74	73	73	72	72	72	74	72	66	73
mcaa[4]	Q	S	P	S	R	G	L	E	W	L	G	R	T	Y	Y	R	-	S	K	W
rel. oomcaa[5]	97%	100%	99%	99%	99%	100%	100%	100%	100%	100%	100%	99%	99%	97%	97%	97%	100%	97%	89%	99%
pos occupied[6]	3	1	2	2	2	1	1	1	1	1	1	2	2	2	3	3	1	3	5	2

188

SUBSTITUTE SHEET (RULE 26)

Table 6G: Analysis of V heavy chain subgroup 6

amino acid[1]	CDR II																			
	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
A					73	1							2			6		1		
B																				
C			1																	
D			68			1									2		73			
E	1		3			7			1											2
F	7																			
G			1				1			8										
H	1																		1	
I						1						65	2	71				1		
K		1							67							1				70
L	1					5		2				4						1		
M												1								
N		2	65	1						1						69				
P						1	1										66			
Q									2		1									
R		1							3		73									
S	2	2	1	1			73			66			1			2	1		73	
T			4											69	1			71	1	2
V						58		72				4			2		1			
W																				
X																				
Y	60	1		72																
Z																				
-																				
unknown (?)																				
not sequenced																				
sum of seq[2]	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
oomcaa[3]	60	65	68	72	73	58	73	72	67	66	73	65	69	71	69	66	73	71	73	70
mcaa[4]	Y	N	D	Y	A	V	S	V	K	S	R	I	T	I	N	P	D	T	S	K
rel. oomcaa[5]	81%	88%	92%	97%	99%	78%	99%	97%	91%	89%	99%	88%	93%	96%	93%	89%	99%	96%	99%	95%
pos occupied[6]	7	6	5	3	2	7	2	2	5	2	2	4	4	3	4	4	2	4	2	3

169

Table 6G: Analysis of V heavy chain subgroup 6

amino acid[1]	76	77	78	79	80	81	82	A	B	C	83	84	85	86	87	88	89	90	91	92
													Framework III							
A													1			74				
B																				
C																				73
D								3						73						
E													73							
F			71						1										3	
G														1						
H						2	1													
I			1															2		
K							4													
L		1			74		72													
M							1				1							2		
N	74						63													
P												70								
Q		72				71														1
R		1				1	1													
S				74					1	73	1	3								
T									1		73				74			1		
V			2				1				73						70			
W																				
X																				
Y																		73	70	
Z																				
-																				
unknown (?)																				
not sequenced													1							
sum of seq[2]	74	74	74	74	74	74	74	74	74	74	74	74	73	74	74	74	74	74	74	74
oomcaa[3]	74	72	71	74	74	71	72	63	73	73	73	70	73	73	74	74	70	73	70	73
mcaa[4]	N	Q	F	S	L	Q	L	N	S	V	T	P	E	D	T	A	V	Y	Y	C
rel. oomcaa[5]	100%	97%	96%	100%	100%	96%	97%	85%	99%	99%	99%	96%	99%	99%	100%	100%	95%	99%	95%	99%
pos occupied[6]	1	3	3	1	1	3	3	7	2	2	2	2	2	2	1	1	3	2	3	2

130

SUBSTITUTE SHEET (RULE 26)

Table 6G: Analysis of V heavy chain subgroup 6

amino acid[1]	CDR III																			
	93	94	95	96	97	98	99	100	A	B	C	D	E	F	G	H	I	J	K	101
A	69		11	1	3	12	4	3	2	5		8						10	1	
B																				
C					1		1			1			1	1						62
D			19	4	3	7	4	3	1	6	1	1	1				1			
E			10	4	2	1	2	2	1	2								38		4
F	1		1	1	1		1		2	3		2			1		17			
G	1		16	4	15	15	11	8	6	2	5	1	8	6	1					
H				1		1			1	1	1				1	1	1			
I				1	2		2		5	1										
K		1	1	1	1	1	1	1					1							
L			1	8	4	2	3	2	1					1	5				8	
M				1				1				5							11	
N			1	3	1	2	1	1	1	3		2				1	3			
P				10	4		5	3			5	1		1						
Q				1	1	1	1					1								1
R		69	1		7	8	1	8	8	3		1	1	5						1
S		3	5	5	5	7	6	7	3	4	2						1	1		
T			1	1	4	3	4	4	6	3	1				1					
V	3	1	4	5	1		9			4			9	5	1	1			2	
W			1	6	8		3	2	4									4	4	
X																				
Y				6	4	2	2	2	6	6	2	4	2	1	8	8	12	12		
Z																				
-				2	3	7	14	23	25	33	41	47	53	54	57	56	50	28	12	4
unknown (?)															6	1	5			
not sequenced					1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1
sum of seq[2]	74	74	73	72	71	71	72	72	72	72	72	72	72	72	72	72	72	72	72	72
oomcaa[3]	69	69	19	10	15	15	14	23	25	33	41	47	53	54	57	56	50	28	38	62
mcaa[4]	A	R	D	P	G	G	-	-	-	-	-	-	-	-	-	-	-	-	F	D
rel. oomcaa[5]	93%	93%	26%	14%	21%	21%	19%	32%	35%	46%	57%	65%	74%	75%	79%	78%	69%	39%	53%	86%
pos occupied[6]	4	4	14	20	19	15	17	16	16	13	13	11	8	8	4	5	7	6	6	5

Table 6G: Analysis of V heavy chain subgroup 6

amino acid[1]	102	103	104	105	106	107	108	109	110	111	112	113	sum
					Framework IV								
A							2						494
B													
C													147
D								1					403
E													186
F	2										2		150
G			49		50								571
H	2												18
I	9						3		1				304
K				1				1					293
L	5						26						632
M							8						31
N													436
P	4				6							1	387
Q				40									539
R				2									495
S	4		1				1				43	46	1271
T							45	4	45				640
V	21						2	46		48			647
W			65				5						398
X													
Y	19												518
Z													
-	2												585
unknown (?)													13
not sequenced	5	8	23	24	23	24	25	25	28	25	28	26	580
sum of seq[2]	68	65	50	49	50	49	48	48	45	48	45	47	
oomcaa[3]	21	65	49	40	50	45	26	46	45	48	43	46	
mcaa[4]	V	W	G	Q	G	T	L	V	T	V	S	S	
rel. oomcaa[5]	31%	100%	98%	82%	100%	92%	54%	96%	100%	100%	96%	98%	
pos occupied[6]	9	1	2	4	1	3	7	3	1	1	2	2	

SUBSTITUTE SHEET (RULE 26)

Appendix to Tables 1A-C

A.   *References of rearranged sequences*

References of rearranged human kappa sequences used for alignment

1 . Alescio-Zonta, L. & Baglioni, C. (1970) Eur.J.Biochem., 15, 450-463.

2   Andrews, D.W. & Capra, J.D. (1981) Biochemistry, 20, 5816-5822.

3   Andris, J.S., Ehrlich, P.H., Ostberg, L. & Capra, J.D. (1992) J.Immunol., 149, 4053-4059.

4   Atkinson, P.M., Lampman, G.W., Furie, B.C., Naparstek, Y., Schwartz, R.S., Stollar, B.D. & Furie, B. (1985) J.Clin.Invest., 75, 1138-1143.

5   Aucouturier, P., Bauwens, M., Khamlichi, A.A., Denoroy, L. Spinelli, S., Touchard, G., Preud'homme, J.-L. & Cogne, M. (1993) J.Immunol., 150, 3561-3568.

6   Avila, M.A., Vazques, J., Danielsson, L., Fernandez De Cossio, M.E. & Borrebaeck, C.A.K. (1993) Gene, 127, 273-274.

7   Barbas Iii, C.F., Crowe, Jr., J.E., Cababa, D., Jones, T.M., Zebedee, S.L., Murphy, B.R., Chanock, R.M. & Burton, D.R. (1992) Proc.Natl.Acad.Sci.Usa, 89, 10164-10168.

8   Barbas, C.F., Iii, et al. (1993) J-Mol-Biol., 230, 812-23.

9   Bentley, D.L. & Rabbitts, T.H. (1980) Nature, 288, 730-733.

10   Bentley, D.L. & Rabbitts, T.H. (1983) Cell, 32, 181-189.

11   Bentley, D.L. (1984) Nature, 307, 77-80.

12   Bhat, N.M., Bieber, M.M., Chapman, C.J., Stevenson, F.K. & Teng, N.N.H. (1993) J.Immunol., 151, 5011-5021.

13   Blaison, G., Kuntz, J.-L. & Pasquali, J.-L. (1991) Eur.J.Immunol., 21, 1221-1227.

14   Braun, H., Leibold, W., Barnikol, H.U. & Hilschmann, N. (1971) Z.Physiol.Chem., 352, 647-651; (1972) Z.Physiol.Chem., 353, 1284-1306.

15   Capra, J.D. & Kehoe, J.M. (1975) Adv.Immunology, 20, 1-40. ; Andrews, D.W. & Capra, J.D. (1981) Proc.Nat.Acad.Sci.Usa, 78, 3799-3803.

16   Capra, J.D. & Kehoe, J.M. (1975) Adv.Immunology, 20, 1-40. ; Ledford, D.K., Goni, F., Pizzolato, M., Franklin, E.C., Solomon, A. & Frangione, B. (1983) J.Immunol., 131, 1322-1325.

17   Chastagner, P., Theze, J. & Zouali, M. (1991) Gene, 101, 305-306.

193

18   Chen, P.P., Robbins, D.L., Jirik, F.R., Kipps, T.J. & Carson, D.A. (1987) J.Exp.Med, 166, 1900-1905.

19   Chen, P.P., Robbins, D.L., Jirik, F.R., Kipps, T.J. & Carson, D.A. (1987) J.Exp.Med, 166, 1900-1905; Liu, M.-F., Robbins, D.L., Crowley, J.J., Sinha, S., Kozin, F., Kipps, T.J., Carson, D.A. & Chen.P.P. (1989) J.Immunol., 142, 688-694.

20   Chersi, A. & Natali, P.G. (1978) Immunochemistry, 15, 585-589.

21   Co, M.S., Deschamps, M., Whitley, R.J. & Queen, C. (1991) Proc.Natl.Acad.Sci.Usa, 88, 2869-2873.

22   Cuisinier, A.-M., Fumoux, F., Fougereau, M. & Tonnelle, C. (1992) Mol.Immunol., 29, 1363-1373.

23   Davidson, A., Manheimer-Lory, A., Aranow, C., Peterson, R., Hannigan, N. & Diamond, B. (1990) J.Clin.Invest., 85, 1401-1409.

24   Denomme, G.A., Mahmoudi, M., Edwards, J.Y., Massicotte, H., Cairns, E. & Bell, D.A. (1993) Hum.Antibod.Hybridomas, 4, 98-103.

25   Dersimonian, H., Mcadam, K.P.W.J., Mackworth-Young, C. & Stollar, B.D. (1989) J.Immunol., 142, 4027-4033.

26   Dreyer, W.J., Gray, W.R. & Hood, L. (1967) Cold Spring Harbor Symp. Quantitative Biol., 32, 353-367.

27   Ebeling, S.B., Schutte, M.E.M. & Logtenberg, T. (1993) Eur.J.Immunol., 23, 1405-1408.

28   Eulitz, M. & Kley, H.-P. (1977) Immunochem., 14, 289-297.

29   Eulitz, M. & Linke, R.P. (1982) Z.Physiol.Chem., 363, 1347-1358.

30   Eulitz, M., Breuer, M., Eblen, A., Weiss, D.T. & Solomon, A. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic

31   Eulitz, M., Gotze, D. & Hilschmann, N. (1972) Z.Physiol.Chem., 353, 487-491; Eulitz, M. & Hilschmann, N. (1974) Z.Physiol.Chem., 355, 842-866.

32   Eulitz, M., Kley, H.P. & Zeitler, H.J. (1979) Z.Physiol.Chem., 360, 725-734.

33   Ezaki, I., Kanda, H., Sakai, K., Fukui, N., Shingu, M., Nobunaga, M. & Watanabe, T. (1991) Arthritis And Rheumatism, 34, 343-350.

34   Felgenhauer, M., Kohl, J. & Ruker, F. (1990) Nucl.Acids Res., 18, 4927.

35   Ferri, G., Stoppini, M., Iadarola, P., Bellotti, V. & Merlini, G. (1989) Biochim.Biophys.Acta, 995, 103-108.

194

SUBSTITUTE SHEET (RULE 26)

36 Gillies, S.D., Dorai, H., Wesolowski, J., Majeau, G., Young, D., Boyd, J., Gardner, J. & James, K. (1989) Bio/Tech., 7, 799-804.

37 Goni, F. & Frangione, B. (1983) Proc.Nat.Acad.Sci.Usa, 80, 4837-4841.

38 Goni, F.R., Chen, P.P., Mcginnis, D., Arjonilla, M.L., Fernandez, J., Carson, D., Solomon, A., Mendez, E. & Frangione, B. (1989) J.Immunol., 142, 3158-3163.

39 Gorman, S.D., Clark, M.R., Routledge, E.G., Cobbold, S.P. & Waldmann, H. (1991) Proc.Natl.Acad.Sci.Usa, 88, 4181-4185.

40 Gottlieb, P.D., Cunningham, B.A., Rutishauser, U. & Edelman, G.M. (1970) Biochemistry, 9, 3155-3161.

41 Griffiths, A.D., Malmqvist, M., Marks, J.D., Bye, J.M., Embleton, M.J., Mccafferty, J., Baier, M., Holliger, K.P., Gorick, B.D., Hughes-Jones, N.C., Hoogenboom, H.R. & Winter, G. (1993) Embo J., 12, 725-734.

42 Hieter, P.A., Max, E.E., Seidman, J.G., Maizel, J.V., Jr. & Leder, P. (1980) Cell, 22, 197-207; Klobeck, H.G, Meindl, A., Combriato, G., Solomon, A. & Zachau, H.G. (1985) Nucl.Acids Res., 13, 6499-6513; Weir, L. & Leder, P. (1986)

43 Hilschmann, N. & Craig, L.C. (1965) Proc.Nat.Acad.Sci.Usa, 53, 1403-1409; Hilschmann, N. (1967) Z.Physiol.Chem., 348, 1077-1080.

44 Hilschmann, N. & Craig, L.C. (1965) Proc.Nat.Acad.Sci.Usa, 53, 1403-1409; Hilschmann, N. (1967) Z.Physiol.Chem., 348, 1718-1722; Hilschmann, N. (1969) Naturwissenschaften, 56, 195-205.

45 Hirabayashi, Y., Munakata, Y., Sasaki, T. & Sano, H. (1992) Nucl.Acids Res., 20, 2601.

46 Jaenichen, H.-R., Pech, M., Lindenmaier, W., Wildgruber, N. & Zachau, H.G. (1984) Nuc.Acids Res., 12, 5249-5263.

47 Jirik, F.R., Sorge, J., Fong, S., Heitzmann, J.G., Curd, J.G., Chen, P.P., Goldfien, R. & Carson, D.A. (1986) Proc.Nat.Acad.Sci.Usa, 83, 2195-2199.

48 Kaplan, A.P. & Metzger, H. (1969) Biochemistry, 8, 3944-3951. ; Klapper, D.G. & Capra, J.D. (1976) Ann.Immunol.(Inst.Pasteur), 127c, 261-271.

49 Kennedy, M.A. (1991) J.Exp.Med., 173, 1033-1036.

50 Kim, H.S. & Deutsch, H.F. (1988) Immunol., 64, 573-579.

51 Kipps, T.J., Tomhave, E., Chen, P.P. & Carson, D.A. (1988) J.Exp.Med., 167, 840-852.

52 Kipps, T.J., Tomhave, E., Chen, P.P. & Fox, R.I. (1989) J.Immunol., 142, 4261-4268.

53 Klapper, D.G. & Capra, J.D. (1976) Ann.Immunol.(Inst.Pasteur), 127c, 261-271.

54   Klein, U., Kuppers, R. & Rajewsky, K. (1993) Eur.J.Immunol., 23, 3272-3277.

55   Klobeck, H.G, Meindl, A., Combriato, G., Solomon, A. & Zachau, H.G. (1985) Nucl.Acids Res., 13, 6499-6513.

56   Klobeck, H.G., Bornkammm, G.W., Combriato, G., Mocikat, R., Pohlenz, H.D. & Zachau, H.G. (1985) Nucl.Acids Res., 13, 6515-6529.

57   Klobeck, H.G., Combriato, G. & Zachau, H.G. (1984) Nuc.Acids Res., 12, 6995-7006.

58   Klobeck, H.G., Solomon, A. & Zachau, H.G. (1984) Nature, 309, 73-76.

59   Knight, G.B., Agnello, V., Bonagura, V., Barnes, J.L., Panka, D.J. & Zhang, Q.-X. (1993) J.Exp.Med., 178, 1903-1911.

60   Kohler, H., Shimizu, A., Paul, C. & Putnam, F.W. (1970) Science, 169, 56-59. (Kaplan, A.P. & Metzger, H. (1969) Biochemistry, 8, 3944-3951.)

61   Kratzin, H., Yang, C.Y., Krusche, J.U. & Hilschmann, N. (1980) Z.Physiol.Chem., 361, 1591-1598.

62   Kunicki, T.J., Annis, D.S., Gorski, J. & Nugent, D.J. (1991) J.Autoimmunity, 4, 433-446.

63   Larrick, J.W., Wallace, E.F., Coloma, M.J., Bruderer, U., Lang, A.B. & Fry, K.E. (1992) Immunological Reviews, 130, 69-85.

64   Laure, C.J., Watanabe, S. & Hilschmann, N. (1973) Z.Physiol.Chem., 354, 1503-1504.

65   Ledford, D.K., Goni, F., Pizzolato, M., Franklin, E.C., Solomon, A. & Frangione, B. (1983) J.Immunol., 131, 1322-1325.

66   Ledford, D.K., Goni, F., Pizzolato, M., Franklin, E.C., Solomon, A. & Frangione, B. (1983) J.Immunol., 131, 1322-1325.

67   Ledford, D.K., Goni, F., Pizzolato, M., Franklin, E.C., Solomon, A. & Frangione, B. (1983) J.Immunol., 131, 1322-1325. Pons-Estel, B., Goni, F., Solomon, A. & Frangione, B. (1984) J.Exp.Med., 160, 893.

68   Levy, S., Mendel, E., Kon, S., Avnur, Z. & Levy, R. (1988) J.Exp.Med., 168, 475-489.

69   Liepnieks, J.J., Dwulet, F.E. & Benson, M.D. (1990) Mol.Immunol., 27, 481-485.

70   Manheimer-Lory, A., Katz, J.B., Pillinger, M., Ghossein, C., Smith, A. & Diamond, B. (1991) J.Exp.Med., 174, 1639-1652.

71   Mantovani, L., Wilder, R.L. & Casali, P. (1993) J.Immunol., 151, 473-488.

72   Mariette, X., Tsapis, A. & Brouet, J.-C. (1993) Eur.J.Immunol., 23, 846-851.

73   Marks, J.D., Hoogenboom, H.R., Bonnert, T.P., Mccafferty, J., Griffiths, A.D. & Winter, G. (1991) J.Mol.Biol., 222, 581-597.

196

SUBSTITUTE SHEET (RULE 26)

74   Marsh, P., Mills, F. & Gould, H. (1985) Nuc.Acids Res., 13, 6531-6544.

75   Middaugh, C.R. & Litman, G.W. (1987) J.Biol.Chem., 262, 3671-3673.

76   Milstein, C. & Deverson, E.V. (1971) Biochem.J., 123, 945-958.

77   Milstein, C. (1969) Febs Letters, 2, 301-304.

78   Milstein, C. (1969) Febs Letters, 2, 301-304.

79   Milstein, C.P. & Deverson, E.V. (1974) Eur.J.Biochem., 49, 377-391.

80   Moran, M.J., Andris, J.S., Matsumato, Y.-I., Capra, J.D. & Hersh, E.M. (1993) Mol.Immunol., 30, 1543-1551.

81   Nakatani, T., Nomura, N., Horigome, K., Ohtsuka, H. & Noguchi, H. (1989) Bio/Tech., 7, 805-810.

82   Newkirk, M., Chen, P.P., Carson, D., Posnett, D. & Capra, J.D. (1986) Mol.Immunol., 23, 239-244.

83   Newkirk, M.M., Gram, H., Heinrich, G.F., Ostberg, L., Capra, J.D. & Wasserman, R.L. (1988) J.Clin.Invest., 81, 1511-1518.

84   Newkirk, M.M., Mageed, R.A., Jefferis, R., Chen, P.P. & Capra, J.D. (1987) J.Exp.Med., 166, 550-564.

85   Olee, B.T., Lu, E.W., Huang, D.-F., Soto-Gil, R.W., Deftos, M., Kozin, F., Carson, D.A. & Chen, P.P. (1992) J.Exp.Med., 175, 831-842.

86   Palm, W. & Hilschmann, N. (1973) Z.Physiol.Chem., 354, 1651-1654; (1975) Z.Physiol.Chem., 356, 167-191.

87   Pascual, V., Victor, K., Lelsz, D., Spellerberg, M.B., Hamblin, T.J., Thompson, K.M., Randen, I., Natvig, J., Capra, J.D. & Stevenson, F.K. (1991) J.Immunol., 146, 4385-4391.

88   Pascual, V., Victor, K., Randen, I., Thompson, K., Steinitz, M., Forre, O., Fu, S.-M., Natvig, J.B. & Capra, J.D. (1992) Scand.J.Immunol., 36, 349-362.

89   Pech, M. & Zachau, H.G. (1984) Nuc.Acids Res., 12, 9229-9236.

90   Pech, M., Jaenichen, H.-R., Pohlenz, H.-D., Neumaier, P.S., Klobeck, H.-G. & Zachau, H.G. (1984) J.Mol.Biol., 176, 189-204.

91   Pons-Estel, B., Goni, F., Solomon, A. & Frangione, B. (1984) J.Exp.Med., 160, 893-904.

92   Portolano, S., Mclachlan, S.M. & Rapoport, B. (1993) J.Immunol., 151, 2839-2851.

93   Portolano, S., Seto, P., Chazenbalk, G.D., Nagayama, Y., Mclachlan, S.M. & Rapoport, B. (1991) Biochem.Biophys.Res.Commun., 179, 372-377.

197

94   Pratt, L.F., Rassenti, L., Larrick, J., Robbins, B., Banks, P.M. & Kipps, T.J. (1989) J.Immunol., 143, 699-705.

95   Prelli, F., Tummolo, D., Solomon, A. & Frangione, B. (1986) J.Immunol., 136, 4169-4173.

96   Putnam, F.W., Whitley, E.J., Jr., Paul, C.& Davidson, J.N. (1973) Biochemistry, 12, 3763-3780.

97   Randen, I., Pascual, V., Victor, K., Thompson, K.M., Forre, O., Capra, J.D. & Natvig, J.B. (1993) Eur.J.Immunol., 23, 1220-1225.

98   Rassenti, L.Z., Pratt, L.F., Chen, P.P., Carson, D.A. & Kipps, T.J. (1991) J.Immunol., 147, 1060-1066.

99   Reidl, L.S., Friedman, D.F., Goldman, J., Hardy, R.R., Jefferies, L.C. & Silberstein, L.E. (1991) J.Immunol., 147, 3623-3631.

100 Riechmann, L., Clark, M., Waldmann, H. & Winter, G. (1988) Nature, 332, 323-327.

101 Riesen, W., Rudikoff, S., Oriol, R. & Potter, M. (1975) Biochemistry, 14, 1052-1057; Riesen, W.F., Braun, D.G. & Jaton, J.C. (1976) Proc.Nat.Acad.Sci.Usa, 73, 2096-2100; Riesen, W.F. & Jaton, J.C. (1976) Biochemistry, 15, 3829.

102 Rodilla Sala, E., Kratzin, D.H., Pick, A.I. & Hilschmann, N. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic

103 Schiechl, H. & Hilschmann, N. (1971) Z.Physiol.Chem., 352, 111-115; (1972) Z.Physiol.Chem., 353, 345-370.

104 Schneider, M. & Hilschmann, N. (1974) Z.Physiol.Chem., 355, 1164-1168.

105 Shearman, C.W., Pollock, D., White, G., Hehir, K., Moore, G.P., Kanzy, E.J. & Kurrle, R. (1991) J.Immunol., 147, 4366-4373.

106 Shinoda, T. (1973) J.Biochem., 73, 433-446.

107 Shinoda, T. (1975) J.Biochem., 77, 1277-1296.

108 Shinoda, T., Takenawa, T., Hoshi, A. & Isobe, T. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic Publishers, Dordrecht/Boston/London, Pp.157-

109 Silberstein, L.E., Litwin, S. & Carmack, C.E. (1989) J.Exp.Med., 169, 1631-1643.

110 Sims, M.J., Hassal, D.G., Brett, S., Rowan, W., Lockyer, M.J., Angel, A., Lewis, A.P., Hale, G., Waldmann, H. & Crowe, J.S. (1993) J.Immunol., 151, 2296-2308.

198

111 Spatz, L.A., Wong, K.K., Williams, M., Desai, R., Golier, J., Berman, J.E., Alt, F.W. & Latov, N. (1990) J.Immunol., 144, 2821-2828.

112 Stavnezer, J., Kekish, O., Batter, D., Grenier, J., Balazs, I., Henderson, E. & Zegers, B.J.M. (1985) Nucl.Acids Res., 13, 3495-3514.

113 Straubinger, B., Thiebe, R., Pech, M. & Zachau, H.G. (1988) Gene, 69, 209-214.

114 Suter, L., Barnikol, H.U., Watanabe, S. & Hilschmann, N. (1969) Z.Physiol.Chem., 350, 275-278; (1972) Z.Physiol.Chem., 353, 189-208.

115 Tempest, P.R., Bremner, P., Lambert, M., Taylor, G., Furze, J.M., Carr, F.J. & Harris, W.J. (1991) Bio/Tech., 9, 266-271.

116 Titani, K., Shinoda, T. & Putnam, F.W. (1969) J.Biol.Chem., 244, 3550-3560.

117 Toft, K.G., Olstad, O.K., Sletten, K. & Westermark, P. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic

118 Van Es, J.H., Aanstoot, H., Gmelig-Meyling, F.H.J., Derksen, R.H.W.M. & Logtenberg, T. (1992) J.Immunol., 149, 2234-2240.

119 Victor, K.D., Pascual, V., Lefvert, A.K. & Capra, J.D. (1992) Mol.Immunol., 29, 1501-1506.

120 Victor, K.D., Pascual, V., Williams, C.L., Lennon, V.A. & Capra, J.D. (1992) Eur.J.Immunol., 22, 2231-2236.

121 Victor, K.D., Randen, I., Thompson, K., Forre, O., Natvig, J.B., Fu, S.M. & Capra, J.D. (1991) J.Clin.Invest., 87, 1603-1613.

122 Wagner, S.D. & Luzzatto, L. (1993) Eur.J.Immunol., 23, 391-397.

123 Watanabe, S. & Hilschmann, N. (1970) Z.Physiol.Chem., 351, 1291-1295.

124 Weisbart, R.H., Wong, A.L., Noritake, D., Kacena, A., Chan, G., Ruland, C., Chin, E., Chen, I.S.Y. & Rosenblatt, J.D. (1991) J.Immunol., 147, 2795-2801.

125 Weng, N.-P., Yu-Lee, L.-Y., Sanz, I., Patten, B.M. & Marcus, D.M. (1992) J.Immunol., 149, 2518-2529.

126 Winkler, T.H., Fehr, H. & Kalden, J.R. (1992) Eur.J.Immunol., 22, 1719-1728.

References of rearranged human lambda sequences used for alignment

1   Alexandre, D., Chuchana, P., Brockly, F., Blancher, A., Lefranc, G. & Lefranc, M.-P. (1989) Nuc.Acids Res., 17, 3975.

/ɔ)

SUBSTITUTE SHEET (RULE 26)

2   Anderson, M.L.M., Brown, L., Mckenzie, E., Kellow, J.E. & Young, B.D. (1985) Nuc.Acids Res., 13, 2931-2941.

3   Andris, J.S., Brodeur, B.R. & Capra, J.D. (1993) Mol.Immunol., 30, 1601-1616.

4   Andris, J.S., Ehrlich, P.H., Ostberg, L. & Capra, J.D. (1992) J.Immunol., 149, 4053-4059.

5   Baczko, K., Braun, D.G., Hess, M. & Hilschmann, N. (1970) Z.Physiol.Chem., 351, 763-767; Baczko, K., Braun, D.G. & Hilschmann, N. (1974) Z.Physiol.Chem., 355, 131-154.

6   Berinstein, N., Levy, S. & Levy, R. (1989) Science, 244, 337-339.

7   Bhat, N.M., Bieber, M.M., Chapman, C.J., Stevenson, F.K. & Teng, N.N.H. (1993) J.Immunol., 151, 5011-5021.

8   Cairns, E., Kwong, P.C., Misener, V., Ip, P., Bell, D.A. & Siminovitch, K.A. (1989) J.Immunol., 143, 685-691.

9   Carroll, W.L., Yu, M., Link, M.P. & Korsmeyer, S.J. (1989) J.Immunol., 143, 692-698.

10   Chen, B.L. & Poljak, R.J. (1974) Biochemistry, 13, 1295-1302.

11   Chen, B.L., Chiu, Y.Y.H., Humphrey, R.L. & Poljak, R.J. (1978) Biochim.Biophys.Acta, 537, 9-21.

12   Combriato, G. & Klobeck, H.G. (1991) Eur.J.Immunol., 21, 1513-1522.

13   Cuisinier, A.-M., Fumoux, F., Fougereau, M. & Tonnelle, C. (1992) Mol.Immunol., 29, 1363-1373.

14   Dwulet, F.E., Strako, K. & Benson, M.D. (1985) Scand.J.Immunol., 22, 653-660.

15   Elahna, P., Livneh, A., Manheimer-Lory, A.J. & Diamond, B. (1991) J.Immunol., 147, 2771-2776.

16   Engelhard, M., Hess, M. & Hilschmann, N. (1974) Z.Physiol.Chem., 355, 85-88; Engelhard, M. & Hilschmann, N. (1975) Z.Physiol.Chem., 356, 1413-1444.

17   Eulitz, M. (1974) Eur.J.Biochem., 50, 49-69.

18   Eulitz, M., Breuer, M. & Linke, R.P. (1987) Biol.Che.Hoppe-Seyler, 368, 863-870.

19   Eulitz, M., Murphy, C., Weiss, D.T. & Solomon, A. (1991) J.Immunol., 146, 3091-3096.

20   Fett, J.W. & Deutsch, H.F. (1974) Biochemistry, 13, 4102-4114.

21   Fett, J.W. & Deutsch, H.F. (1976) Immunochem., 13, 149-155.; Jabusch, J.R. & Deutsch, H.F. (1982) Mol.Immunol., 19, 901-906.

22   Furey, W. Jr., Wang, B.C., Yoo, C.S. & Sax, M. (1983) J.Mol.Biol., 167, 661-692.

23   Fykse, E.-M., Sletten, K., Husby, G. & Cornwell, G.G., Iii (1988) Biochem.J., 256, 973-980.

200

SUBSTITUTE SHEET (RULE 26)

24   Garver, F.A. & Hilschmann, N. (1971) Febs Letters, 16, 128-132; (1972) Eur.J.Biochem., 26, 10-32.

25   Gawinowicz, M.A., Merlini, G., Birken, S., Osserman, E.F. & Kabat, E.A. (1991) J.Immunol., 147, 915-920.

26   Ghiso, J., Solomon, A. & Frangione, B. (1986) J.Immunol., 136, 716-719.

27   Griffiths, A.D., Malmqvist, M., Marks, J.D., Bye, J.M., Embleton, M.J., Mccafferty, J., Baier, M., Holliger, K.P., Gorick, B.D., Hughes-Jones, N.C., Hoogenboom, H.R. & Winter, G. (1993) Embo J., 12, 725-734.

28   Gullasken, N., Idso, H., Nilsen, R., Sletten, K., Husby, G. & Cornwell, G.G. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic

29   Harindranath, N., Goldfarb, I.S., Ikematsu, H., Burastero, S.E., Wilder, R.L., Notkins, A.L. & Casali, P. (1991) Int.Immunol., 3, 865-875.

30   Holm, E., Sletten, K. & Husby, G. (1986) Biochem.J., 239, 545-551.

31   Hughes-Jones, N.C., Bye, J.M., Beale, D. & Coadwell, J. (1990) Biochem.J., 268, 135-140.

32   Kametani, F., Yoshimura, K., Tonoike, H., Hoshi, A., Shinoda, T. & Isobe, T. (1985) Biochem.Biophys.Res.Commun., 126, 848-852.

33   Kiefer, C.R., Mcguire, B.S., Jr., Osserman, E.F. & Garver, F.A. (1983) J.Immunol., 131, 1871-1875.

34   Kiefer, C.R., Patton, H.M., Jr., Mcquire, B.S., Jr. & Garver, F.A. (1980) J.Immunol., 124, 301-306.

35   Kishimoto, T., Okajima, H., Okumoto, T. & Taniguchi, M. (1989) Nucl.Acids Res., 17, 4385.

36   Klafki, H.-W., Kratzin, H.D., Pick, A.I., Eckart, K. & Hilschmann, N. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic

37   Kohler, H., Rudofsky, S. & Kluskens, L. (1975) J.Immunology, 114, 415-421.

38   Kojima, M., Odani, S. & Ikenaka, T. (1980) Mol.Immunol., 17, 1407-1414.

39   Komori, S., Yamasaki, N., Shigeta, M., Isojima, S. & Watanabe, T. (1988) Clin.Exp.Immunol., 71, 508-516.

40   Kratzin, H.D., Palm, W., Stangel, M., Schmidt, W.E., Friedrich, J. & Hilschmann, N. (1989) Biol.Chem.Hoppe-Seyler, 370, 263-272.

201

41 Kratzin, H.D., Pick, A.I., Stangel, M. & Hilschmann, N. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic Publishers, Dordrecht/Boston/London, Pp.181-

42 Langer, B., Steinmetz-Kayne, M. & Hilschmann, N. (1968) Z.Physiol.Chem., 349, 945-951.

43 Larrick, J.W., Danielsson, L., Brenner, C.A., Wallace, E.F., Abrahamson, M., Fry, K.E. & Borrebaeck, C.A.K. (1989) Bio/Tech., 7, 934-938.

44 Levy, S., Mendel, E., Kon, S., Avnur, Z. & Levy, R. (1988) J.Exp.Med., 168, 475-489.

45 Lewis, A.P., Lemon, S.M., Barber, K.A., Murphy, P., Parry, N.R., Peakman, T.C., Sims, M.J., Worden, J. & Crowe, J.S. (1993) J.Immunol., 151, 2829-2838.

46 Liu, V.Y.S., Low, T.L.K., Infante, A. & Putnam, F.W. (1976) Science, 193, 1017-1020; Infante, A. & Putnam, F.W. (1979) J.Biol.Chem., 254, 9006-9016.

47 Lopez De Castro, J.A., Chiu, Y.Y.H. & Poljak, R.J. (1978) Biochemistry, 17, 1718-1723.

48 Mantovani, L., Wilder, R.L. & Casali, P. (1993) J.Immunol., 151, 473-488.

49 Marks, J.D., Hoogenboom, H.R., Bonnert, T.P., Mccafferty, J., Griffiths, A.D. & Winter, G. (1991) J.Mol.Biol., 222, 581-597.

50 Mihaesco, E., Roy, J.-P., Congy, N., Peran-Rivat, L. & Mihaesco, C. (1985) Eur.J.Biochem., 150, 349-357.

51 Milstein, C., Clegg, J.B. & Jarvis, J.M. (1968) Biochem.J., 110, 631-652.

52 Moran, M.J., Andris, J.S., Matsumato, Y.-I., Capra, J.D. & Hersh, E.M. (1993) Mol.Immunol., 30, 1543-1551.

53 Nabeshima, Y. & Ikenaka, T. (1979) Mol.Immunol., 16, 439-444.

54 Olee, B.T., Lu, E.W., Huang, D.-F., Soto-Gil, R.W., Deftos, M., Kozin, F., Carson, D.A. & Chen, P.P. (1992) J.Exp.Med., 175, 831-842.

55 Pascual, V., Victor, K., Randen, I., Thompson, K., Steinitz, M., Forre, O., Fu, S.-M., Natvig, J.B. & Capra, J.D. (1992) Scand.J.Immunol., 36, 349-362.

56 Paul, E., Iliev, A.A., Livneh, A. & Diamond, B. (1992) J.Immunol., 149, 3588-3595.

57 Pick, A.I., Kratzin, H.D., Barnikol-Watanabe, S. & Hilschmann, N. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic

58 Ponstingl, H. & Hilschmann, N. (1969) Z.Physiol.Chem., 350, 1148-1152; (1971) Z.Physiol.Chem., 352, 859-877.

202

SUBSTITUTE SHEET (RULE 26)

59   Ponstingl, H., Hess, M. & Hilschmann, N. (1968) Z.Physiol.Chem., 349, 867-871; (1971) Z.Physiol.Chem., 352, 247-266.

60   Randen, I., Pascual, V., Victor, K., Thompson, K.M., Forre, O., Capra, J.D. & Natvig, J.B. (1993) Eur.J.Immunol., 23, 1220-1225.

61   Scholz, R. & Hilschmann, N. (1975) Z.Physiol.Chem., 356, 1333-1335.

62   Settmacher, U., Jahn, S., Siegel, P., Von Baehr, R. & Hansen, A. (1993) Mol.Immunol., 30, 953-954.

63   Shinoda, T., Titani, K. & Putnam, F.W. (1970) J.Biol.Chem., 245, 4475-4487.

64   Sletten, K., Husby, G. & Natvig, J.B. (1974) Scand.J.Immunol., 3, 833-836.; Sletten, K., Natvig, J.B., Husby, G. & Juul, J. (1981) Biochem.J., 195, 561-572.

65   Solomon, A., Frangione, B. & Franklin, E.C. (1982) J.Clin.Invest., 70, 453-460.; Frangione, B., Moloshok, T. & Solomon, A. (1983) J.Immunol., 131, 2490-2493.

66   Takahashi, N., Takayasu, T., Isobe, T., Shinoda, T., Okuyama, T. & Shimizu, A. (1979) J.Biochem., 86, 1523-1535.

67   Takahashi, N., Takayasu, T., Shinoda, T., Ito, S., Okuyama, T. & Shimizu, A. (1980) Biomed.Res., 1, 321-333.

68   Takahashi, Y., Takahashi, N., Tetaert, D. & Putnam, F.W. (1983) Proc.Nat.Acad.Sci.Usa, 80, 3686-3690.

69   Takayasu, T., Takahashi, N., Shinoda, T., Okuyama, T. & Tomioka, H. (1980) J.Biochem., 89, 421-436.

70   Titani, K., Wikler, M., Shinoda, T. & Putnam, F.W. (1970) J.Biol.Chem., 245, 2171-2176.

71   Toft, K.G., Sletten, K. & Husby, G. (1985) Biol.Chem.Hoppe-Seyler, 366, 617-625.

72   Tonoike, H., Kametani, F., Hoshi, A., Shinoda, T. & Isobe, T. (1985) Biochem.Biophys.Res.Commun., 126, 1228-1234.

73   Tonoike, H., Kametani, F., Hoshi, A., Shinoda, T. & Isobe, T. (1985) Febs Letters, 185, 139-141.

74   Tsujimoto, Y. & Croce, C.M. (1984) Nucl.Acids Res., 12, 8407-8414.

75   Tsunetsugu-Yokota, Y., Minekawa, T., Shigemoto, K., Shirasawa, T. & Takemori, T. (1992) Mol.Immunol., 29, 723-728.

76   Tveteraas, T., Sletten, K. & Westermark, P. (1985) Biochem.J., 232, 183-190.

77   Vasicek, T.J. & Leder, P. (1990) J.Exp.Med., 172, 609-620.

203

SUBSTITUTE SHEET (RULE 26)

78　Victor, K.D., Randen, I., Thompson, K., Forre, O., Natvig, J.B., Fu, S.M. & Capra, J.D. (1991) J.Clin.Invest., 87, 1603-1613.

79　Weng, N.-P., Yu-Lee, L.-Y., Sanz, I., Patten, B.M. & Marcus, D.M. (1992) J.Immunol., 149, 2518-2529.

80　Wikler, M. & Putnam, F.W. (1970) J.Biol.Chem., 245, 4488-4507.

81　Winkler, T.H., Fehr, H. & Kalden, J.R. (1992) Eur.J.Immunol., 22, 1719-1728.

82　Yago, K., Zenita, K., Ohwaki, I., Harada, Y., Nozawa, S., Tsukazaki, K., Iwamori, M., Endo, N., Yasuda, N., Okuma, M. & Kannagi, R. (1993) Mol.Immunol., 30, 1481-1489.

83　Yamasaki, N., Komori, S. & Watanabe, T. (1987) Mol.Immunol., 24, 981-985.

84　Zhu, D., Kim, H.S. & Deutsch, H.F. (1983) Mol.Immunol., 20, 1107-1116.

85　Zhu, D., Zhang, H., Zhu, N. & Luo, X. (1986) Scientia Sinica, 29, 746-755.

References of rearranged human heavy chain sequences used for alignment

1　Adderson, E.E., Azmi, F.H., Wilson, P.M., Shackelford, P.G. & Carroll, W.L. (1993) J.Immunol., 151, 800-809.

2　Adderson, E.E., Shackelford, P.G., Quinn, A. & Carroll, W.L. (1991) J.Immunol., 147, 1667-1674.

3　Akahori, Y., Kurosawa, Y., Kamachi, Y., Torii, S. & Matsuoka, H. (1990) J.Clin.Invest., 85, 1722-1727.

4　Andris, J.S., Brodeur, B.R. & Capra, J.D. (1993) Mol.Immunol., 30, 1601-1616.

5　Andris, J.S., Ehrlich, P.H., Ostberg, L. & Capra, J.D. (1992) J.Immunol., 149, 4053-4059.

6　Andris, J.S., Johnson, S., Zolla-Pazner, S. & Capra, J.D. (1991) Proc.Natl.Acad.Sci.Usa, 88, 7783-7787.

7　Anker, R., Conley, M.E. & Pollok, B.A. (1989) J.Exp.Med., 169, 2109-2119.

8　Atkinson, P.M., Lampman, G.W., Furie, B.C., Naparstek, Y., Schwartz, R.S., Stollar, B.D. & Furie, B. (1985) J.Clin.Invest., 75, 1138-1143.;Lampman, G.W., Furie, B., Schwartz, R.S., Stollar, B.D. & Furie, B.C. (1989)

9　Avila, M.A., Vazques, J., Danielsson, L., Fernandez De Cossio, M.E. & Borrebaeck, C.A.K. (1993) Gene, 127, 273-274.

10　Bakkus, M.H.C., Heirman, C., Van Riet, I., Van Camp, B. & Thielemans, K. (1992) Blood, 80, 2326-2335.

204

SUBSTITUTE SHEET (RULE 26)

11   Barbas Iii, C.F., Crowe, Jr., J.E., Cababa, D., Jones, T.M., Zebedee, S.L., Murphy, B.R., Chanock, R.M. & Burton, D.R. (1992) Proc.Natl.Acad.Sci.Usa, 89, 10164-10168.

12   Barbas, C.F., Iii, Collet, T.A., Amberg, W., Roben, P., Binley, J.M., Hoekstra, D., Cababa, D., Jones, T.M., Williamson, R.A., Pilkington, G.R., Haigwood, N.L., Cabezas, E., Satterthwait, A.C., Sanz, I. & Burton, D.R. (1993) J.Mol.Biol., 230, 812-823.

13   Berman, J.E., Humphries, C.G., Barth, J., Alt, F.W. & Tucker, P.W. (1991) J.Exp.Med., 173, 1529-1535.

14   Berman, J.E., Mellis, S.J., Pollock, R., Smith, C.L., Suh, H., Heinke, B., Kowal, C., Surti, U., Chess, L., Cantor, C.R & Alt, F.W. (1988) Embo J., 7, 727-738.

15   Bhat, N.M., Bieber, M.M., Chapman, C.J., Stevenson, F.K. & Teng, N.N.H. (1993) J.Immunol., 151, 5011-5021.

16   Bird, J., Galili, N., Link, M., Stites, D. & Sklar, J. (1988) J.Exp.Med., 168, 229-245.

17   Cai, J., Humphries, C., Richardson, A. & Tucker, P.W. (1992) J.Exp.Med., 176, 1073-1081.

18   Cairns, E., Kwong, P.C., Misener, V., Ip, P., Bell, D.A. & Siminovitch, K.A. (1989) J.Immunol., 143, 685-691.

19   Capra, J.D. & Hopper, J.E. (1976) Immunochemistry, 13, 995-999; Hopper, J.E., Noyes, C., Heinrikson, R. & Kessel, J.W. (1976) J.Immunol., 116, 743-746.

20   Capra, J.D. & Kehoe, J.M. (1974) Proc.Nat.Acad.Sci.Usa, 71, 845-848.

21   Carroll, W.L., Yu, M., Link, M.P. & Korsmeyer, S.J. (1989) J.Immunol., 143, 692-698.

22   Chen, P.P., Liu, M.-F., Glass, C.A., Sinha, S., Kipps, T.J. & Carson, D.A. (1989) Arthritis & Rheumatism, 32, 72-76; Kipps, T.J., Tomhave, E., Pratt, L.F., Duffy, S., Chen, P.P. & Carson, D.A. (1989) Proc.Natl.Acad.Sci.Usa, 86, 5913-5917.

23   Chiu, Y.Y.H., Lopez De Castro, J.A. & Poljak, R.J. (1979) Biochemistry, 18, 553-560.

24   Cleary, M.L., Meeker, T.C., Levy, S., Lee, E., Trela, M., Sklar, J. & Levy, R. (1986) Cell, 44, 97-106.

25   Cuisinier, A.-M., Fumoux, F., Fougereau, M. & Tonnelle, C. (1992) Mol.Immunol., 29, 1363-1373.

26   Cuisinier, A.-M., Gauthier, L., Boubli, L., Fougereau, M. & Tonnelle, C. (1993) Eur.J.Immunol., 23, 110-118.

27   Cunningham, B.A., Gottlieb.P.D., Pflumm, M.N. & Edelman, G.M. (1971) Progress In Immunology (B.Amos, Ed.), Academic Press, N.Y., Pp.3-24.

205

SUBSTITUTE SHEET (RULE 26)

28　Cunningham, B.A., Rutishauser, U., Gall, W.E., Gottlieb, P.D., Waxdal, M.J. & Edelman, G.M. (1970) Biochemistry, 9, 3161-3170.

29　Deane, M. & Norton, J.D. (1990) Eur.J.Immunol., 20, 2209-2217.

30　Deane, M. & Norton, J.D. (1991) Leukemia, 5, 646-650.

31　Dersimonian, H., Schwartz, R.S., Barrett, K.J. & Stollar, B.D. (1987) J.Immunol., 139, 2496-2501.

32　Dersimonian, H., Schwartz, R.S., Barrett, K.J. & Stollar, B.D. (1987) J.Immunol., 139, 2496-2501; Chen, P.P., Liu, M.-F., Sinha, S. & Carson, D.A. (1988) Arth.Rheum., 31, 1429-1431.

33　Desai, R., Spatz, L., Matsuda, T., Ilyas, A.A., Berman, J.E., Alt, F.W., Kabat, E.A. & Latov, N. (1990) J.Neuroimmunol., 26, 35-41.

34　Ezaki, I., Kanda, H., Sakai, K., Fukui, N., Shingu, M., Nobunaga, M. & Watanabe, T. (1991) Arthritis And Rheumatism, 34, 343-350.

35　Felgenhauer, M., Kohl, J. & Ruker, F. (1990) Nucl.Acids Res., 18, 4927.

36　Florent, G., Lehman, D. & Putnam, F.W. (1974) Biochemistry, 13, 2482-2498.

37　Friedlander, R.M., Nussenzweig, M.C. & Leder, P. (1990) Nucl.Acids Res., 18, 4278.

38　Gawinowicz, M.A., Merlini, G., Birken, S., Osserman, E.F. & Kabat, E.A. (1991) J.Immunol., 147, 915-920.

39　Gillies, S.D., Dorai, H., Wesolowski, J., Majeau, G., Young, D., Boyd, J., Gardner, J. & James, K. (1989) Bio/Tech., 7, 799-804.

40　Goni, F. & Frangione, B. (1983) Proc.Nat.Acad.Sci.Usa, 80, 4837-4841.

41　Gorman, S.D., Clark, M.R., Routledge, E.G., Cobbold, S.P. & Waldmann, H. (1991) Proc.Natl.Acad.Sci.Usa, 88, 4181-4185.

42　Griffiths, A.D., Malmqvist, M., Marks, J.D., Bye, J.M., Embleton, M.J., Mccafferty, J., Baier, M., Holliger, K.P., Gorick, B.D., Hughes-Jones, N.C., Hoogenboom, H.R. & Winter, G. (1993) Embo J., 12, 725-734.

43　Grillot-Courvalin, C., Brouet, J.-C., Piller, F., Rassenti, L.Z., Labaume, S., Silverman, G.J., Silberstein, L. & Kipps, T.J. (1992) Eur.J.Immunol., 22, 1781-1788.

44　Guillaume, T., Rubinstein, D.B., Young, F., Tucker, L., Logtenberg, T., Schwartz, R.S. & Barrett, K.L. (1990) J.Immunol., 145, 1934-1945; Young, F., Tucker, L., Rubinstein, D., Guillaume, T., Andre-Schwartz, J., Barrett, K.J., Schwartz, R.S. & Logtenberg, T. (1990)

45　Harindranath, N., Goldfarb, I.S., Ikematsu, H., Burastero, S.E., Wilder, R.L., Notkins, A.L. & Casali, P. (1991) Int.Immunol., 3, 865-875.

206

SUBSTITUTE SHEET (RULE 26)

46   Hillson, J.L., Oppliger, I.R., Sasso, E.H., Milner, E.C.B. & Wener, M.H. (1992) J.Immunol., 149, 3741-3752.

47   Hirabayashi, Y., Munakata, Y., Sasaki, T. & Sano, H. (1992) Nucl.Acids Res., 20, 2601.

48   Hoch, S. & Schwaber, J. (1987) J.Immunol., 139, 1689-1693.

49   Huang, C., Stewart, A.K., Schwartz, R.S. & Stollar, B.D. (1992) J.Clin.Invest., 89, 1331-1343.

50   Hughes-Jones, N.C., Bye, J.M., Beale, D. & Coadwell, J. (1990) Biochem.J., 268, 135-140.

51   Ikematsu, H., Harindranath, N., Ueki, Y., Notkins, A.L. & Casali, P. (1993) J.Immunol., 150, 1325-1337.

52   Ikematsu, H., Kasaian, M.T., Schettino, E.W. & Casali, P. (1993) J.Immunol., 151, 3604-3616.

53   Kelly, P.J., Pascual, V., Capra, J.D. & Lipsky, P.E. (1992) J.Immunol., 148, 1294-1301.

54   Kipps, T.J. & Duffy, S.F. (1991) J.Clin.Invest., 87, 2087-2096.

55   Kipps, T.J., Tomhave, E., Pratt, L.F., Duffy, S., Chen, P.P. & Carson, D.A. (1989) Proc.Natl.Acad.Sci.Usa, 86, 5913-5917.

56   Kishimoto, T., Okajima, H., Okumoto, T. & Taniguchi, M. (1989) Nucl.Acids Res., 17, 4385.

57   Knight, G.B., Agnello, V., Bonagura, V., Barnes, J.L., Panka, D.J. & Zhang, Q.-X. (1993) J.Exp.Med., 178, 1903-1911.

58   Kohler, H., Shimizu, A., Paul, C., Moore, V. & Putnam, F.W. (1970) Nature, 227, 1318-1320; Florent, G., Lehman, D. & Putnam, F.W. (1974) Biochemistry, 13, 2482-2498

59   Komori, S., Yamasaki, N., Shigeta, M., Isojima, S. & Watanabe, T. (1988) Clin.Exp.Immunol., 71, 508-516.

60   Kon, S., Levy, S. & Levy, R. (1987) Proc.Natl.Acad.Sci.Usa, 84, 5053-5057.

61   Kratzin, H., Altevogt, P., Ruban, E., Kortt, A., Staroscik, K. & Hilschmann, N. (1975) Z.Physiol.Chem., 356, 1337-1342; Kratzin, H., Altevogt, P., Kortt, A., Ruban, E. & Hilschmann, N. (1978) Z.Physiol.Chem., 359, 1717-1745.

62   Kudo, A., Ishihara, T., Nishimura, Y. & Watanabe, T. (1985) Gene, 33, 181-189.

63   Kunicki, T.J., Annis, D.S., Gorski, J. & Nugent, D.J. (1991) J.Autoimmunity, 4, 433-446.

64   Larrick, J.W., Wallace, E.F., Coloma, M.J., Bruderer, U., Lang, A.B. & Fry, K.E. (1992) Immunological Reviews, 130, 69-85.

65   Lehman, D.W. & Putnam, F.W. (1980) Proc.Nat.Acad.Sci.Usa, 77, 3239-3243.

207

66   Lewis, A.P., Lemon, S.M., Barber, K.A., Murphy, P., Parry, N.R., Peakman, T.C., Sims, M.J., Worden, J. & Crowe, J.S. (1993) J.Immunol., 151, 2829-2838.

67   Liu, V.Y.S., Low, T.L.K., Infante, A. & Putnam, F.W. (1976) Science, 193, 1017-1020.

68   Logtenberg, T., Young, F.M., Van Es, J., Gmelig-Meyling, F.H.J., Berman, J.E. & Alt, F.W. (1989) J.Autoimmunity, 2, 203-213.

69   Logtenberg, T., Young, F.M., Van Es, J.H., Gmelig-Meyling, F.H.J. & Alt, F.W. (1989) J.Exp.Med., 170, 1347-1355.

70   Manheimer-Lory, A., Katz, J.B., Pillinger, M., Ghossein, C., Smith, A. & Diamond, B. (1991) J.Exp.Med., 174, 1639-1652.

71   Mantovani, L., Wilder, R.L. & Casali, P. (1993) J.Immunol., 151, 473-488.

72   Mariette, X., Tsapis, A. & Brouet, J.-C. (1993) Eur.J.Immunol., 23, 846-851.

73   Marks, J.D., Hoogenboom, H.R., Bonnert, T.P., Mccafferty, J., Griffiths, A.D. & Winter, G. (1991) J.Mol.Biol., 222, 581-597.

74   Meeker, T.C., Grimaldi, J., O'rourke, R., Loeb, J.Juliusson, G. & Einhorn, S. (1988) J.Immol., 141, 3994-3998.

75   Milili, M., Fougereau, M., Guglielmi, P. & Schiff, C. (1991) Mol.Immunol., 28, 753-761.

76   Moran, M.J., Andris, J.S., Matsumato, Y.-I., Capra, J.D. & Hersh, E.M. (1993) Mol.Immunol., 30, 1543-1551.

77   Mortari, F., Wang, J.-Y. & Schroeder, Jr., H.W. (1993) J.Immunol., 150, 1348-1357.

78   Newkirk, M.M., Gram, H., Heinrich, G.F., Ostberg, L., Capra, J.D. & Wasserman, R.L. (1988) J.Clin.Invest., 81, 1511-1518.

79   Newkirk, M.M., Mageed, R.A., Jefferis, R., Chen, P.P. & Capra, J.D. (1987) J.Exp.Med., 166, 550-564.

80   Nickerson, K.G., Berman, J., Glickman, E., Chess, L. & Alt, F.W. (1989) J.Exp.Med., 169, 1391-1403.

81   Olee, B.T., Lu, E.W., Huang, D.-F., Soto-Gil, R.W., Deftos, M., Kozin, F., Carson, D.A. & Chen, P.P. (1992) J.Exp.Med., 175, 831-842.

82   Pascual, V., Randen, I., Thompson, K., Sioud, M.Forre, O., Natvig, J. & Capra, J.D. (1990) J.Clin.Invest., 86, 1320-1328.

83   Pascual, V., Randen, I., Thompson, K., Sioud, M.Forre, O., Natvig, J. & Capra, J.D. (1990) J.Clin.Invest., 86, 1320-1328; Randen, I., Brown, D., Thompson, K.M., Hughes-Jones, N., Pascual, V., Victor, K., Capra, J.D., Forre, O. & Natvig, J.B. (1992)

SUBSTITUTE SHEET (RULE 26)

84   Pascual, V., Victor, K., Lelsz, D., Spellerberg, M.B., Hamblin, T.J., Thompson, K.M., Randen, I., Natvig, J., Capra, J.D. & Stevenson, F.K. (1991) J.Immunol., 146, 4385-4391.

85   Pascual, V., Victor, K., Randen, I., Thompson, K., Steinitz, M., Forre, O., Fu, S.-M., Natvig, J.B. & Capra, J.D. (1992) Scand.J.Immunol., 36, 349-362.

86   Pascual, V., Victor, K., Spellerberg, M., Hamblin, T.J., Stevenson, F.K. & Capra, J.D. (1992) J.Immunol., 149, 2337-2344.

87   Ponstingl, H., Schwarz, J., Reichel, W. & Hilschmann, N. (1970) Z.Physiol.Chem., 351, 1591-1594.; Ponstingl, H. & Hilschmann, N. (1976) Z.Physiol.Chem., 357, 1571-1604.

88   Portolano, S., Mclachlan, S.M. & Rapoport, B. (1993) J.Immunol., 151, 2839-2851.

89   Portolano, S., Seto, P., Chazenbalk, G.D., Nagayama, Y., Mclachlan, S.M. & Rapoport, B. (1991) Biochem.Biophys.Res.Commun., 179, 372-377.

90   Pratt, L.F., Szubin, R., Carson, D.A. & Kipps, T.J. (1991) J.Immunol., 147, 2041-2046.

91   Press, E.M. & Hogg, N.M. (1970) Biochem.J., 117, 641-660.

92   Putnam, F.W., Shimizu, A., Paul., C., Shinoda, T. & Kohler, H. (1971) Ann.N.Y.Acad.Sci., 190, 83-103.

93   Putnam, F.W., Takahashi, N., Tetaert, D., Debuire, B. & Lin, L.C. (1981) Proc.Nat.Acad.Sci.Usa, 78, 6168-6172.;Takahashi, N., Tetaert, D., Debuire, B., Lin, L & Putnam, F.W. (1982) Proc.Nat.Acad.Sci.Usa, 79, 2850-2854.

94   Raaphorst, F.M., Timmers, E., Kenter, M.J.H., Van Tol, M.J.D., Vossen, J.M. & Schuurman, R.K.B. (1992) Eur.J.Immunol., 22, 247-251.

95   Rabbitts, T.H., Bentley, D.L., Dunnick, W., Forster, A., Matthyssens, G. & Milstein, C. (1980) Cold Spring Harb.Symp.Quanti.Biol., 45, 867-878; Matthyssens, G. & Rabbitts, T.H. (1980) Proc.Nat.Acad.Sci.Usa, 77, 6561-6565.

96   Randen, I., Pascual, V., Victor, K., Thompson, K.M., Forre, O., Capra, J.D. & Natvig, J.B. (1993) Eur.J.Immunol., 23, 1220-1225.

97   Rassenti, L.Z. & Kipps, T.J. (1993) J.Exp.Med., 177, 1039-1046.

98   Reidl, L.S., Friedman, D.F., Goldman, J., Hardy, R.R., Jefferies, L.C. & Silberstein, L.E. (1991) J.Immunol., 147, 3623-3631.

99   Roudier, J., Silverman, G.J., Chen, P.P., Carson, D.A. & Kipps, T.J. (1990) J.Immunol., 144, 1526-1530.

100   Sanz, I., Casali, P., Thomas, J.W., Notkins, A.L. & Capra, J.D. (1989) J.Immunol., 142, 4054-4061.

209

SUBSTITUTE SHEET (RULE 26)

101   Sanz, I., Dang, H., Takei, M., Talal, N. & Capra, J.D. (1989) J.Immunol., 142, 883-887.

102   Schmidt, W.E., Jung, H-.D., Palm, W. & Hilschmann, N. (1983) Z.Physiol.Chem., 364, 713-747.

103   Schroeder, H.W., Jr. & Wang, J.Y. (1990) Proc.Natl.Acad.Sci.Usa, 87, 6146-6150.

104. Schroeder, H.W., Jr., Hillson, J.L. & Perlmutter, R.M. (1987) Science, 238, 791-793.

105   Schroeder, H.W., Jr., Hillson, J.L. & Perlmutter, R.M. (1987) Science, 238, 791-793; Chen, P.P., Liu, M.-F., Glass, C.A., Sinha, S., Kipps, T.J. & Carson, D.A. (1989) Arthritis & Rheumatism, 32, 72-76.

106   Schroeder, H.W., Jr., Hillson, J.L. & Perlmutter, R.M. (1987) Science, 238, 791-793; Chen, P.P., Liu, M.-F., Sinha, S. & Carson, D.A. (1988) Arth.Rheum., 31, 1429-1431.

107   Schutte, M.E., Ebeling, S.B., Akkermans, K.E., Gmelig-Meyling, F.H. & Logtenberg, T. (1991) Eur.J.Immunol., 21, 1115-1121.

108   Schutte, M.E., Ebeling, S.B., Akkermans, K.E., Gmelig-Meyling, F.H.J. & Logtenberg, T. (1991) Eur.J.Immunol., 21, 1115-1121.

109   Settmacher, U., Jahn, S., Siegel, P., Von Baehr, R. & Hansen, A. (1993) Mol.Immunol., 30, 953-954.

110   Shen, A., Humphries, C., Tucker, P. & Blattner, F. (1987) Proc.Natl.Acad.Sci.Usa, 84, 8563-8567.

111   Shimizu, A., Nussenzweig, M.C., Mizuta, T.-R., Leder, P. & Honjo, T. (1989) Proc.Natl.Acad.Sci.Usa, 86, 8020-8023.

112   Shin, E.K., Matsuda, F., Fujikura, J., Akamizu, T., Sugawa, H., Mori, T. & Honjo, T. (1993) Eur.J.Immunol., 23, 2365-2367.

113   Silberstein, L.E., Litwin, S. & Carmack, C.E. (1989) J.Exp.Med., 169, 1631-1643.

114   Singal, D.P., Frame, B., Joseph, S., Blajchman, M.A. & Leber, B.F. (1993) Immunogenet., 38, 242.

115   Spatz, L.A., Wong, K.K., Williams, M., Desai, R., Golier, J., Berman, J.E., Alt, F.W. & Latov, N. (1990) J.Immunol., 144, 2821-2828.

116   Steiner, L.A., Garcia-Pardo, A. & Margolies, M.N. (1979) Biochemistry, 18, 4068-4080.

117   Stewart, A.K., Huang, C., Stollar, B.D. & Schwartz, R.S. (1993) J.Exp.Med., 177, 409-418.

118   Thomas, J.W. (1993) J.Immunol., 150, 1375-1382.

119   Torano, A. & Putnam, F.W. (1978) Proc.Nat.Acad.Sci.Usa, 75, 966-969.

SUBSTITUTE SHEET (RULE 26)

120 Van Der Heijden, R.W.J., Bunschoten, H., Pascual, V., Uytdehaag, F.G.C.M., Osterhaus, A.D.M.E. & Capra, J.D. (1990) J.Immunol., 144, 2835-2839.

121 Van Der Stoep, N., Van Der Linden, J. & Logtenberg, T. (1993) J.Exp.Med., 177, 99-107.

122 Van Es, J.H., Gmelig-Meyling, F.H.J. & Logtenberg, T. (1992) Eur.J.Immunol., 22, 2761-2764.

123 Varade, W.S., Marin, E., Kittelberger, A.M. & Insel, R.A. (1993) J.Immunol., 150, 4985-4995.

124 Victor, K.D., Pascual, V., Lefvert, A.K. & Capra, J.D. (1992) Mol.Immunol., 29, 1501-1506.

125 Victor, K.D., Pascual, V., Williams, C.L., Lennon, V.A. & Capra, J.D. (1992) Eur.J.Immunol., 22, 2231-2236.

126 Watanabe, S., Barnikol, H.U., Horn, J., Bertram, J. & Hilschmann, N. (1973) Z.Physiol.Chem., 354, 1505-1509.

127 Weng, N.-P., Yu-Lee, L.-Y., Sanz, I., Patten, B.M. & Marcus, D.M. (1992) J.Immunol., 149, 2518-2529.

128 White, M.B., Word, C.J., Humphries, C.G., Blattner, F.R. & Tucker, P.W. (1990) Mol.Cell.Biol., 10, 3690-3699.

129 Winkler, T.H., Fehr, H. & Kalden, J.R. (1992) Eur.J.Immunol., 22, 1719-1728.

130 Yago, K., Zenita, K., Ohwaki, I., Harada, Y., Nozawa, S., Tsukazaki, K., Iwamori, M., Endo, N., Yasuda, N., Okuma, M. & Kannagi, R. (1993) Mol.Immunol., 30, 1481-1489.

131 Zelenetz, A.D., Chen, T.T. & Levy, R. (1992) J.Exp.Med., 176, 1137-1148.

B.   References of germline sequences

References of human germline kappa sequences

1   Cox, J.P.L., Tomlinson, I.M. & Winter, G. (1994) Eur.J.Immunol., 24, 827-836.

2   Huber, C., Et Al. (1993) Eur.J.Immunol., 23, 2868.

3   Klobeck, H.G., Bornkammm, G.W., Combriato, G., Mocikat, R., Pohlenz, H.D. & Zachau, H.G. (1985) Nucl.Acids Res., 13, 6515-6529.

4   Lautner-Rieske, A., Huber, C., Meindl, A., Pargent, W., Schäble, K.F., Thiebe, R., Zocher, I. & Zachau, H.G. (1992) Eur.J.Immunol. 22, 1023.

5   Lorenz, W., Schäble, K.F., Thiebe, R., Stavnezer, J. & Zachau, H.G. (1988) Mol.Immunol., 25, 479.

SUBSTITUTE SHEET (RULE 26)

6　Pargent, W., Meindl, A., Thiebe, R., Mitzel, S. & Zachau, H.G. (1991) Eur.J.Immunol., 21, 1821-1827.

7　Pech, M. & Zachau, H.G. (1984) Nuc.Acids Res., 12, 9229-9236.

8　Pech, M., Jaenichen, H.-R., Pohlenz, H.-D., Neumaier, P.S., Klobeck, H.-G. & Zachau, H.G. (1984) J.Mol.Biol., 176, 189-204.

9　Scott, M.G., Crimmins, D.L., Mccourt, D.W., Chung, G., Schable, K.F., Thiebe, R., Quenzel, E.-M., Zachau, H.G. & Nahm, M.H. (1991) J.Immunol., 147, 4007-4013.

10　Stavnezer, J., Kekish, O., Batter, D., Grenier, J., Balazs, I., Henderson, E. & Zegers, B.J.M. (1985) Nucl.Acids Res., 13, 3495-3514.

11　Straubinger, B., Huber, E., Lorenz, W., Osterholzer, E., Pargent, W., Pech, M., Pohlenz, H.-D., Zimmer, F.-J. & Zachau, H.G. (1988) J.Mol.Biol., 199, 23-34.

12　Straubinger, B., Thiebe, R., Huber, C., Osterholzer, E. & Zachau, H.G. (1988) Biol.Chem.Hoppe-Seyer, 369, 601-607.

References of human germline lambda sequences

1　Williams, S.C. & Winter, G. (1993) Eur.J.Immunol., 23, 1456-1461.

2　Siminovitch, K.A., Misener, V., Kwong, P.C., Song, Q.-L. & Chen, P.P. (1989) J.Clin.Invest., 84, 1675-1678.

3　Brockly, F., Alexandre, D., Chuchana, P., Huck, S., Lefranc, G. & Lefranc, M.-P. (1989) Nuc.Acids.Res., 17, 3976.

4　Daley, M.D., Peng, H.-Q., Misener, V., Liu, X.-Y., Chen, P.P. & Siminovitch, K.A. (1992) Mol.Immunol., 29, 1515-1518.

5　Deftos, M., Soto-Gil, R., Quan, M., Olee, T. & Chen, P.P. (1994) Scand. J. Immunol., 39, 95.

6　Stiernholm, N.B.J., Kuzniar, B. & Berinstein, N.L. (1994) J. Immunol., 152, 4969-4975.

7　Combriato, G. & Klobeck, H.G. (1991) Eur.J.Immunol., 21, 1513-1522.

8　Anderson, M.L.M., Szajnert, M.F., Kaplan, J.C., Mccoll, L. & Young, B.D. (1984) Nuc.Acids Res., 12, 6647-6661.

References of human germline heavy chain sequences

1　Adderson, E.E., Azmi, F.H., Wilson, P.M., Shackelford, P.G. & Carroll, W.L. (1993) J.Immunol., 151, 800-809.

2　Andris, J.S., Brodeur, B.R. & Capra, J.D. (1993) Mol.Immunol., 30, 1601-1616.

SUBSTITUTE SHEET (RULE 26)

3   Berman, J.E., Mellis, SJ., Pollock, R., Smith, C.L., Suh, H., Heinke, B., Kowal, C., Surti, U., Chess, L., Cantor, C.R & Alt, F.W. (1988) Embo J., 7, 727-738.

4   Buluwela, L. & Rabbitts, T.H. (1988) Eur.J.Immunol., 18, 1843-1845.; Buluwela, L., Albertson, D.G., Sherrington, P., Rabbitts, P.H., Spurr, N. & Rabbitts, T.H. (1988) Embo J., 7, 2003-2010.

5   Chen, P.P., Liu, M.-F., Sinha, S. & Carson, D.A. (1988) Arth.Rheum., 31, 1429-1431.

6   Chen, P.P., Liu, M.-F., Glass, C.A., Sinha, S., Kipps, T.J. & Carson, D.A. (1989) Arthritis & Rheumatism, 32, 72-76.

7   Cook, G.P. et al. (1994) Nature Genetics 7, 162-168.

8   Haino, M. et al., (1994). J. Biol. Chem. 269, 2619-2626

9   Humphries, C.G., Shen, A., Kuziel, W.A., Capra, J.D., Blattner, F.R. & Tucker, P.W. (1988) Nature, 331, 446-449.

10 Kodaira, M., Kinashi, T., Umemura, I., Matsuda, F., Noma, T., Ono, Y. & Honjo, T. (1986) J.Mol.Biol., 190, 529-541.

11 Lee, K.H., Matsuda, F., Kinashi, T., Kodaira, M. & Honjo, T. (1987) J.Mol.Biol., 195, 761-768.

12 Matsuda, F., Lee, K.H., Nakai, S., Sato, T., Kodaira, M., Zong, S.Q., Ohno, H., Fukuhara, S. & Honjo, T. (1988) Embo J., 7, 1047-1051.

13 Matsuda, F., Shin, E.K., Hirabayashi, Y., Nagaoka, H., Yoshida, M.C., Zong, S.Q. & Honjo, T. (1990) Embo J., 9, 2501-2506.

14 Matsuda, F., Shin, E.K., Nagaoka, H., Matsumura, R., Haino, M., Fukita, Y., Taka-Ishi, S., Imai, T., Riley, J.H., Anand, R. Et, Al. (1993) Nature Genet. 3, 88-94

15 Nagaoka, H., Ozawa, K., Matsuda, F., Hayashida, H., Matsumura, R., Haino, M., Shin, E.K., Fukita, Y., Imai, T., Anand, R., Yokoyama, K., Eki, T., Soeda, E. & Honjo, T. (1993). (Temporal)

16 Rechavi, G., Bienz, B., Ram, D., Ben-Neriah, Y., Cohen, J.B., Zakut, R. & Givol, D. (1982) Proc.Nat.Acad.Sci.Usa, 79, 4405-4409.

17 Sanz, I., Kelly, P., Williams, C., Scholl, S., Tucker, P. & Capra, J.D. (1989) Embo J., 8, 3741-3748.

18 Shin, E.K., Matsuda, F., Fujikura, J., Akamizu, T., Sugawa, H., Mori, T. & Honjo, T. (1993) Eur.J.Immunol., 23, 2365-2367.

19 Tomlinson, Im., Walter, G., Marks, Jd., Llewelyn, Mb. & Winter. G. (1992) J.Mol.Biol. 227, 776-798.

2/3

20   Van Der Maarel, S., Van Dijk, K.W., Alexander, C.M., Sasso, E.H., Bull, A. & Milner, E.C.B. (1993) J.Immunol., 150, 2858-2868.

21   Van Dijk, K.W., Mortari, F., Kirkham, P.M., Schroeder, Jr., H.W. & Milner, E.C.B. (1993) Eur.J.Immunol., 23, 832-839.

22   Van Es, J.H., Aanstoot, H., Gmelig-Meyling, F.H.J., Derksen, R.H.W.M. & Logtenberg, T. (1992) J.Immunol., 149, 2234-2240.

23   Weng, N.-P., Snyder, J.G., Yu-Lee, L.-Y. & Marcus, D.M. (1992) Eur.J.Immunol., 22, 1075-1082.

24   Winkler, T.H., Fehr, H. & Kalden, J.R. (1992) Eur.J.Immunol., 22, 1719-1728.

25   Olee, T., Yang, P.M., Siminovitch, K.A., Olsen, N.J., Hillson, J.L., Wu, J., Kozin, F., Carson, D.A.&Chen, P.P. (1991) J. Clin. Invest. 88, 193-203.

26   Chen, P.P.& Yang, P.M. (1990) Scand. J. Immunol. 31, 593-599.

27   Tomlinson, M., Walter, G., Cook&Winter, G. (Unpublished)

2/4

SUBSTITUTE SHEET (RULE 26)

Claims

1.   A method of setting up one or more nucleic acid sequences encoding one or more (poly)peptide sequences suitable for the creation of libraries of (poly)peptides said (poly)peptide sequences comprising amino acid consensus sequences, said method comprising the following steps:

     (a)   deducing from a collection of at least three homologous proteins one or more (poly)peptide sequences comprising at least one amino acid consensus sequence;

     (b)   optionally, identifying amino acids in said (poly)peptide sequences to be modified so as to remove unfavorable interactions between amino acids within or between said or other (poly)peptide sequences;

     (c)   identifying at least one structural sub-element within each of said (poly)peptide sequences;

     (d)   backtranslating each of said (poly)peptide sequences into a corresponding coding nucleic acid sequence;

     (e)   setting up cleavage sites in regions adjacent to or between the ends of sub-sequences encoding said sub-elements, each of said cleavage sites:

          (ea) being unique within each of said coding nucleic acid sequences;

          (eb) being common to the corresponding sub-sequences of any said coding nucleic acids.

2.   A method of setting up two or more sets of one or more nucleic acid sequences comprising executing the steps described in claim 1 for each of said sets with the additional provision that said cleavage sites are unique between said sets.

3.   The method of claim 2 in which at least two of said sets are deduced from the same collection of at least three homologous proteins.

4.   The method according to any one of claims 1 to 3, wherein said setting up further comprises the synthesis of said nucleic acid coding sequences.

5.   The method according to any one of claims 1 to 4, further comprising the cloning of said nucleic acid coding sequences into a vector.

215

SUBSTITUTE SHEET (RULE 26)

6. The method according to any one of claims 1 to 5, wherein said removal of unfavorable interactions results in enhanced expression of said (poly)peptides.

7. The method according to any one of claims 1 to 6, further comprising the steps of:

   (f) cleaving at least two of said cleavage sites located in regions adjacent to or between the ends of said sub-sequences; and

   (g) exchanging said sub-sequences by different sequences; and

   (h) optionally, repeating steps (f) and (g) one or more times.

8. The method according to claim 7, wherein said different sequences are selected from the group of different sub-sequences encoding the same or different sub-elements derived from the same or different (poly)peptides.

9. The method according to claims 7 or 8, wherein said different sequences are selected from the group of:

   (i) genomic sequences or sequences derived from genomic sequences;

   (ii) rearranged genomic sequences or sequences derived from rearranged genomic sequences; and

   (iii) random sequences.

10. The method according to any one of claims 1 to 9 further comprising the expression of said nucleic acid coding sequences.

11. The method according to any one of claims 1 to 10 further comprising the steps of:

   (i) screening, after expression, the resultant (poly)peptides for a desired property;

   (k) optionally, repeating steps (f) to (i) one or more times with nucleic acid sequences encoding one or more (poly)peptides obtained in step (i).

12. The method according to claim 11, wherein said desired property is selected from the group of optimized affinity or specificity for a target molecule, optimized enzymatic activity, optimized expression yields, optimized stability and optimized solubility.

2/6

SUBSTITUTE SHEET (RULE 26)

13. The method according to any one of claims 1 to 12, wherein said cleavage sites are sites cleaved by restriction enzymes.

14. The method according to any one of claims 1 to 13, wherein said structural sub-elements comprise between 1 and 150 amino acids.

15. The method according to claim 14, wherein said structural sub-elements comprise between 3 and 25 amino acids.

16. The method according to any one of claims 1 to 15, wherein said nucleic acid is DNA.

17. The method according to any one of claims 1 to 16, wherein said (poly)peptides have an amino acid pattern characteristic of a particular species.

18. The method according to claim 17, wherein said species is human.

19. The method according to any one of claims 1 to 18, wherein said (poly)peptides are at least part of members or derivatives of the immunoglobulin superfamily.

20. The method according to claim 19, wherein said members or derivatives of the immunoglobulin superfamily are members or derivatives of the immunoglobulin family.

21. The method according to claim 19 or 20, wherein said (poly)peptides are or are derived from heavy or light chain variable regions wherein said structural sub-elements are framework regions (FR) 1, 2, 3, or 4 or complementary determining regions (CDR) 1, 2, or 3.

22. The method according to claim 20 or 21, wherein said (poly)peptides are or are derived from the HuCAL consensus genes:
Vκ1, Vκ2, Vκ3, Vκ4, Vλ1, Vλ2, Vλ3, VH1A, VH1B, VH2, VH3, VH4, VH5, VH6, Cκ, Cλ, CH1 or any combination of said HuCAL consensus genes.

23. The method according to any one of claims 20 to 22, wherein said derivative of said immunoglobulin family or said combination is an Fv, disulphide-linked Fv, single-chain Fv (scFv), or Fab fragment.

2/7

SUBSTITUTE SHEET (RULE 26)

24. The method according to claims 22 to 23, wherein said derivative is an scFv fragment comprising the combination of HuCAL VH3 and HuCAL Vλ2 consensus genes that comprises a random sub-sequence encoding the heavy chain CDR3 sub-element.

25. The method according to any one of claims 1 to 24, wherein at least part of said (poly)peptide sequences or (poly)peptides is connected to a sequence encoding at least one additional moiety or to at least one additional moiety, respectively.

26. The method according to claim 25, wherein said connection is formed via a contiguous nucleic acid sequence or amino acid sequence, respectively.

27. The method according to claims 25 to 26, wherein said additional moiety is a toxin, a cytokine, a reporter enzyme, a moiety being capable of binding a metal ion, a peptide, a tag suitable for detection and/or purification, or a homo- or hetero-association domain.

28. The method according to any one of claims 10 to 27, wherein the expression of said nucleic acid sequences results in the generation of a repertoire of biological activities and/or specificities, preferably in the generation of a repertoire based on a universal framework.

29. A nucleic acid sequence obtainable by the method according to any of claims 1 to 28.

30. A collection of nucleic acid sequences obtainable by the method according to any of claims 1 to 28.

31. A recombinant vector obtainable by the method according to any of claims 5 to 28.

32. A collection of recombinant vectors obtainable by the method according to any of claims 5 to 30.

33. A host cell transformed with the recombinant vector according to claim 31.

SUBSTITUTE SHEET (RULE 26)

34. A collection of host cells transformed with the collection of recombinant vectors according to claim 32.

35. A method of producing a (poly)peptide or a collection of (poly)peptides as defined in any of claims 1 to 28 comprising culturing the host cell according to claim 33 or the collection of host cells according to claim 34 under suitable conditions and isolating said (poly)peptide or said collection of (poly)peptides.

36. A (poly)peptide devisable by the method according to any one of claims 1 to 3, encoded by the nucleic acid sequence according to claim 29 or obtainable by the method according to any one of claims 4 to 28 or 35.

37. A collection of (poly)peptides devisable by the method according to any one of claims 1 to 3, encoded by the collection of nucleic acid sequences according to claim 30 or obtainable by the method according to any one of claims 4 to 28 or 35.

38. A vector suitable for use in the method according to any of claims 5 to 28 and 35 characterized in that said vector is essentially devoid of any cleavage site as defined in claim 1(e) and 2.

39. The vector according to claim 38 which is an expression vector.

40. A kit comprising at least one of:
    (a) a nucleic acid sequence according to claim 29;
    (b) a collection of nucleic acid sequences according to claim 30;
    (c) a recombinant vector according to claim 31;
    (d) a collection of recombinant vectors according to claim 32;
    (e) a (poly)peptide according to claim 36;
    (f) a collection of (poly)peptides according to claim 37;
    (g) a vector according to claim 38 or 39; and optionally,

    (h) a suitable host cell for carrying out the method according to claim 35.

41. A method of designing two or more genes encoding a collection of two or more proteins, comprising the steps of:

2/9

SUBSTITUTE SHEET (RULE 26)

(a)   either

    (aa)   identifying two or more homologous gene sequences, or

    (ab)   analyzing at least three homologous genes, and

           deducing two or more consensus gene sequences therefrom,

(b)   optionally, modifying codons in said consensus gene sequences to remove unfavourable interactions between amino acids in the resulting proteins,

(c)   identifying sub-sequences which encode structural sub-elements in said consensus gene sequences

(d)   modifying one or more bases in regions adjacent to or between the ends of said sub-sequences to define one or more cleavage sites, each of which:

    (da)   are unique within each consensus gene sequence,

    (db)   do not form compatible sites with respect to any single sub-sequence,

    (dc)   are common to all homologous sub-sequences.

42. A method of preparing two or more genes encoding a collection of two or more proteins, comprising the steps of :

(a)   designing said genes according to claim 41, and

(b)   synthesizing said genes.

43. A collection of genes prepared according to the method of claim 42.

44. A collection of two or more genes derived from gene sequences which:

(a)   are either homologous, or represent consensus gene sequences derived from at least three homologous genes, and

220

SUBSTITUTE SHEET (RULE 26)

(b)   carry cleavage sites, each of which:

    (ba)   lie at or adjacent to the ends of genetic sub-sequences which encode structural sub-elements,

    (bb)   are unique within each gene sequence,

    (bc)   do not form compatible sites with respect to any single sub-sequence, and

    (bd)   are common to all homologous sub-sequences.

45.   The collection of genes according to either of claims 43 or 44 in which each of said gene sequences has a nucleotide composition characteristic of a particular species.

46.   The collection of genes according to claim 45 in which said species is human.

47.   The collection of genes according to any of claims 43 to 46 in which one or more of said gene sequences encodes at least part of a member of the immunoglobulin superfamily, preferably of the immunoglobulin family.

48.   The collection of genes according to claim 47 in which said structural sub-elements correspond to any combination of framework regions 1, 2, 3, and 4, and/or CDR regions 1, 2, and 3 of antibody heavy chains.

49.   The collection of genes according to claim 47 in which said structural sub-elements correspond to any combination of framework regions 1, 2, 3, and 4, and/or CDR regions 1, 2, and 3 of antibody light chains.

50.   A collection of vectors comprising a collection of gene sequences according to any of claims 43 to 49.

22/

51. The collection of vectors according to claim 50 comprising the additional feature that the vector does not comprise any cleavage site that is contained in the collection of genes according to any of claims 43 to 49.

52. A method for identifying one or more genes encoding one or more proteins having a desirable property, comprising the steps of:

   (a)   expressing from the collection of vectors according to either of claims 50 or 51 a collection of proteins.

   (b)   screening said collection to isolate one or more proteins having a desired property,

   (c)   identifying the genes encoding the proteins isolated in step (b),

   (d)   optionally, excising from the genes encoding the proteins isolated in step (b) one or more genetic sub-sequences encoding structural sub-elements, and replacing said sub-sequence(s) by one or more second sub-sequences encoding structural sub-elements, to generate new vectors according to either of claims 50 or 51,

   (e)   optionally, repeating steps (a) to (c).

53. A method for identifying one or more genes encoding one or more antibody fragments which binds to a target, comprising the steps of:

   (a)   expressing from the collection of vectors according to either of claims 50 or 51 a collection of proteins,

   (b)   screening said collection to isolate one or more antibody fragments which bind to said target,

   (c)   identifying the genes encoding the proteins isolated in step (b),

   (d)   optionally, excising from the genes encoding the antibody fragments isolated in step (b) one or more genetic sub-sequences encoding structural sub-elements, and replacing said sub-sequence(s) by one or

222

SUBSTITUTE SHEET (RULE 26)

more second sub-sequences encoding structural sub-generate new vectors according to either of claims 50 or 51,

(e)   optionally, repeating steps (a) to (c).

54.   A kit comprising two or more genes derived from gene sequences which:

(a)   are either homologous, or represent consensus gene sequences derived from at least three homologous genes, and

(b)   carry cleavage sites, each of which:

(ba)   lie at or adjacent to the ends of genetic sub-sequences which encode structural sub-elements,

(bb)   are unique within each gene sequence,

(bc)   do not form compatible sites with respect to any single sub-sequence, and

(bd)   are common to all homologous sub-sequences.

55.   A kit comprising two or more genetic sub-sequences which encode structural sub-elements, which can be assembled to form genes, and which carry cleavage sites, each of which:

(a)   lie at or adjacent to the ends of said genetic sub-sequences,

(b)   do not form compatible sites with respect to any single sub-sequence, and

(d)   are common to all homologous sub-sequences.

SUBSTITUTE SHEET (RULE 26)

Figure 1: construction of a synthetic human antibody library based on consensus sequences

```
        ┌─────────────────────────┐
        │   Database of human     │
        │   Ig gene segments      │
        └───────────┬─────────────┘
                    │
                    ▼
        ┌─────────────────────────┐
        │  Translation in amino   │
        │   acid sequences        │
        └───────────┬─────────────┘
                    │
                    ▼
        ┌─────────────────────────┐
        │     Alignment of        │
        │   protein sequences     │
        └───────────┬─────────────┘
           ┌────────┴────────┐
           ▼                 ▼
  ┌──────────────┐    ┌──────────────┐
  │   Germline   │    │  Rearranged  │
  │   sequences  │    │   sequences  │
  └──────┬───────┘    └──────┬───────┘
         │                   │
         ▼                   ▼
  ┌──────────────┐    ┌──────────────────┐
  │ Assignment to│    │  Computation of  │
  │   families   │    │germline counterpart│
  └──────┬───────┘    └──────┬───────────┘
         ▼                   │
  ┌──────────────┐◄──────────┘
  │ Database of used│──►┌──────────────┐
  │germline families│   │ Assignment to│
  └──────┬───────┘      │   families   │
         ▼              └──────┬───────┘
  ┌──────────────┐             ▼
  │  Analysis of │──►┌──────────────────┐
  │canonical structures│ │ Computation of │
  └──────────────┘   │consensus sequences│
                     └──────┬───────────┘
  ┌──────────────────┐      │
  │Structural Analysis├──►   │
  └──────────────────┘      │
  ┌──────────────────┐      │
  │  Design of CDRs  ├──►   │
  └──────────────────┘      │
  ┌──────────────────┐      │
  │   Gene Design    ├──►   │
  └──────────────────┘      ▼
              ┌─────────────────────────┐
              │ Synthetic combinatorial │
              │   antibody library      │
              └─────────────────────────┘
```

Figure 2A: VL kappa consensus sequences

	framework 1																								CDRI		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25 26 27	A B C
Vκ1	D	I	Q	M	T	Q	S	P	S	S	L	S	A	S	V	G	D	R	V	T	I	T	C	R	A S Q	- - -
Vκ2	D	I	V	M	T	Q	S	P	L	S	L	P	V	T	P	G	E	P	A	S	I	S	C	R	S S Q	S L L
Vκ3	D	I	V	L	T	Q	S	P	A	T	L	S	L	S	P	G	E	R	A	T	L	S	C	R	A S Q	S - -
Vκ4	D	I	V	M	T	Q	S	P	D	S	L	A	V	S	L	G	E	R	A	T	I	N	C	R	S S Q	S V L

	CDRI						framework 2														CDRII				
	D E F	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 51 52 53 54
Vκ1	- -	G	I	S	S	Y	L	A	W	Y	Q	Q	K	P	G	K	A	P	K	L	L	I	Y	A A S S L
Vκ2	H S	-	N	G	Y	N	Y	L	D	W	Y	L	Q	K	P	G	Q	S	P	Q	L	L	I	Y L G S N R
Vκ3	- -	-	V	S	S	S	Y	L	A	W	Y	Q	Q	K	P	G	Q	A	P	R	L	L	I	Y G A S S R
Vκ4	Y S	S	N	N	K	N	Y	L	A	W	Y	Q	Q	K	P	G	Q	P	P	K	L	L	I	Y W A S T R

Figure 2A: VL kappa consensus sequences

		55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84
	CDRII									framework 3																					
Vĸ1		Q	S	G	V	P	S	R	F	S	G	S	G	S	G	T	D	F	T	L	T	I	S	S	L	Q	P	E	D	F	A
Vĸ2		A	S	G	V	P	D	R	F	S	G	S	G	S	G	T	D	F	T	L	K	I	S	R	V	E	A	E	D	V	G
Vĸ3		A	T	G	V	P	A	R	F	S	G	S	G	S	G	T	D	F	T	L	T	I	S	S	L	E	P	E	D	F	A
Vĸ4		E	S	G	V	P	D	R	F	S	G	S	G	S	G	T	D	F	T	L	T	I	S	S	L	Q	A	E	D	V	A

		85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109
	framework 3 → CDRIII → framework 4																									
Vĸ1		T	Y	Y	C	Q	Q	H	Y	T	T	P	P	T	F	G	Q	G	T	K	V	E	I	K	R	T
Vĸ2		V	Y	Y	C	Q	Q	H	Y	T	T	P	P	T	F	G	Q	G	T	K	V	E	I	K	R	T
Vĸ3		V	Y	Y	C	Q	Q	H	Y	T	T	P	P	T	F	G	Q	G	T	K	V	E	I	K	R	T
Vĸ4		V	Y	Y	C	Q	Q	H	Y	T	T	P	P	T	F	G	Q	G	T	K	V	E	I	K	R	T

Figure 2B: VL lambda consensus sequences

	framework 1	CDRI
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	24 25 26 27 28
VΛ1	Q S V L T Q P P S - V S G A P G Q R V T I S C S G S S N I
VΛ2	Q S A L T Q P A S - V S G S P G Q S I T I S C T G T S S D V
VΛ3	S Y E L T Q P P S - V S V A P G Q T A R I S C S G D A - - L

CDRI	framework 2	CDR II
29 30 31 32 33 34	35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53	54 55 56 57
VΛ1	G S N - Y V S W Y Q Q L P G T A P K L L I Y D N N Q R P S G
VΛ2	G G Y N Y V S W Y Q Q H P G K A P K L M I Y D V S N R P S G
VΛ3	G D K - Y A S W Y Q Q K P G Q A P V L V I Y D D S D R P S G

Figure 2B: VL lambda consensus sequences

framework 3

	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87
Vλ1	V	P	D	R	F	S	G	S	K	S	G	T	S	A	S	L	A	I	T	G	L	Q	S	E	D	E	A	D	Y	Y
Vλ2	V	S	N	R	F	S	G	S	K	S	G	N	T	A	S	L	T	I	S	G	L	Q	A	E	D	E	A	D	Y	Y
Vλ3	I	P	E	R	F	S	G	S	N	S	G	N	T	A	T	L	T	I	S	G	T	Q	A	E	D	E	A	D	Y	Y

framework 4

		88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	A	107
	CDRIII																					
Vλ1		C	Q	Q	H	Y	T	T	P	P	V	F	G	G	G	T	K	L	T	V	L	G
Vλ2		C	Q	Q	H	Y	T	T	P	P	V	F	G	G	G	T	K	L	T	V	L	G
Vλ3		C	Q	Q	H	Y	T	T	P	P	V	F	G	G	G	T	K	L	T	V	L	G

Figure 2C: V heavy chain consensus sequences

framework 1

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
VH1A	Q	V	Q	L	V	Q	S	G	A	E	V	K	K	P	G	S	S	V	K	V	S	C	K	A	S	G	G	T	F	S
VH1B	Q	V	Q	L	V	Q	S	G	A	E	V	K	K	P	G	A	S	V	K	V	S	C	K	A	S	G	Y	T	F	T
VH2	Q	V	Q	L	K	E	S	G	P	A	L	V	K	P	T	Q	T	L	T	L	T	C	T	F	S	G	F	S	L	S
VH3	E	V	Q	L	V	E	S	G	G	G	L	V	Q	P	G	G	S	L	R	L	S	C	A	A	S	G	F	T	F	S
VH4	Q	V	Q	L	Q	E	S	G	P	G	L	V	K	P	S	E	T	L	S	L	T	C	T	V	S	G	G	S	I	S
VH5	E	V	Q	L	V	Q	S	G	A	E	V	K	K	P	G	E	S	L	K	I	S	C	K	G	S	G	Y	S	F	T
VH6	Q	V	Q	L	Q	Q	S	G	P	G	L	V	K	P	S	Q	T	L	S	L	T	C	A	I	S	G	D	S	V	S

CDRI — framework 2 — CDRII

	31A	31B	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	52A	52B	52C	53	54	55	56	57
VH1A	S	-	-	Y	A	I	S	W	V	R	Q	A	P	G	Q	G	L	E	W	M	G	G	I	I	P	-	I	F	G	T	A
VH1B	S	-	-	Y	Y	M	H	W	V	R	Q	A	P	G	Q	G	L	E	W	M	G	W	I	N	P	-	N	S	G	G	T
VH2	T	S	G	V	G	W	I	R	Q	P	P	G	K	A	L	E	W	L	A	L	I	D	-	-	W	D	D	D	K
VH3	S	-	-	Y	A	M	S	W	V	R	Q	A	P	G	K	G	L	E	W	V	S	A	I	S	G	-	S	G	G	S	T
VH4	S	-	-	Y	Y	W	S	W	I	R	Q	P	P	G	K	G	L	E	W	I	G	Y	I	Y	-	-	Y	S	G	S	T
VH5	S	-	-	Y	W	I	G	W	V	R	Q	M	P	G	K	G	L	E	W	M	G	I	I	Y	P	-	G	D	S	D	T
VH6	S	N	S	A	A	W	N	W	I	R	Q	S	P	G	R	G	L	E	W	L	G	R	T	Y	Y	R	-	S	K	W	Y	N

Figure 2C: V heavy chain consensus sequences

	CDRII											framework 3																		
	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82 A B C	83	84	85
VH1A	N Y A Q K F Q G R V T I	T A D E S T	S T A Y M E L S	S L R S E
VH1B	N Y A Q K F Q G R V T M	T R D T S I	S T A Y M E L S	S L R S E
VH2	Y Y S L K T R L T I S K	D T S K N Q V	V L T M T N M D	P V
VH3	Y Y A D S V K G R F T I	S R D N S K N	T L Y L Q M N S	L R A E
VH4	N Y N P S L K S R V T I	S V D T S K N	Q F S L K L S S	V T A A
VH5	R Y S P S F Q G Q V T I	S A D K S I S	T A Y L Q W S S	L K A S
VH6	D Y A V S V K S R I T I	N P D T S K N	Q F S L Q L N S	V T P E

	framework 3						CDRIII									framework 4										
	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100 A B C	101	102	103	104	105	106	107	108	109	110 111 112 113
VH1A	D T A V Y Y C	A R W G G G D G F Y A M D Y	W G Q G T L V T V S S
VH1B	D T A V Y Y C	A R W G G G D G F Y A M D Y	W G Q G T L V T V S S
VH2	D T A T Y Y C	A R W G G G D G F Y A M D Y	W G Q G T L V T V S S
VH3	D T A V Y Y C	A R W G G G D G F Y A M D Y	W G Q G T L V T V S S
VH4	D T A V Y Y C	A R W G G G D G F Y A M D Y	W G Q G T L V T V S S
VH5	D T A M Y Y C	A R W G G G D G F Y A M D Y	W G Q G T L V T V S S
VH6	D T A V Y Y C	A R W G G G D G F Y A M D Y	W G Q G T L V T V S S

Figure 3A: V kappa 1 (Vκ1) gene sequence

```
 . D    I    Q    M    T    Q    S    P    S    S    L    S    A    S    V    G    D
GATATCCAGA TGACCCAGAG CCCGTCTAGC CTGAGCGGCGA GCGTGGGTGA
CTATAGGTCT ACTGGGTCTC GGGCAGATCG GACTCGCGCT CGCACCCACT
  EcoRV              BanII
  ~~~~~              ~~~~~

   R    V    T    I    T    C    R    A    S    Q    G    I    S    S    Y    L
TCGTGTGACC ATTACCTGCA GAGCGGAGCCA GGGCATTAGC AGCTATCTGG
AGCACACTGG TAATGGACGT CTCGCTCGGT CCCGTAATCG TCGATAGACC
            PstI
            ~~~~~

 A    W    Y    Q    Q    K    P    G    K    A    P    K    L    L    I    Y    A
CGTGGTACCA GCAGAAACCA GGTAAAGCAC CGAAACTATT AATTTATGCA
GCACCATGGT CGTCTTTGGT CCATTTCGTG GCTTTGATAA TTAAATACGT
  KpnI              SexAI           AseI
  ~~~~~             ~~~~~           ~~~~~

 A    S    S    L    Q    S    G    V    P    S    R    F    S    G    S    G    S
GCCAGCAGCT TGCAAAGCGG GGTCCCGTCC CGTTTTAGCG GCTCTGGATC
                    SanDI                        BamHI
                    ~~~~~                        ~~~~~
```

Figure 3A: V kappa 1 (Vκ1) gene sequence (continued)

```
CGGTCGTCGA ACGTTTCGCC CCAGGGCAGG GCAAAATCGC CGAGACCTAG
 G     T    D    F     T    L    T    I    S    S    L    Q    P    E    D    F
                                              Eco57I        BbsI
                                              ~~~~~~        ~~~~~~

BamHI
~
CGGCACTGAT TTTACCCTGA CCATTAGCAG CCTGCAACCT GAAGACTTTG
GCCGTGACTA AAATGGGACT GGTAATCGTC GGACGTTGGA CTTCTGAAAC
 A     T    Y    Y    C    Q    Q    H    Y    T    T    P    P    T    F    G    Q
                                                                 MscI
                                                                 ~~~~~

                                              R    T
                                              BsiWI
                                              ~~~~
CGACCTATTA TTGCCAGCAG CATTATACCA CCCCGCCGAC CTTTGGCCAG
GCTGGATAAT AACGGTCGTC GTAATATGGT GGGGCGGCTG GAAACCGGTC
 G     T    K    V    E    I    K

GGTACGAAAG TTGAAATTAA ACGTACG
CCATGCTTTC AACTTTAATT TGCATGC
```

Figure 3B: V kappa 2 (Vκ2) gene sequence

```
       D   I   V   M   T   Q   S   P   L   S   L   P   V   T   P   G   E
       EcoRV                                        BanII
       ~~~~~                                        ~~~~~
GATATCGTGA  TGACCCAGAG  CCCACTGAGC  CTGCCAGTGA  CTCCGGGCGA
CTATAGCACT  ACTGGGTCTC  GGGTGACTCG  GACGGTCACT  GAGGCCCGCT


       P   A   S   I   S   C   R   S   S   Q   S   L   L   H   S   N
                   PstI
                   ~~~~~
GCCTGCGAGC  ATTAGCTGCA  GAAGCAGCCA  AAGCCTGCTG  CATAGCAACG
CGGACGCTCG  TAATCGACGT  CTTCGTCGGT  TTCGGACGAC  GTATCGTTGC


       G   Y   N   Y   L   D   W   Y   L   Q   K   P   G   Q   S   P   Q
                       KpnI                     SexAI
                       ~~~~~                    ~~~~~
GCTATAACTA  TCTGGATTGG  TACCTTCAAA  AACCAGGTCA  AAGCCCGCAG
CGATATTGAT  AGACCTAACC  ATGGAAGTTT  TTGGTCCAGT  TTCGGGCGTC


       L   L   I   Y   L   G   S   N   R   A   S   G   V   P   D   R   F
           AseI                                 SanDI
           ~~~~~                                ~~~~~
CTATTAATTT  ATCTGGGCAG  CAACCGTGCC  AGTGGGGTCC  CGGATCGTTT
GATAATTAAA  TAGACCCGTC  GTTGGCACGG  TCACCCCAGG  GCCTAGCAAA
```

Figure 3B: V kappa 2 (Vκ2) gene sequence (continued)

```
    S    G    S    G    G    T    D    F    T    L    K    I    S    R    V
                        BamHI
                         ~~~

TAGCGGCTCT GGATCCGGCA CCGATTTTAC CCTGAAAATT AGCCGTGTGG
ATCGCCGAGA CCTAGGCCGT GGCTAAAATG GGACTTTTAA TCGGCACACC

    E    A    E    D    V    G    V    Y    Y    C    Q    Q    H    Y    T    T    P
         Eco57I
         ~~~~~~
            BbsI
            ~~~~~

AAGCTGAAGA CGTGGGCGTG TATTATTGCC AGCAGCATTA TACCACCCCG
TTCGACTTCT GCACCCGCAC ATAATAACGG TCGTCGTAAT ATGGTGGGGC

    P    T    F    G    Q    G    T    K    V    E    I    K    R    T
                        MscI                                BsiWI
                        ~~~~~~                              ~~~~~

CCGACCTTTG GCCAGGGTAC GAAAGTTGAA ATTAAACGTA CG
GGCTGGAAAC CGGTCCCATG CTTTCAACTT TAATTTGCAT GC
```

Figure 3C: V kappa 3 (Vk3) gene sequence

```
D   I   V   L   T   Q   S   P   A   T   L   S   L   S   P   G   E
        EcoRV                   BanII
        ~~~~~                   ~~~~~
GATATCGTGC  TGACCCAGAG  CCCGGCGACC  CTGAGCCTGT  CTCCGGGCGA
CTATAGCACG  ACTGGGTCTC  GGGCCGCTGG  GACTCGGACA  GAGGCCCGCT

R   A   T   L   S   C   R   A   S   Q   S   V   S   S   S   Y
                    PstI
                    ~~~~~
ACGTGGCGACC  CTGAGCTGCA·GAGGCGAGCCA  GAGCGTGAGC  AGCAGCTATC
TGCACGCTGG   GACTCGACGT  CTCGCTCGGT  CTCGCACTCG  TCGTCGATAG

L   A   W   Y   Q   Q   K   P   G   Q   A   P   R   L   L   I   Y
    KpnI                    SexAI                       AseI
    ~~~~~                   ~~~~~                       ~~~~~
TGGCGTGGTA  CCAGCAGAAA  CCAGGTCAAG  CACCGCGTCT  ATTAATTTAT
ACCGCACCAT  GGTCGTCTTT  GGTCCAGTTC  GTGGGCGCAGA  TAATTAAATA

G   A   S   S   R   A   T   G   V   P   A   R   F   S   G   S   G
                        SanDI                   BamHI
                        ~~~~~                   ~~
GGCGCGAGCA  GCCGTGCAAC  TGGGGTCCCG  GCGGCGTTTA  GCGGCTCTGG
```

Figure 3C: V kappa 3 (Vκ3) gene sequence (continued)

```
CCGCGCTCGT CGGCACGTTG ACCCCAGGGC CGGCGCAAAT CGCCGAGACC
           S    G    T    D    F    T    L    T    I    S    S    L    E    P    E    D
                                                              Eco57I
                                                              ~~~~
                                                                   BbsI
                                                                   ~~~~

BamHI
~~~
ATCCGGCACG GATTTTACCC TGACCATTAG CAGCCTGGAA CCTGAAGACT
TAGGCCGTGC CTAAAATGGG ACTGGTAATC GTCGGACCTT GGACTTCTGA
           F    A    V    Y    Y    C    Q    Q    H    Y    T    P    P    T    F    G
                                                                        MscI
                                                                        ~~~~

TTGCGGTGTA TTATTGCCAG CAGCATTATA CCACCCCGCC GACCTTTGGC
AACGCCACAT AATAACGGTC GTCGTAATAT GGTGGGGCGG CTGGAAACCG
           Q    G    T    K    V    E    I    K    R    T
                                               BsiWI
                                               ~~~~
MscI
~~
CAGGGTACGA AAGTTGAAAT TAAACGTACG
GTCCCATGCT TTCAACTTTA ATTTGCATGC
```

Figure 3D: V kappa 4 (Vκ4) gene sequence

```
D   I   V   M   T   Q   S   P   D   S   L   A   V   S   L   G   E
        EcoRV                   BanII
GATATCGTGA TGACCCAGAG CCCGGATAGC CTGGCGGTGA GCCTGGGCGA
CTATAGCACT ACTGGGTCTC GGGCCTATCG GACCGCCACT CGGACCCGCT

 R   A   T   I   N   C   R   S   S   Q   S   V   L   Y   S   S
             PstI
ACGTGCGACC ATTAACTGCA GAAGCAGCCA GAGCGTGCTG TATAGCAGCA
TGCACGCTGG TAATTGACGT CTTCGTCGGT CTCGCACGAC ATATCGTCGT

 N   K   N   Y   L   A   W   Y   Q   Q   K   P   G   Q   P   P
                             KpnI              SexAI
ACAACAAAAA CTATCTGGCG TGGTACCAGC AGAAACCAGG TCAGCCGCCG
TGTTGTTTTT GATAGACCGC ACCATGGTCG TCTTTGGTCC AGTCGGCGGC

 K   L   L   I   Y   W   A   S   T   R   E   S   G   V   P   D   R
             AseI                              SanDI
AAACTATTAA TTTATTGGGC ATCCACCCGT GAAAGCGGGG TCCCGGATCG
TTTGATAATT AAATAACCCG TAGGTGGGCA CTTTCGCCCC AGGGCCTAGC
```

14 / 204

Figure 3D: V kappa 4 (Vκ4) gene sequence (continued)

```
      F   S   G   S   G   T   D   F   T   L   T   I   S   S
TTTAGCGGC TCTGGATCCG GCACTGATTT TACCCTGACC ATTTCGTCCC
AAAATCGCCG AGACCTAGGC CGTGACTAAA ATGGGACTGG TAAAGCAGGG
             BamHI
             ~~~~~

      L   Q   A   E   D   V   A   V   Y   Y   C   Q   Q   H   Y   T   T
TGCAAGCTGA AGACGTGGCG GTGTATTATT GCCAGCAGCA TTATACCACC
ACGTTCGACT TCTGCACCGC CACATAATAA CGGTCGTCGT AATATGGTGG
  Eco57I    BbsI
  ~~~~~      ~~~~~

      P   P   T   F   G   Q   G   T   K   V   E   I   K   R   T
CCGCCGACCT TTGGCCAGGG TACGAAAGTT GAAATTAAAC GTACG
GGCGGCTGGA AACCGGTCCC ATGCTTTCAA CTTTAATTTG CATGC
      MscI                              BsiWI
      ~~~~~                             ~~~~~
```

Figure 4A: V lambda 1 (Vλ1) gene sequence

```
Q   S   V   L   T   Q   P   P   S   V   S   G   A   P   G   Q   R
CAGAGCGTGC TGACCCAGCC GCCTTCAGTG AGTGGCGCAC CAGGTCAGCG
GTCTCGCACG ACTGGGTCGG CGGAAGTCAC TCACCGCGTG GTCCAGTCGC
                           Eco57I                 SexAI

        V   T   I   S   C   S   G   S   S   S   N   I   G   S   N   Y
                BssSI
TGTGACCATC TCGTGTAGCG GCAGCAGCAG CAACATTGGC AGCAACTATG
ACACTGGTAG AGCACATCGC CGTCGTCGTC GTTGTAACCG TCGTTGATAC

    V   S   W   Y   Q   Q   L   P   G   T   A   P   K   L   L   I   Y
                KpnI              XmaI   BbeI
TGAGCTGGTA CCAGCAGTTG CCCGGGACGG CGCCGAAACT GCTGATTTAT
ACTCGACCAT GGTCGTCAAC GGGCCCTGCC GCGGCTTTGA CGACTAAATA
        Bsu36I                                BamHI

    D   N   N   Q   R   P   S   G   V   P   D   R   F   S   G   S   K
```

Figure 4A: V lambda 1 (Vλ1) gene sequence (continued)

```
GATAACAACC AGGCGTCCCTC AGGCGTGCCG GATCGTTTTA GCGGATCCAA
CTATTGTTGG TCGCAGGGAG TCCGCACGGC CTAGCAAAAT CGCCTAGGTT
      S       G       T       S       A       S       L       A       I       T       G       L       Q       S       E       D
                                                                                                          BbsI
                                                                                                          ~~~~

AAGCGGCACC AGCGGCGAGCC TTGCGATTAC GGGCCTGCAA AGCGAAGACG
TTCGCCGTGG TCGCGCTCGG AACGCTAATG CCCGGACGTT TCGCTTCTGC
   E    A    D    Y    Y    C    Q    Q    H    Y    T    P    P    V    F    G

AAGCGGGATTA TTATTGCCAG CAGCATTATA CCACCCCGCC TGTGTTTGGC
TTCGCCCTAAT AATAACGGTC GTCGTAATAT GGTGGGGCGG ACACAAACCG
   G    G    T    K    L    T    V    L    G
               HpaI                   MscI
               ~~~~~                   ~~~

GGCGGCACGA AGTTAACCGT TCTTGGC
CCGCCGTGCT TCAATTGGCA AGAACCG
```

Figure 4B: V lambda 2 (Vλ2) gene sequence

```
 Q   S   A   L   T   Q   P   A   S   V   S   G   S   P   G   Q   S
CAGAGCGCAC TGACCCAGCC AGCTTCAGTG AGCGGCTCAC CAGGTCAGAG
GTCTCGCGTG ACTGGGTCGG TCGAAGTCAC TCGCCGAGTG GTCCAGTCTC
                        Eco57I                   SexAI

 I   T   I   S   C   T   G   T   S   S   D   V   G   G   Y   N
CATTACCATC TCGTGTACGG GTACTAGCAG CGATGTGGGC GGCTATAACT
GTAATGGTAG AGCACATGCC CATGATCGTC GCTACACCCG CCGATATTGA
       BssSI

 Y   V   S   W   Y   Q   Q   H   P   G   K   A   P   K   L   M   I
ATGTGAGCTG GTACCAGCAG CATCCCCGGA AGGCGCCGAA ACTGATGATT
TACACTCGAC CATGGTCGTC GTAGGGCCCT TCCGCGGCTT TGACTACTAA
             KpnI        XmaI       BbeI

 Y   D   V   S   N   R   P   S   G   V   S   N   R   F   S   G   S
TATGATGTGA GCAACCGTCC CTCAGGCGTG AGCAACCGTT TTAGCGGATC
ATACTACACT CGTTGGCAGG GAGTCCGCAC TCGTTGGCAA AATCGCCTAG
            Bsu36I                            BamHI
```

SUBSTITUTE SHEET (RULE 26)

Figure 4B: V lambda 2 (VΛ2) gene sequence (continued)

```
         K    S    G    N    T    A    S    L    T    I    S    G    L    Q    A    E
       BamHI                                                                   BbsI
         ~                                                                      ~~~
       CAAAAGCGGC  AACACCGCGA  GCCTGACCAT  TAGCGGCCTG  CAAGCGGAAG
       GTTTTCGCCG  TTGTGGCGCT  CGGACTGGTA  ATCGCCGGAC  GTTCGCCTTC

         D    E    A    D    Y    Y    C    Q    Q    H    Y    T    T    P    P    V    F
       BbsI
         ~
       ACGAAGCGGA  TTATTATTGC  CAGCAGCATT  ATACCACCCC  GCCTGTGTTT
       TGCTTCGCCT  AATAATAACG  GTCGTCGTAA  TATGGTGGGG  CGGACACAAA

         G    G    G    T    K    L    T    V    L    G
                            HpaI             MscI
                            ~~~~             ~~~~
       GGCGGCGGCA  CGAAGTTAAC  CGTTCTTGGC
       CCGCCGCCGT  GCTTCAATTG  GCAAGAACCG
```

Figure 4C: V lambda 3 (Vλ3) gene sequence

```
 S     Y     E     L     T     Q     P     P     S     V     S     V     A     P     G     Q     T
AGCTATGAAC TGACCCAGCC GCCTTCAGTG AGCGGTTGCAC CAGGTCAGAC
TCGATACTTG ACTGGGTCGG CGGAAGTCAC TCGCAACGTG GTCCAGTCTG
                      Eco57I                  SexAI
                      ~~~~~~                   ~~~~~

 A     R     I     S     C     S     G     D     A     L     G     D     K     Y     A     S
CGCGCGTATC TCGTGTAGCG GCGATGCGCT GGGCGGATAAA TACGCGGAGCT
GCGCGCATAG AGCACATCGC CGCTACGCGA CCCGCTATTT ATGCGGCTCGA
           BssSI
           ~~~~~

 W     Y     Q     Q     K     P     G     Q     A     P     V     L     V     I     Y     D     D
GGTACCAGCA GAAACCCGGG CAGGCGCCAG TTCTGGTGAT TTATGATGAT
CCATGGTCGT CTTTGGGCCC GTCCGCGGTC AAGACCACTA AATACTACTA
KpnI       XmaI       BbeI
~~~~       ~~~~       ~~~~~
```

Figure 4C: V lambda 3 (Vλ3) gene sequence (continued)

```
      S   D   R   P   S   G   I   P   E   R   F   S   G   S   N   S   G

TCTGACCGTC  CCTCAGGCAT  CCCGGAACGC  TTTAGCGGAT  CCAACAGCGG
AGACTGGCAG  GGAGTCCGTA  GGGCCTTGCG  AAATCGCCTA  GGTTGTCGCC
            Bsu36I                  BamHI
            ~~~~                    ~~~~


      N   T   A   T   L   T   I   S   G   T   Q   A   E   D   E   A

CAACACCGCG  ACCCTGACCA  TTAGCGGCAC  TCAGGCGGAA  GACGAAGCGG
GTTGTGGCGC  TGGGACTGGT  AATCGCCGTG  AGTCCGCCTT  CTGCTTCGCC
                                    BbsI
                                    ~~~~


      D   Y   Y   C   Q   Q   H   Y   T   T   P   P   V   F   G   G   G

ATTATTATTG  CCAGCAGCAT  TATACCACCC  CGCCTGTGTT  TGGCGGCGGC
TAATAATAAC  GGTCGTCGTA  ATATGGTGGG  GCGGACACAA  ACCGCCGCCG


      T   K   L   T   V   L   G

ACGAAGTTAA  CCGTTCTTGG  C
TGCTTCAATT  GGCAAGAACC  G
            HpaI  MscI
            ~~~~  ~~~~
```

Figure 5A: V heavy chain 1A (VH1A) gene sequence

```
    Q   V   Q   L   V   Q   S   G   A   E   V   K   K   P   G   S   S
CAGGTGCAAT TGGTTCAGTC TGGCGCGGAA GTGAAAAAAC CGGGCAGCAG
GTCCACGTTA ACCAAGTCAG ACCGCGCCTT CACTTTTTTG GCCCGTCGTC
           MfeI

    V   K   V   S   C   K   A   S   G   G   T   F   S   S   Y   A
CGTGAAAGTG AGCTGCAAAG CCTCCGGAGG CACTTTTAGC AGCTATGCGA
GCACTTTCAC TCGACGTTTC GGAGGCCTCC GTGAAAATCG TCGATACGCT
                          BspEI

    I   S   W   V   R   Q   A   P   G   Q   G   L   E   W   M   G   G
TTAGCTGGGT GCGCCAAGCC CCTGGGCAGG GTCTCGAGTG GATGGGCGGC
AATCGACCCA CGCGGTTCGG GGACCCGTCC CAGAGCTCAC CTACCCGCCG
                     BstXI           XhoI

    I   I   P   I   F   G   T   A   N   Y   A   Q   K   F   Q   G   R
ATTATTCCGA TTTTTGGCAC GGCGAACTAC GCGCAGAAGT TTCAGGGCCG
TAATAAGGCT AAAAACCGTG CCGCTTGATG CGCGTCTTCA AGTCCCGGC

    V   T   I   T   A   D   E   S   T   S   T   A   Y   M   E   L
    BstEII
```

Figure 5A: V heavy chain 1A (VH1A) gene sequence (continued)

```
~~~~
GGTGACCATT ACCGCGGATG AAAGCACCAG CACCGCGTAT ATGGAACTGA
CCACTGGTAA TGGCGCCTAC TTTCGTGGTC GTGGCGCATA TACCTTGACT

 S    S    L    R    S    E    D        T    A    V    Y    Y    C    A    R    W    G
                                             EagI                    BssHII
                                             ~~~~~                   ~~~~~

GCAGCCTGCG TAGCGAAGAT ACGGCCGTGT ATTATTGCGC GCGTTGGGGC
CGTCGGACGC ATCGCTTCTA TGCCGGCACA TAATAACGCG CGCAACCCCG

 G    D    G    F    Y    A    M    D    Y    W        G    Q    G    T    L    V    T
                                                            StyI
                                                            ~~~~~

GGCGATGGCT TTTATGCGAT GGATTATTGG GGCCAAGGCA CCCTGGTGAC
CCGCTACCGA AAATACGCTA CCTAATAACC CCGGTTCCGT GGGACCACTG

 V    S    S
      BlpI
      ~~~~~

GGTTAGCTCA G
CCAATCGAGT C
```

Figure 5B: V heavy chain 1B (VH1B) gene sequence

```
  Q   V   Q   L   V   Q   S   G   A   E   V   K   K   P   G   A   S
CAGGTGCAAT TGGTTCAGAG CGGCGCGGAA GTGAAAAAAC CGGGCGCGAG
GTCCACGTTA ACCAAGTCTC GCCGCGCCTT CACTTTTTTG GCCCGCGCTC
          MfeI

  V   K   V   S   C   K   A   S   G   Y   T   F   T   S   Y   Y
CGTGAAAGTG AGCTGCAAAG CCTCCGGATA TACCTTTACC AGCTATTATA
GCACTTTCAC TCGACGTTTC GGAGGCCTAT ATGGAAATGG TCGATAAATAT
                     BspEI

  M   H   W   V   R   Q   A   P   G   Q   G   L   E   W   M   G   W
TGCACTGGGT CCGCCAAGCC CCTGGGCAGG GTCTCGAGTG GATGGGCTGG
ACGTGACCCA GGCGGGTTCGG GGACCCGTCC CAGAGCTCAC CTACCCGACC
                    BstXI              XhoI

  I   N   P   N   S   G   G   T   N   Y   A   Q   K   F   Q   G   R
ATTAACCCGA ATAGCGGCGG CACGAACTAC GCGCAGAAGT TTCAGGGCCG
TAATTGGGCT TATCGCCGCC GTGCTTGATG CGCGTCTTCA AAGTCCCGGC
```

Figure 5B: V heavy chain 1B (VH1B) gene sequence (continued)

```
         V   T   M   T   R   D   T   S   I   S   T   A   Y   M   E   L
        BstEII
        ~~~~~
        GGTGACCATG ACCCGTGATA CCAGCATTAG CACCGCGTAT ATGGAACTGA
        CCACTGGTAC TGGGCACTAT GGTCGTAATC GTGGCGCATA TACCTTGACT

         S   S   L   R   S   E   D   T   A   V   Y   Y   C   A   R   W   G
                                         EagI                  BssHII
                                         ~~~~~                 ~~~~~~
        GCAGCCTGCG TAGCGAAGAT ACGGCCGTGT ATTATTGCGC GCGTTGGGGC
        CGTCGGACGC ATCGCTTCTA TGCCGGCACA TAATAACGCG CGCAACCCCG

         G   D   G   F   Y   A   M   D   Y   W   G   Q   G   T   L   V   T
                                                 StyI
                                                 ~~~~~
        GGCGATGGCT TTTATGCGAT GGATTATTGG GGCCAAGGCA CCCTGGTGAC
        CCGCTACCGA AAATACGCTA CCTAATAACC CCGGTTCCGT GGGACCACTG

         V   S   S
        BlpI
        ~~~~~
        GGTTAGCTCA G
        CCAATCGAGT C
```

Figure 5C: V heavy chain 2 (VH2) gene sequence

```
     Q    V    Q    L    K    E    S    G    P    A    L    V    K    P    T    Q    T
               MfeI
               ~~~~
CAGGTGCAAT TGAAAGAAAG CGGCCCGGCC CTGGTGAAAC CGACCCAAAC
GTCCACGTTA ACTTTCTTTC GCCGGGCCGG GACCACTTTG GCTGGGTTTG

     L    T    L    T    C    T    F    S    G    F    S    L    S    T    S    G
                              BspEI
                              ~~~~
CCTGACCCTG ACCTGTACCT TTTCCGGATT TAGCCTGTCC ACGTCTGGCG
GGACTGGGAC TGGACATGGA AAAGGCCTAA ATCGGACAGG TGCAGACCGC

     V    G    V    G    W    I    R    Q    P    P    G    K    A    L    E    W    L
                         BstXI                         XhoI
                    ~~~~~~~~~                       ~~~~~~
TTGGCGTGGG CTGGATTCGC CAGCCGCCTG GGAAAGCCCT CGAGTGGCTG
AACCGCACCC GACCTAAGCG GTCGGCGGAC CCTTTCGGGA GCTCACCGAC

     A    L    I    D    W    D    D    D    K    Y    Y    S    T    S    L    K    T
                                                            MluI
                                                            ~~
GCTCTGATTG ATTGGGATGA TGATAAGTAT TATAGCACCA GCCTGAAAAC
CGAGACTAAC TAACCCTACT ACTATTCATA ATATCGTGGT CGGACTTTTG
```

Figure 5C: V heavy chain 2 (VH2) gene sequence (continued)

```
  R   L   T   I   S   K   D   T   S   K   N   Q   V   L   T
 MluI                        NspV
 ~~~~                        ~~~~
GCGTCTGACC ATTAGCAAAG ATACTTCGAA AAATCAGGTG GTGCTGACTA
CGCAGACTGG TAATCGTTTC TTTAGTCCAC CACGACTGAT


  M   T   N   M   D   P   V   D   T   A   T   Y   Y   C   A   R   W
                                                       BssHII
                                                       ~~~~~~
TGACCAACAT GGACCCGGTG GATACGGCCA CCTATTATTG CGCGGCGTTGG
ACTGGTTGTA CCTGGGCCAC CTATGCCGGT GGATAATAAC GCGCCGCAACC


  G   G   D   G   F   Y   A   M   D   Y   W   G   Q   G   T   L   V
                                              StyI
                                              ~~~~~~
GGCGGCGATG GCTTTTATGC GATGGATTAT TGGGGCCAAG GCACCCCTGGT
CCGCCGCTAC CGAAAATACG CTACCTAATA ACCCCGGTTC CGTGGGACCA


  T   V   S   S
 BlpI
 ~~~~
GACGGTTAGC TCAG
CTGCCAATCG AGTC
```

SUBSTITUTE SHEET (RULE 26)

Figure 5D: V heavy chain 3 (VH3) gene sequence

```
 E    V    Q    L    V    E    S    G    G    G    L    V    Q    P    G    G    S
GAAGTGCAAT TGGTGGAAAG CGGCGGCGGC CTGGTGCAAC CGGGCGGCAG
CTTCACGTTA ACCACCTTTC GCCGCCGCCG GACCACGTTG GCCCGCCGTC
          MfeI

 L    R    L    S    C    A    A    S    G    F    T    F    S    S    Y    A
CCTGCGTCTG AGCTGCGCGG CCTCCGGATT TACCTTTAGC AGCTATGCGA
GGACGCAGAC TCGACGCGCC GGAGGCCTAA ATGGAAATCG TCGATACGCT
                      BspEI

 M    S    W    V    R    Q    A    P    G    K    G    L    E    W    V    S    A
TGAGCTGGGT GCGCCAAGCC CCTGGGAAGG GTCTCGAGTG GGTGAGCGCG
ACTCGACCCA CGCGGTTCGG GGACCCTTCC CAGAGCTCAC CCACTCGCGC
               BstXI                 XhoI

 I    S    G    S    G    G    S    T    Y    Y    A    D    S    V    K    G    R
ATTAGCGGTA GCGGCGGCAG CACCTATTAT GCGGATAGCG TGAAAGGCCG
TAATCGCCAT CGCCGCCGTC GTGGATAATA CGCCTATCGC ACTTTCCGGC
```

Figure 5D: V heavy chain 3 (VH3) gene sequence (continued)

```
        F   T   I   S   R   D   N   S   K   N   T   L   Y   L   Q   M
                        PmlI        NspV
                        ~~~~~       ~~~~~

TTTTACCATT  TCACGTGATA  ATTCGAAAAA  CACCCTGTAT  CTGCAAATGA
AAAATGGTAA  AGTGCACTAT  TAAGCTTTTT  GTGGGACATA  GACGTTTACT


  N   S   L   R   A   E   D   T   A   V   Y   Y   C   A   R   W   G
                        EagI                        BssHII
                        ~~~~~                       ~~~~~

ACAGCCTGCG  TGCGGAAGAT  ACGGCCGTGT  ATTATTGCGC  GCGTTGGGGC
TGTCGGACGC  ACGCCTTCTA  TGCCGGCACA  TAATAACGCG  CGCAACCCCG


  G   D   G   F   Y   A   M   D   Y   W   G   Q   G   T   L   V   T
                                                StyI
                                                ~~~~~

GGCGATGGCT  TTTATGCGGAT  GGATTATTGG  GGCCAAGGCA  CCCTGGTGAC
CCGCTACCGA  AAATACGCTA   CCTAATAACC  CCGGTTCCGT  GGGACCACTG


  V   S   S
      BlpI
      ~~~~~

GGTTAGCTCA  G
CCAATCGAGT  C
```

Figure 5E: V heavy chain 4 (VH4) gene sequence

```
 Q   V   Q   L   Q   E   S   G   P   G   L   V   K   P   S   E   T
             MfeI
CAGGTGCAAT TGCAAGAAAG TGGTCCGGGC CTGGTGAAAC CGAGCGAAAC
GTCCACGTTA ACGTTCTTTC ACCAGGCCCG GACCACTTTG GCTCGCTTTG

 L   S   L   T   C   T   V   S   G   G   S   I   S   S   Y   Y
                             BspEI
CCTGAGCCTG ACCTGCACCG TTTCCGGAGG CAGCATTAGC AGCTATTATT
GGACTCGGAC TGGACGTGGC AAAGGCCTCC GTCGTAATCG TCGATAATAA

 W   S   W   I   R   Q   P   P   G   K   G   L   E   W   I   G   Y
                     BstXI                       XhoI
GGAGCTGGAT TCGCCAGCCG CCTGGGAAGG GTCTCGAGTG GATTGGCTAT
CCTCGACCTA AGCGGTCGGC GGACCCTTCC CAGAGCTCAC CTAACCGATA

 I   Y   Y   S   G   S   T   N   Y   N   P   S   L   K   S   R   V
                                                         BstEII
ATTATTATTA GCGGCAGCAC CAACTATAAT CCGAGCCTGA AAAGCCGGGT
TAAATAATAT CGCCGTCGTG GTTGATATTA GGCTCGGACT TTTCGGCCCA
```

Figure 5E: V heavy chain 4 (VH4) gene sequence (continued)

```
          T   I   S   V   D   T   S   K   N   Q   F   S   L   K   L   S
        BstEII              NspV
        GACCATTAGC GTTGATACTT CGAAAAACCA GTTTAGCCTG AAACTGAGCA
        CTGGTAATCG CAACTATGAA GCTTTTTGGT CAAATCGGAC TTTGACTCGT

          S   V   T   A   A   D   T   A   V   Y   Y   C   A   R   W   G   G
                        EagI                      BssHII
        GCGTGACGGC GGCGGATACG GCCGTGTATT ATTGCGCGCG TTGGGGCGGC
        CGCACTGCCG CCGCCTATGC CGGCACATAA TAACGCGCGC AACCCCGCCG

          D   G   F   Y   A   M   D   Y   W   G   Q   G   T   L   V   T   V
                                              StyI
        GATGGCTTTT ATGCGGATGGA TTATTGGGGC CAAGGCACCC TGGTGACGGT
        CTACCGAAAA TACGCCTACCT AATAACCCCG GTTCCGTGGG ACCACTGCCA

          S   S
        BlpI
        TAGCTCAG
        ATCGAGTC
```

SUBSTITUTE SHEET (RULE 26)

Figure 5F: V heavy chain 5 (VH5) gene sequence

```
 E   V   Q   L   V   Q   S    G   A   E   V   K   K   P   G   E   S
~~~~
 MfeI

GAAGTGCAAT TGGTTCAGAG CGGCGCGGAA GTGAAAAAAC CGGGCGAAAG
CTTCACGTTA ACCAAGTCTC GCCGCGCCTT CACTTTTTTG GCCCGCTTTC


 L   K   I   S   C   K   G    S   G   Y    S    F   T   S   Y   W
                             BspEI
                             ~~~~~

CCTGAAAATT AGCTGCAAAG GTTCCGGATA TTCCTTTACG AGCTATTGGA
GGACTTTTAA TCGACGTTTC CAAGGCCTAT AAGGAAATGC TCGATAACCT


 I   G   W   V   R   Q   M    P   G   K   G   L   E   W   M   G   I
                             BstXI                XhoI
                             ~~~~~~~~~~           ~~~~

TTGGCTGGGT GCGCCAGATG CCTGGGAAGG GTCTCGAGTG GATGGGCATT
AACCGACCCA CGCGGTCTAC GGACCCTTCC CAGAGCTCAC CTACCCGTAA


 I   Y   P   G   D   S   D    T   R   Y    S   P   S   F   Q   G   Q

ATTTATCCGG GCGATAGCGA TACCCGTTAT TCTCCGAGCT TTCAGGGCCA
TAAATAGGCC CGCTATCGCT ATGGGCAATA AGAGGCTCGA AAGTCCCGGT
```

Figure 5F: V heavy chain 5 (VH5) gene sequence (continued)

```
   V    T    I    S    A    D    K    S    I    S    T    A    Y    L    Q    W
  BstEII
  ~~~~~
GGTGACCATT AGCGCGGATA AAAGCATTAG CACCGCGTAT CTTCAATGGA
CCACTGGTAA TCGCGCCTAT TTTCGTAATC GTGGCGCATA GAAGTTACCT

   S    S    L    K    A    S    D    T    A    M    Y    Y    C    A    R    W    G
                                                          BsSHII
                                                          ~~~~~
GCAGCCTGAA AGCGAGCGAT ACGGCCATGT ATTATTGCGC GCGGTTGGGGC
CGTCGGACTT TCGCTCGCTA TGCCGGTACA TAATAACGCG CGCAACCCCG

   G    D    G    F    Y    A    M    D    Y    W    G    Q    G    T    L    V    T
                                                    StyI
                                                    ~~~~~
GGCGATGGCT TTTATGCGAT GGATTATTGG GGCCAAGGCA CCCTGGTGAC
CCGCTACCGA AAATACGCTA CCTAATAACC CCGGTTCCGT GGGACCACTG

   V    S    S
          BlpI
          ~~~~~
GGTTAGCTCA G
CCAATCGAGT C
```

Figure 5G: V heavy chain 6 (VH6) gene sequence

```
Q   V   Q   L   Q   Q   S   G   P   G   L   V   K   P   S   Q   T
          MfeI
        ~~~~~
CAGGTGCAAT TGCAACAGTC TGGTCCGGGC CTGGTGAAAC CGAGCCAAAC
GTCCACGTTA ACGTTGTCAG ACCAGGCCCG GACCACTTTG GCTCGGTTTG


  L   S   L   T   C   A   I   S   G   D   S   V   S   S   N   S
                              BspEI
                            ~~~~~
CCTGAGCCTG ACCTGTGCGA TTTCCGGAGA TAGCGTGAGC AGCAACAGCG
GGACTCGGAC TGGACACGCT AAAGGCCTCT ATCGCACTCG TCGTTGTCGC


  A   A   W   N   W   I   R   Q   S   P   G   R   G   L   E   W   L
                          BstXI              XhoI
                        ~~~~~~~~~~          ~~~~~
CGGCGTGGAA CTGGATTCGC CAGTCTCCTG GGCGTGGCCT CGAGTGGCTG
GCCGCACCTT GACCTAAGCG GTCAGAGGAC CCGCACCGGA GCTCACCGAC


  G   R   T   Y   Y   R   S   K   W   Y   N   D   Y   A   V   S   V
GGCCGTACCT ATTATCGTAG CAAATGGTAT AACGATTATG CGGTGAGCGT
CCGGCATGGA TAATAGCATC GTTTACCATA TTGCTAATAC GCCACTCGCA
```

Figure 5G: V heavy chain 6 (VH6) gene sequence (continued)

```
      K   S   R   I   T   I   N   P   D   T   S   K   N   Q   F   S
GAAAGCCGG ATTACCATCA ACCCGGATAC TTCGAAAAAC CAGTTTAGCC
CTTTTCGGCC TAATGGTAGT TGGGCCTATG AAGCTTTTTG GTCAAATCGG
   BsaBI                           NspV
   ~~~~~~~~                        ~~~~~

  L   Q   L   N   S   V   T   P   E   D   T   A   V   Y   Y   C   A
TGCAACTGAA CAGCGTGACC CCGGAAGATA CGGCCCGTGTA TTATTGCGCG
ACGTTGACTT GTCGCACTGG GGCCTTCTAT GCCGGCACAT AATAACGCGC
                       EagI               BssHII
                       ~~~~~              ~~~~~

  R   W   G   G   D   G   F   Y   A   M   D   Y   W   G   Q   G   T
CGTTGGGGCG GCGATGGCTT TTATGCCGATG GATTATTGGG GCCAAGGCAC
GCAACCCCGC CGCTACCGAA AATACGCTAC CTAATAACCC CGGTTCCGTG
BssHII                                    StyI
~                                         ~~~~~

  L   V   T   V   S   S
CCTGGTGACG GTTAGCTCAG
GGACCACTGC CAATCGAGTC
          BlpI
          ~~~~~
```

Figure 6:   oligonucleotides for gene synthesis

O1K1 5'- GAATGCATACGCTGATATCCAGATGACCCAGAG-
CCCGTCTAGCCTGAGC -3'

O1K2 5'- CGCTCTGCAGGTAATGGTCACACGATCACCCAC-
GCTCGCGCTCAGGCTAGACGGGC -3'

O1K3 5'- GACCATTACCTGCAGAGCGAGCCAGGGCATTAG-
CAGCTATCTGGCGTGGTACCAGCAG -3'

O1K4 5'- CTTTGCAAGCTGCTGGCTGCATAAATTAATAGT-
TTCGGTGCTTTACCTGGTTTCTGCTGGTACCACGCCAG -3'

O1K5 5'- CAGCCAGCAGCTTGCAAAGCGGGGTCCCGTCCC-
GTTTTAGCGGCTCTGGATCCGGCACTGATTTTAC -3'

O1K6 5'- GATAATAGGTCGCAAAGTCTTCAGGTTGCAGGC-
TGCTAATGGTCAGGGTAAAATCAGTGCCGGATCC -3'

O2K1 5'- CGATATCGTGATGACCCAGAGCCCACTGAGCCT-
GCCAGTGACTCCGGGCGAGCC -3'

O2K2 5'- GCCGTTGCTATGCAGCAGGCTTTGGCTGCTTCT-
GCAGCTAATGCTCGCAGGCTCGCCCGGAGTCAC -3'

O2K3 5'- CTGCTGCATAGCAACGGCTATAACTATCTGGAT-
TGGTACCTTCAAAAACCAGGTCAAAGCCC -3'

O2K4 5'- CGATCCGGGACCCCACTGGCACGGTTGCTGCCC-
AGATAAATTAATAGCTGCGGGCTTTGACCTGGTTTTTG -3'

O2K5 5'- AGTGGGGTCCCGGATCGTTTTAGCGGCTCTGGA-
TCCGGCACCGATTTTACCCTGAAAATTAGCCGTGTG -3'

O2K6 5'- CCATGCAATAATACACGCCCACGTCTTCAGCTT-
CCACACGGCTAATTTTCAGGG -3'

O3K1 5'- GAATGCATACGCTGATATCGTGCTGACCCAGAG-
CCCGG -3'

O3K2 5'- CGCTCTGCAGCTCAGGGTCGCACGTTCGCCCGG-
AGACAGGCTCAGGGTCGCCGGGCTCTGGGTCAGC -3'

O3K3 5'- CCCTGAGCTGCAGAGCGAGCCAGAGCGTGAGCA-
GCAGCTATCTGGCGTGGTACCAG -3'

Figure 6:   (continued)

O3K4 5'- GCACGGCTGCTCGCGCCATAAATTAATAGACGC-
GGTGCTTGACCTGGTTTCTGCTGGTACCACGCCAGATAG -3'

O3K5 5'- GCGCGAGCAGCCGTGCAACTGGGGTCCCGGCGC-
GTTTTAGCGGCTCTGGATCCGGCACGGATTTTAC -3'

O3K6 5'- GATAATACACCGCAAAGTCTTCAGGTTCCAGGC-
TGCTAATGGTCAGGGTAAAATCCGTGCCGGATC -3'

O4K1 5'- GAATGCATACGCTGATATCGTGATGACCCAGAG-
CCCGGATAGCCTGGCG -3'

O4K2 5'- GCTTCTGCAGTTAATGGTCGCACGTTCGCCCAG-
GCTCACCGCCAGGCTATCCGGGC -3'

O4K3 5'- CGACCATTAACTGCAGAAGCAGCCAGAGCGTGC-
TGTATAGCAGCAACAACAAAAACTATCTGGCGTGGTACCAG -
3'

O4K4 5'- GATGCCCAATAAATTAATAGTTTCGGCGGCTGA-
CCTGGTTTCTGCTGGTACCACGCCAGATAG -3'

O4K5 5'- AAACTATTAATTTATTGGGCATCCACCCGTGAA-
AGCGGGGTCCCGGATCGTTTTAGCGGCTCTGGATCCGGCAC-
3'

O4K6 5'- GATAATACACCGCCACGTCTTCAGCTTGCAGGG-
ACGAAATGGTCAGGGTAAAATCAGTGCCGGATCCAGAGCC   -
3'

O1L1 5'- GAATGCATACGCTCAGAGCGTGCTGACCCAGCC-
GCCTTCAGTGAGTGG -3'

O1L2 5'- CAATGTTGCTGCTGCTGCCGCTACACGAGATGG-
TCACACGCTGACCTGGTGCGCCACTCACTGAAGGCGGC -3'

O1L3 5'- GGCAGCAGCAGCAACATTGGCAGCAACTATGTG-
AGCTGGTACCAGCAGTTGCCCGGGAC -3'

O1L4 5'- CCGGCACGCCTGAGGGACGCTGGTTGTTATCAT-
AAATCAGCAGTTTCGGCGCCGTCCCGGGCAACTGC -3'

O1L5 5'- CCCTCAGGCGTGCCGGATCGTTTTAGCGGATCC-
AAAAGCGGCACCAGCGCGAGCCTTGCG -3'

Figure 6:   (continued)

O1L6 5'- CCGCTTCGTCTTCGCTTTGCAGGCCCGTAATCG-
CAAGGCTCGCGCTGG -3'

O2L1 5'- GAATGCATACGCTCAGAGCGCACTGACCCAGCC-
AGCTTCAGTGAGCGGC -3'

O2L2 5'- CGCTGCTAGTACCCGTACACGAGATGGTAATGC-
TCTGACCTGGTGAGCCGCTCACTGAAGCTGG -3'

O2L3 5'- GTACGGGTACTAGCAGCGATGTGGGCGGCTATA-
ACTATGTGAGCTGGTACCAGCAGCATCCCGG -3'

O2L4 5'- CGCCTGAGGGACGGTTGCTCACATCATAAATCA-
TCAGTTTCGGCGCCTTCCCGGGATGCTGCTGGTAC -3'

O2L5 5'- CAACCGTCCCTCAGGCGTGAGCAACCGTTTTAG-
CGGATCCAAAAGCGGCAACACCGCGAGCC -3'

O2L6 5'- CCGCTTCGTCTTCCGCTTGCAGGCCGCTAATGG-
TCAGGCTCGCGGTGTTGCCG -3'

O3L1 5'- GAATGCATACGCTAGCTATGAACTGACCCAGCC-
GCCTTCAGTGAGCG -3'

O3L2 5'- CGCCCAGCGCATCGCCGCTACACGAGATACGCG-
CGGTCTGACCTGGTGCAACGCTCACTGAAGGCGGC -3'

O3L3 5'- GGCGATGCGCTGGGCGATAAATACGCGAGCTGG-
TACCAGCAGAAACCCGGGCAGGCGC -3'

O3L4 5'- GCGTTCCGGGATGCCTGAGGGACGGTCAGAATC-
ATCATAAATCACCAGAACTGGCGCCTGCCCGGGTTTC -3'

O3L5 5'- CAGGCATCCCGGAACGCTTTAGCGGATCCAACA-
GCGGCAACACCGCGACCCTGACCATTAGCGG -3'

O3L6 5'- CCGCTTCGTCTTCCGCCTGAGTGCCGCTAATGG-
TCAGGGTC -3'

O1246H1   5'- GCTCTTCACCCCTGTTACCAAAGCCCAG-
GTGCAATTG -3'

O1AH2 5'- GGCTTTGCAGCTCACTTTCACGCTGCTGCCCGG-
TTTTTTCACTTCCGCGCCAGACTGAACCAATTGCACCTGGGC-
TTTG -3'

Figure 6:   (continued)

O1AH3 5'- GAAAGTGAGCTGCAAAGCCTCCGGAGGCACTTT-
TAGCAGCTATGCGATTAGCTGGGTGCGCCAAGCCCCTGGGCAG
GGTC -3'

O1AH4 5'- GCCCTGAAACTTCTGCGCGTAGTTCGCCGTGCC-
AAAAATCGGAATAATGCCGCCCATCCACTCGAGACCCTGCCC-
AGGGGC -3'

O1AH5 5'- GCGCAGAAGTTTCAGGGCCGGGTGACCATTACC-
GCGGATGAAAGCACCAGCACCGCGTATATGGAACTGAGCAGCC
TGCG -3'

O1ABH6 5'- GCGCGCAATAATACACGGCCGTATCTTCGCT-
ACGCAGGCTGCTCAGTTCC -3'

O1BH2 5'- GGCTTTGCAGCTCACTTTCACGCTCGCGCCCGG-
TTTTTTCACTTCCGCGCCGCTCTGAACCAATTGCACCTGGGC-
TTTG -3'

O1BH3 5'- GAAAGTGAGCTGCAAAGCCTCCGGATATACCTT-
TACCAGCTATTATATGCACTGGGTCCGCCAAGCCCCTGGGCAG
GGTC -3'

O1BH4 5'- GCCCTGAAACTTCTGCGCGTAGTTCGTGCCGCC-
GCTATTCGGGTTAATCCAGCCCATCCACTCGAGACCCTGCCCA
GGGGC -3'

O1BH5 5'- GCGCAGAAGTTTCAGGGCCGGGTGACCATGACC-
CGTGATACCAGCATTAGCACCGCGTATATGGAACTGAGCAGCC
TGCG -3'

O2H2 5'- GGTACAGGTCAGGGTCAGGGTTTGGGTCGGTTT-
CACCAGGGCCGGGCCGCTTTCTTTCAATTGCACCTGGGCTTTG
-3'

O2H3 5'- CTGACCCTGACCTGTACCTTTTCCGGATTTAGC-
CTGTCCACGTCTGGCGTTGGCGTGGGCTGGATTCGCCAGCCGC
CTGGGAAAG -3'

O2H4 5'- GCGTTTTCAGGCTGGTGCTATAATACTTATCAT-
CATCCCAATCAATCAGAGCCAGCCACTCGAGGGCTTTCCCAGG
CGGCTGG -3'

Figure 6:   (continued)

O2H5 5'- GCACCAGCCTGAAAACGCGTCTGACCATTAGCA-
AAGATACTTCGAAAAATCAGGTGGTGCTGACTATGACCAACAT
GG -3'

O2H6 5'- GCGCGCAATAATAGGTGGCCGTATCCACCGGGT-
CCATGTTGGTCATAGTCAGC -3'

O3H1 5'- CGAAGTGCAATTGGTGGAAAGCGGCGGCGGCCT-
GGTGCAACCGGGCGGCAG -3'

O3H2 5'- CATAGCTGCTAAAGGTAAATCCGGAGGCCGCGC-
AGCTCAGACGCAGGCTGCCGCCCGGTTGCAC -3'

O3H3 5'- GATTTACCTTTAGCAGCTATGCGATGAGCTGGG-
TGCGCCAAGCCCCTGGGAAGGGTCTCGAGTGGGTGAG -3'

O3H4 5'- GGCCTTTCACGCTATCCGCATAATAGGTGCTGC-
CGCCGCTACCGCTAATCGCGCTCACCCACTCGAGACCC -3'

O3H5 5'- CGGATAGCGTGAAAGGCCGTTTTACCATTTCAC-
GTGATAATTCGAAAAACACCCTGTATCTGCAAATGAACAG-3'

O3H6 5'- CACGCGCGCAATAATACACGGCCGTATCTTCCG-
CACGCAGGCTGTTCATTTGCAGATACAGG -3'

O4H2 5'- GGTCAGGCTCAGGGTTTCGCTCGGTTTCACCAG-
GCCCGGACCACTTTCTTGCAATTGCACCTGGGCTTTG -3'

O4H3 5'- GAAACCCTGAGCCTGACCTGCACCGTTTCCGGA-
GGCAGCATTAGCAGCTATTATTGGAGCTGGATTCGCCAGCCGC
-3'

O4H4 5'- GATTATAGTTGGTGCTGCCGCTATAATAAATAT-
AGCCAATCCACTCGAGACCCTTCCCAGGCGGCTGGCGAATCCA
G -3'

O4H5 5'- CGGCAGCACCAACTATAATCCGAGCCTGAAAAG-
CCGGGTGACCATTAGCGTTGATACTTCGAAAAACCAGTTTAGC
CTG -3'

O4H6 5'- GCGCGCAATAATACACGGCCGTATCCGCCGCCG-
TCACGCTGCTCAGTTTCAGGCTAAACTGGTTTTTCG -3'

SUBSTITUTE SHEET (RULE 26)

Figure 6:   (continued)

O5H1 5'- GCTCTTCACCCCTGTTACCAAAGCCGAAGTGCA-
ATTG -3'.

O5H2 5'- CCTTTGCAGCTAATTTTCAGGCTTTCGCCCGGT-
TTTTTCACTTCCGCGCCGCTCTGAACCAATTGCACTTCGGCTT
TGG -3'

O5H3 5'- CCTGAAAATTAGCTGCAAAGGTTCCGGATATTC-
CTTTACGAGCTATTGGATTGGCTGGGTGCGCCAGATGCCTGG
-3'

O5H4 5'- CGGAGAATAACGGGTATCGCTATCGCCCGGATA-
AATAATGCCCATCCACTCGAGACCCTTCCCAGGCATCTGGCGC
AC -3'

O5H5 5'- CGATACCCGTTATTCTCCGAGCTTTCAGGGCCA-
GGTGACCATTAGCGCGGATAAAAGCATTAGCACCGCGTATCTT
C -3'

O5H6 5'- GCGCGCAATAATACATGGCCGTATCGCTCGCTT-
TCAGGCTGCTCCATTGAAGATACGCGGTGCTAATG -3'

O6H2 5'- GAAATCGCACAGGTCAGGCTCAGGGTTTGGCTC-
GGTTTCACCAGGCCCGGACCAGACTGTTGCAATTGCACCTGG-
GCTTTG -3'

O6H3 5'- GCCTGACCTGTGCGATTTCCGGAGATAGCGTGA-
GCAGCAACAGCGCGGCGTGGAACTGGATTCGCCAGTCTCCTGG
GCG -3'

O6H4 5'- CACCGCATAATCGTTATACCATTTGCTACGATA-
ATAGGTACGGCCCAGCCACTCGAGGCCACGCCCAGGAGACTG-
GCG -3'

O6H5 5'- GGTATAACGATTATGCGGTGAGCGTGAAAAGCC-
GGATTACCATCAACCCGGATACTTCGAAAAACCAGTTTAGCCT
GC -3'

O6H6 5'- GCGCGCAATAATACACGGCCGTATCTTCCGGGG-
TCACGCTGTTCAGTTGCAGGCTAAACTGGTTTTTC -3'

OCLK1 5'- GGCTGAAGACGTGGGCGTGTATTATTGCCAGCA-
GCATTATACCACCCCGCCGACCTTTGGCCAGGGTAC -3'

Figure 6:   (continued)

OCLK2 5'- GCGGAAAAATAAACACGCTCGGAGCAGCCACCG-
TACGTTTAATTTCAACTTTCGTACCCTGGCCAAAGGTC -3'

OCLK3 5'- GAGCGTGTTTATTTTTCCGCCGAGCGATGAACA-
ACTGAAAAGCGGCACGGCGAGCGTGGTGTGCCTGCTG -3'

OCLK4 5'- CAGCGCGTTGTCTACTTTCCACTGAACTTTCGC-
TTCACGCGGATAAAAGTTGTTCAGCAGGCACACCACGC -3'

OCLK5 5'- GAAAGTAGACAACGCGCTGCAAAGCGGCAACAG-
CCAGGAAAGCGTGACCGAACAGGATAGCAAAGATAG -3'

OCLK6 5'- GTTTTTCATAATCCGCTTTGCTCAGGGTCAGGG-
TGCTGCTCAGAGAATAGGTGCTATCTTTGCTATCCTGTTCG -
3'

OCLK7 5'- GCAAAGCGGATTATGAAAAACATAAAGTGTATG-
CGTGCGAAGTGACCCATCAAGGTCTGAGCAGCCCGGTG -3'

OCLK8 5'- GGCATGCTTATCAGGCCTCGCCACGATTAAAAG-
ATTTAGTCACCGGGCTGCTCAGAC -3'

OCH1 5'- GGCGTCTAGAGGCCAAGGCACCCTGGTGACGGT-
TAGCTCAGCGTCGAC -3'

OCH2 5'- GTGCTTTTGCTGCTCGGAGCCAGCGGAAACACG-
CTTGGACCTTTGGTCGACGCTGAGCTAACC -3'

OCH3 5'- CTCCGAGCAGCAAAAGCACCAGCGGCGGCACGG-
CTGCCCTGGGCTGCCTGGTTAAAGATTATTTCC -3'

OCH4 5'- CTGGTCAGCGCCCCGCTGTTCCAGCTCACGGTG-
ACTGGTTCCGGGAAATAATCTTTAACCAGGCA -3'

OCH5 5'- AGCGGGGCGCTGACCAGCGGCGTGCATACCTTT-
CCGGCGGTGCTGCAAAGCAGCGGCCTG -3'

OCH6 5'- GTGCCTAAGCTGCTGCTCGGCACGGTCACAACG-
CTGCTCAGGCTATACAGGCCGCTGCTTTGCAG -3'

OCH7 5'- GAGCAGCAGCTTAGGCACTCAGACCTATATTTG-
CAACGTGAACCATAAACCGAGCAACACC -3'

OCH8 5'- GCGCGAATTCGCTTTTCGGTTCCACTTTTTTAT-
CCACTTTGGTGTTGCTCGGTTTATGG -3'

Figure 7A: sequence of the synthetic Cκ gene segment

```
       V   A   A   P   S   V   F   I   F   P   P   S   D   E   Q
BsiWI
~~~~
CGTACGGTGG CTGCTCCGAG CGTGTTTATT TTTCCGCCGA GCGATGAACA
GCATGCCACC GACGAGGCTC GCACAAATAA AAAGGCGGCT CGCTACTTGT

  L   K   S   G   T   A   S   V   V   C   L   L   N   N   F   Y
ACTGAAAAGC GGCACGGCGA GCGTGGGTGTG CCTGCTGAAC AACTTTTATC
TGACTTTTCG CCGTGCCGCT CGCACCACAC GGACGACTTG TTGAAAATAG

  P   R   E   A   K   V   Q   W   K   V   D   N   A   L   Q   S   G
CGCGTGAAGC GAAAGTTCAG TGGAAAGTAG ACAACGCGCT GCAAAGCGGC
GCGCACTTCG CTTTCAAGTC ACCTTTCATC TGTTGCGCGA CGTTTCGCCG

  N   S   Q   E   S   V   T   E   Q   D   S   K   D   S   T   Y   S
AACAGCCAGG AAAGCGTGAC CGAACAGGAT AGCAAAGATA GCACCTATTC
TTGTCGGTCC TTTCGCACTG GCTTGTCCTA TCGTTTCTAT CGTGGATAAG

  L   S   S   T   L   T   L   S   K   A   D   Y   E   K   H   K
TCTGAGCAGC ACCCTGACCC TGAGCAAAGC GGATTATGAA AAACATAAAG
AGACTCGTCG TGGGACTGGG ACTCGTTTCG CCTAATACTT TTTGTATTTC
```

Figure 7A: sequence of the synthetic Cκ gene segment (continued)

```
V   Y   A   C   E   V   T   H   Q   G   L   S   S   P   V   T   K
TGTATGCGTG CGAAGTGACC CATCAAGGTC TGAGCAGCCC GGTGACTAAA
ACATACGCAC GCTTCACTGG GTAGTTCCAG ACTCGTCGGG CCACTGATTT

S   F   N   R   G   E   A   *              SphI
                        StuI
                       ~~~~~~~         ~~~~~~~
TCTTTTAATC GTGGCGAGGC CTGATAAGCA TGC
AGAAAATTAG CACCGCTCCG GACTATTCGT ACG
```

Figure 7B: sequence of the synthetic CH1 gene segment

```
           A   S   T   K   G   P   S   V   F   P   L   A   P   S   S
BlpI   SalI
~~~~~~~~~~~
GCTCAGCCGTC GACCAAAGGT CCAAGCCGTGT TTCCGCTGGC TCCGAGCAGC
CGAGTCGGCAG CTGGTTTCCA GGTTCGCACA  AAGGCGACCG AGGCTCGTCG

 K   S   T   S   G   G   T   A   A   L   G   C   L   V   K   D   Y
AAAAGCACCA GCGGGCGGCAC GGCTGCCCTG GGCTGCCTGG TTAAAGATTA
TTTTCGTGGT CGCCGCCGTG  CCGACGGGAC CCGACGGGAC AATTTCTAAT

 F   P   E   P   V   T   V   S   W   N   S   G   A   L   T   S
TTTCCCGGAA CCAGTCACCG TGAGCTGGAA CAGCGGGGCG CTGACCAGCG
AAAGGGCCTT GGTCAGTGGC ACTCGACCTT GTCGCCCCGC GACTGGTCGC

 G   V   H   T   F   P   A   V   L   Q   S   S   G   L   Y   S   L
GCGTGCATAC CTTTCCGGCG GTGCTGCAAA GCAGCGGCCT GTATAGCCTG
CGCACGTATG GAAAGGCCGC CACGACGTTT CGTCGCCGGA CATATCGGAC

 S   S   V   V   T   V   P   S   S   S   L   G   T   Q   T   Y   I
AGCAGCGGTTG TGACCGTGCC GAGCAGCAGC TTAGGCACTC AGACCTATAT
TCGTCGCAAC  ACTGGCACGG CTCGTCGTCG AATCCGTGAG TCTGGATATA
```

Figure 7B: sequence of the synthetic CH1 gene segment (continued)

```
 C   N   V    N   H   K   P    S   N   T    K   V   D    K   K   V
TTGCAACGTG AACCATAAAC CGAGCAACAC CAAAGTGGAT AAAAAGTGG
AACGTTGCAC TTGGTATTTG GCTCGTTGTG GTTTCACCTA TTTTTTCACC

 E   P   K   S    E   F   *        HindIII
                   EcoRI            ~~~~
                   ~~~~
AACCGAAAAG CGAATTCTGA TAAGCTT
TTGGCTTTTC GCTTAAGACT ATTCGAA
```

Figure 7C: functional map and sequence of module 24 comprising the synthetic Cλ gene segment (huCL lambda)

Figure 7C: functional map and sequence of module 24 comprising the synthetic Cl gene segment (huCl lambda) (continued)

```
    BbsI                                                      DraIII
    ~~~~                                                      ~~~
1   GAAGACGAAG CGGATTATTA TTGCCAGCAG CATTATACCA CCCCGCCTGT
    CTTCTGCTTC GCCTAATAAT AACGGTCGTC GTAATATGGT GGGGCGGACA

                           HpaI                  MscI
                           ~~~~~                 ~~~~~
51  GTTTGGGCGGC GGCACGAAGT TAACCGTTCT TGGCCAGCCG AAAGCCGCAC
    CAAACCGCCG CCGTGCTTCA ATTGGCAAGA ACCGGTCGGC TTTCGGCGTG

    DraIII
    ~~~~~
101 CGAGTGTGAC GCTGTTTCCG CCGAGCAGCG AAGAATTGCA GGCGAACAAA
    GCTCACACTG CGACAAAGGC GGCTCGTCGC TTCTTAACGT CCGCTTGTTT

151 GCGACCCTGG TGTGCCTGAT TAGCGACTTT TATCCGGGAG CCGTGACAGT
    CGCTGGGACC ACACGGACTA ATCGCTGAAA ATAGGCCCTC GGCACTGTCA

201 GGCCTGGAAG GCAGATAGCA GCCCCGTCAA GGCGGGGAGTG GAGACCACCA
    CCGGACCTTC CGTCTATCGT CGGGGCAGTT CCGCCCCTCAC CTCTGGTGGT
```

Figure 7C: functional map and sequence of module 24 comprising the synthetic Cl gene segment (huCL lambda) (continued)

```
251  CACCCTCCAA  ACAAAGCAAC  AACAAGTACG  CGGCCAGCAG  CTATCTGAGC
     GTGGGAGGTT  TGTTTCGTTG  TTGTTCATGC  GCCGGTCGTC  GATAGACTCG
                                 RleAI
                                 ~~~~~

301  CTGACGCCTG  AGCAGTGGAA  GTCCCACAGA  AGCTACAGCT  GCCAGGTCAC
     GACTGCGGAC  TCGTCACCTT  CAGGGTGTCT  TCGATGTCGA  CGGTCCAGTG
                                                        StuI
                                                        ~~~~~

351  GCATGAGGGG  AGCACCGTGG  AAAAAACCGT  TGCGCCGACT  GAGGCCTGAT
     CGTACTCCCC  TCGTGGCACC  TTTTTTGGCA  ACGCGGCTGA  CTCCGGACTA
         SphI
         ~~~~~

401  AAGCATGC
     TTCGTACG
```

Figure 7D: oligonucleotides used for synthesis of module M24 containing Cλ gene segment

M24: assembly PCR

M24-A: GAAGACAAGCGGGATTATTATTGCCAGCAGCATTATACCACCCCGCCTGTGTTGGGGGCG-
GCACGAAGTAACCGTTC

M24-B: CAATTCTTCGCTGCTCGGCGGGAAACAGCGTCACACTCGGTGCGGCTTCGGGCTGGCCAA-
GAACGGGTAACTTCGTGCCGC

M24-C: CGCCGAGCAGCAGCGAAGAATTGCAGGCGAACAAAGCGACCCTGGTGTGCCTGATTAGCGACT-
TTTATCCGGGGAGCCGGTGACA

M24-D: TGTTTGGAGGGTGTGGTGGTCTCCACTCCCGCCCTTGACGGGGCTGCTATCTGCCTTCCAG-
GCCACTGTCACGGGCTCCCGG

M24-E: CCACACCCTCCAAACAAAGCAACAACAGTACGGCGGCCAGCAGCTATCTGAGCCTGAACGC-
CTGAGCAGTGGAAGTCCCACAGAAGCTACAGCTG

M24-F: GCATGCTTATCAGGCCTCAGTCGGGCGCAACGGTTTTTCCACGGTGCTCCCCTCATGCGT-
GACCTGGCCAGCTGTAGCTTC

Figure 8: sequence and restriction map of the synthetic gene encoding the consensus single-chain fragment VH3-Vκ2

```
     M   K   Q   S   T   I   A   L   A   L   L   P   L   L   F   T   P
ATGAAACAAA GCACTATTGC ACTGGCACTC TTACCGTTGC TCTTCACCCC
TACTTTGTTT CGTGATAACG TGACCGTGAG AATGGCAACG AGAAGTGGGG
                                                 SapI
                                                 ~~~~

     V   T   K   A   D   Y   K   D   E   V   Q   L   V   E   S   G
                                             MfeI
                                             ~~~
TGTTACCAAA GCCGACTACA AAGATGAAGT GCAATTGGTG GAAAGCGGCG
ACAATGGTTT CGGCTGATGT TTCTACTTCA CGTTAACCAC CTTTCGCCGC

     G   G   L   V   Q   P   G   G   S   L   R   L   S   C   A   A   S
                                                             BspEI
                                                             ~~~
GCGGCCTGGT GCAACCGGGC GGCAGCCTGC GTCTGAGCTG CGCGGCCTCC
CGCCGGACCA CGTTGGCCCG CCGTCGGACG CAGACTCGAC GCGCCGGAGG

     G   F   F   S   S   Y   A   M   S   W   V   R   Q   A   P   G
   BspEI                                             BstXI
   ~~~                                               ~~~~~~~
GGATTTACCT TTAGCAGCTA TGCGATGAGC TGGGTGCGCC AAGCCCCTGG
CCTAAATGGA AATCGTCGAT ACGCTACTCG ACCCACGCGG TTCGGGGACC
```

Figure 8: sequence and restriction map of the synthetic gene encoding the consensus single-chain fragment VH3-Vκ2 (continued)

```
  K   G   L   E   W   V   S   A   I   S   G   G   S   G   G   S   T
GAAGGGTCTC GAGTGGGTGA GCGCGATTAG CGGTAGCGGC GGCAGCACCT
CTTCCCAGAG CTCACCCACT CGCGCTAATC GCCATCGCCG CCGTCGTGGA
           XhoI
           ~~~~~~~

  Y   Y   A   D   S   V   K   G   R   F   T   I   S   R   D   N   S
                                                     PmlI  NspV
                                                     ~~~~~ ~~~~~

ATTATGCGGA TAGCGGTGAAA GGCCGTTTTA CCATTTCACG TGATAATTCG
TAATACGCCT ATCGCCACTTT CCGGCAAAAT GGTAAAGTGC ACTATTAAGC

  K   N   T   L   Y   L   Q   M   N   S   L   R   A   E   D   T   A
NspV                                                          EagI
~~                                                            ~~~~

AAAAACACCC TGTATCTGCA AATGAACAGC CTGCGTGCGG AAGATACGGC
TTTTTGTGGG ACATAGACGT TTACTTGTCG GACGCACGCC TTCTATGCCG

  V   Y   Y   C   A   R   W   G   G   D   G   F   Y   A   M   D
EagI          BssHII
~~            ~~~~~~
CGTGTATTAT TGCGCGCGTT GGGGCGGCGA TGGCTTTTAT GCGATGGATT
```

Figure 8: sequence and restriction map of the synthetic gene encoding the consensus single-chain fragment VH3-Vκ2 (continued)

```
GCACATAATA ACGCGCGCAA CCCCGCCGCT ACCGAAAATA CGCTACCTAA
  Y   W   Q   G   T   L   V   T   V   S   S   A   G   G   G   S
                                      BlpI
                                      ~~~~~~

ATTGGGGCCA AGGCACCCTG GTGACGGGTTA GCTCAGCGGG TGGCGGTTCT
TAACCCCGGT TCCGTGGGAC CACTGCCAAT CGAGTCGCCC ACCGCCAAGA
                                                        S   D   I
                                                        EcoRV
                                                        ~~~~~~

G   G   G   G   S   G   G   G   G   S   G   G   G   G   S

GGCGGCGGTG GGAGCGGTGG CGGTGGTTCT GGCGGTGGTG GTTCCGATAT
CCGCCGCCAC CCTCGCCACC GCCACCAAGA CCGCCACCAC CAAGGCTATA

  V   M   T   Q   S   P   L   S   L   P   V   T   P   G   E   P
  EcoRV                              BanII
  ~                                  ~~~~~~

CGTGATGACC CAGAGCCCAC TGAGCCTGCC AGTGACTCCG GGCGGAGCCTG
GCACTACTGG GTCTCGGGTG ACTCGGACGG TCACTGAGGC CCGCTCGGAC

  A   S   I   S   C   R   S   S   Q   S   L   L   H   S   N   G   Y
  PstI
  ~~~~~~

CGAGCATTAG CTGCAGAAGC AGCCAAAGCC TGCTGCATAG CAACGGCTAT
GCTCGTAATC GACGTCTTCG TCGGTTTCGG ACGACGTATC GTTGCCGATA
```

Figure 8: sequence and restriction map of the synthetic gene encoding the consensus single-chain fragment VH3-Vk2 (continued)

```
 N   Y   L   D   W   Y   L   Q   K   P   G   Q   S   P   Q   L   L
                     KpnI            SexAI                   AseI
                     ~~~~~           ~~~~~~                  ~~~

AACTATCTGG ATTGGTACCT TCAAAAACCA GGTCAAAGCC CGCAGCTATT
TTGATAGACC TAACCATGGA AGTTTTTGGT CCAGTTTCGG GCGTCGATAA


 I   L   G   S   N   R   A   S   G   V   P   D   R   F   S
AseI                           EcoO109I
~~~                            ~~~~~~~

AATTTATCTG GGCAGCAACC GTGCCAGTGG GGTCCCGGAT CGTTTTAGCG
TTAAATAGAC CCGTCGTTGG CACGGTCACC CCAGGGCCTA GCAAAATCGC


 G   S   G   S   G   T   D   F   T   L   K   I   S   R   V   E   A
         BamHI
         ~~~~~~

GCTCTGGATC CGGCACCGAT TTTACCCTGA AAATTAGCCG TGTGGAAGCT
CGAGACCTAG GCCGTGGCTA AAATGGGACT TTTAATCGGC ACACCTTCGA


 E   D   V   G   V   Y   Y   C   Q   Q   H   Y   T   T   P   P   T
     BbsI
     ~~~~~~

GAAGACGTGG GCGTGTATTA TTGCCAGCAG CATTATACCA CCCCGCCGAC
CTTCTGCACC CGCACATAAT AACGGTCGTC GTAATATGGT GGGGCGGCTG
```

92	93	94	95	96	97	98	99	100	100A	100B	100C	100D	100E	101	102	103	Frequency
C	A	R	G	E	T	F	E	-	-	-	-	-	-	D	Y	W	4
C	A	R	F	D	D	E	S	F	V	R	-	R	F	D	V	W	4
C	A	R	L	E	K	D	S	K	S	R	-	Q	M	D	V	W	2
C	A	R	I	Q	S	Y	K	A	-	R	R	-	M	D	Y	W	1
C	A	R	Q	H	D	A	G	W	R	R	-	Q	M	D	V	W	1
C	A	R	E	N	D	V	A	M	P	L	-	D	M	D	Y	W	2
C	A	R	A	E	W	T	D	W	-	R	-	K	F	D	Y	W	1
C	A	R	Y	T	E	S	R	T	V	R	-	K	F	D	V	W	13
C	A	R	F	K	V	Y	K	K	R	W	-	R	M	D	V	W	3
C	A	R	W	Y	S	H	Y	H	D	R	-	F	F	D	V	W	1
C	A	R	Y	F	-	F	V	-	K	-	-	-	-	D	Y	W	1
C	A	R	Q	T	E	K	F	Q	R	R	-	L	M	D	Y	W	1

Figure 24: Sequence analysis of BSA binders

Figure 24: Sequence analysis of BSA binders

92	93	94	95	96	97	98	99	100	100A	100B	100C	100D	100E	101	102	103	Frequency
C	A	R	D	Q	G	F	Y	A	I	D	Y	V	M	D	Y	W	5
C	A	R	V	F	T	Y	M	Y	N	Y	F	R	F	D	V	W	1
C	A	R	V	F	F	E	Q	M	E	V	V	R	M	D	V	W	1
C	A	R	E	K	E	Y	R	L	S	W	S	Q	M	D	Y	W	1
C	A	R	Y	P	S	R	W	A	P	N	W	Y	M	D	Y	W	1
C	A	R	D	G	G	F	K	P	L	T	H	F	F	D	V	W	1

Figure 25: modular pCAL vector system

Figure 25a: List of unique restriction sites used in or suitable for HuCAL genes or pCAL vectors

unique restriction site	Isoschizomers
AatII	/
AflII	Bfrl, BspTI, Bst98I
AscI	/
AseI	Vspl, Asnl, PshBl
BamHI	Bstl
Bbel	Ehel, Kasl, Narl
Bbsl	BpuAl, Bpil
BglII	/
Blpl	Bpu1102I, Cell II, Blpl
BsaBI	Maml, Bsh1365I, BsrBRI
BsiWI	Pfl23II, Spll, Sunl
BspEl	AcclII, BseAl, BsiMI, Kpn2I, Mrol
BsrGl	Bsp1407I, SspBI
BssHII	Paul
BstEII	BstPl, Eco91I, EcoO65I
BstXI	/
Bsu36I	Aocl, Cvnl, Eco81I
DraIII	/
DsmAl	
Eagl	BstZI, EclXI, Eco52I, XmalII
Eco57I	/
EcoO109I	Drall
EcoRI	/
EcoRV	Eco32I
Fsel	/
HindIII	/
Hpal	/
Kpnl	Acc65I, Asp718I
Mlul	/
Mscl	Ball, MluNI

Figure 25a: List of unique restriction sites used in or suitable for HuCAL genes or pCAL vectors

unique restriction site	Isoschizomers
MunI	MfeI
NheI	/
NsiI	Ppu10I, EcoT22I, Mph1103I
NspV	Bsp119I, BstBI, Csp45I, LspI, SfuI
PacI	/
PmeI	/
PmlI	BbrPI, Eco72I, PmaCI
Psp5II	PpuMI
PstI	/
RsrII	(RsriI), CpoI, CspI
SanDI	/
SapI	/
SexAI	/
SpeI	/
SfiI	/
SphI	BbuI, PaeI,NspI
StuI	AatI, Eco147I
StyI	Eco130I, EcoT14I
XbaI	BspLU11II
XhoI	PaeR7I
XmaI	AvaI, SmaI, Cfr9I, PspAI

Figure26: list of pCAL vector modules

No	module/flan-king restriction sites	functional element	sites to be removed	sites to be inserted	template	reference
M1	AatII-lacp/o-XbaI	lac promotor/operator	2x VspI (AseI)	AatII	vector pASK30	Skerra et al. (1991) Bio/Technology 9, 273-278
M2	BglII-lox-AatII	Cre/lox recombination site	2x VspI (AseI)	lox, BglII	(synthetic)	Hoess et al. (1986) Nucleic Acids Res. 2287-2300
M3	XbaI-lox'-SphI	Cre/lox' recombination site	none	lox', SphI	(synthetic)	see M2
M7-I	EcoRI-gIIIlong-HindIII	gIIIp of filamentous phage with N-terminal myctail/amber codon	SphI, BamHI	none	vector pIG10	Ge et al. (1994) Expressing antibodies in E. coli. In: Antibody engineering: A practical approach. IRL Press, New York, pp 229-266

Figure 26: list of pCAL vector modules

M7-II	EcoRI-gIIIss-HindIII	truncated gIIIp of filamentous phage with N-terminal Gly-Ser linker	SphI		vector pIG10	see M7-I
M7-III	EcoRI-gIIIss-HindIII	truncated gIIIp of filamentous phage with N-terminal myctail/amber codon	SphI, BbsI		vector pIG10	see M7-I
M8	SphI-lox-HindIII	Cre/lox recombination site	none	lox	(synthetic)	see M3
M9-II	HindIII-lpp-PacI	lpp-terminator	none	PacI, FseI	(synthetic)	see M1
M10-II	PacI/FseI-bla-BsrGI	beta-lactamase/bla (ampR)	VspI, Eco57I, BssSI	PacI, FseI, BsrGI	pASK30	see M1
M11-II	BsrGI-f1 ori-NheI	origin of single-stranded replication	DraIII (BanII not removed)	BsrGI, NheI	pASK30	see M1
M11-III	BsrGI-f1 ori-NheI	origin of single-stranded replication	DraIII, BanII	BsrGI, NheI	pASK30	see M1

Figure26: list of pCAL vector modules

M12	Nhel-p15A-Bglll	origin of double-stranded replication	BssSI, VspI, NspV	Nhel, Bglll	pACYC184	Rose, R.E. (1988) Nucleic Acids Res. 16, 355
M13	Bglll-lox-Bglll	Cre/lox recombination site	none	Bglll, lox, XmnI	(synthetic)	see M3
M14-Ext2	Bglll-ColEl-Nhel	origin of double-stranded replication	Eco57I (BssSI not removed)	Bglll, Nhel	pUC19	Yanisch-Peron, C. (1985) Gene 33,103-119
M17	AatlI-cat-Bglll	chloramphenicol-acetyltransferase/ cat (camR)	BspEI, MscI, StyI/Ncol		pACYC184	Cardoso, M. & Schwarz,S. (1992) J. Appl. Bacteriol.72, 289-293
M19	Xbal-phoA-EcoRI	signal sequence of phosphatase A	(synthetic)		(synthetic)	see M1
M20	Xbal-phoA-FLAG-EcoRI	signal sequence of phosphatase A + FLAG detection tag	(synthetic)		(synthetic)	Knappik, A & Plückthun, A. (1994) BioTechniques 17, 754-761

Figure26: list of pCAL vector modules

M21	Xbal-stII- Sapl	heat-stable enterotoxin II signal sequence	(synthetic)	(synthetic)	Lee et al. (1983) Infect. Immunol. 264-268
M41	AflIII-lacl- Nhel	lac-repressor	BstXl, Mlul,Bbsl, Banll, BstEll, Hpal, Bbel, Vspl	pASK30	see M1
M42	EcoRI-Histail- HindlII	poly-histidine tail	(synthetic)	(synthetic)	Lindner et al., (1992) Methods: a companion to methods in enzymology 4, 41- 56

Figure 27: functional map and sequence of MCS module

MCS
143 bp

HindIII (8) PacI (28)
BsrGI (42)
NheI (58)
BglII (74)
AatII (94)
XbaI (101)
SphI (121)
EcoRI (133)
AatII (143)

Figure 27: functional map and sequence of MCS module (continued)

```
       HindIII     PacI                 AatII XbaI  BsrGI
       ~~~~~~      ~~~~~~~               ~~~~~ ~~~~~ ~~~~~~
  1  ACATGTAAGC TTCCCCCCC CCTTAATTAA CCCCCCCCC TGTACACCCC
     TGTACATTCG AAGGGGGGG GGAATTAATT GGGGGGGGG ACATGTGGGG

       NheI        BglII                EcoRI AatII
       ~~~~~~      ~~~~~~                ~~~~~ ~~~~~
 51  CCCCCCGCTA GCCCCCCCC CCAGATCTCC CCCCCCCGA CGTCCCCCCT
     GGGGGGCGAT CGGGGGGGG GGTCTAGAGG GGGGGGGCT GCAGGGGGGA

       XbaI        SphI
       ~~~~~       ~~~~~~
101  CTAGACCCCC CCCCCGCATG CCCCCCCCC CGAATTCGAC GTC
     GATCTGGGGG GGGGGCGTAC GGGGGGGGG GCTTAAGCTG CAG
```

Figure 28: functional map and sequence of pMCS cloning vector

Figure 28: functional map and sequence of pMCS cloning vector (continued)

```
  1   CAGGTGGCAC TTTTCGGGGA AATGTGCGCG GAACCCCTAT TTGTTTATTT
      GTCCACCGTG AAAAGCCCCT TTACACGCGC CTTGGGGATA AACAAATAAA

 51   TTCTAAATAC ATTCAAATAT GTATCCGCTC ATGAGACAAT AACCCTGATA
      AAGATTTATG TAAGTTTATA CATAGGCGAG TACTCTGTTA TTGGGACTAT

101   AATGCTTCAA TAATATTGAA AAAGGAAGAG TATGAGTATT CAACATTCC
      TTACGAAGTT ATTATAACTT TTTCCTTCTC ATACTCATAA GTTGTAAAGG

151   GTGTCGCCCT TATTCCCTTT TTTGCGGCAT TTTGCCTTCC TGTTTTTGCT
      CACAGCGGGA ATAAGGGAAA AAACGCCGTA AAACGGAAGG ACAAAAACGA

                                        Eco57I
                                        ~~~~~
201   CACCCAGAAA CGCTGGTGAA AGTAAAAGAT GCTGAAGATC AGTTGGGTGC
      GTGGGTCTTT GCGACCACTT TCATTTTCTA CGACTTCTAG TCAACCCACG
                                                   BsssSI
                                                   ~

251   ACGAGTGGGT TACATCGAAC TGGATCTCAA CAGCGGTAAG ATCCTTGAGA
      TGCTCACCCA ATGTAGCTTG ACCTAGAGTT GTCGCCATTC TAGGAACTCT
      BsssSI
      ~~~~
```

Figure 28: functional map and sequence of pMCS cloning vector (continued)

XmnI
~~~~~~~~~

```
301  GTTTTCGCCC  CGAAGAACGT  TTTCCAATGA  TGAGCACTTT  TAAAGTTCTG
     CAAAAGCGGG  GCTTCTTGCA  AAAGGTTACT  ACTCGTGAAA  ATTTCAAGAC

351  CTATGTGGCG  CGGTATTATC  CCGTATTGAC  GCCGGGCAAG  AGCAACTCGG
     GATACACCGC  GCCATAATAG  GGCATAACTG  CGGCCCGTTC  TCGTTGAGCC

401  TCGCCGCATA  CACTATTCTC  AGAATGACTT  GGTTGAGTAC  TCACCAGTCA
     AGCGGCGTAT  GTGATAAGAG  TCTTACTGAA  CCAACTCATG  AGTGGTCAGT

451  CAGAAAAGCA  TCTTACGGAT  GGCATGACAG  TAAGAGAATT  ATGCAGTGCT
     GTCTTTTCGT  AGAATGCCTA  CCGTACTGTC  ATTCTCTTAA  TACGTCACGA

501  GCCATAACCA  TGAGTGATAA  CACTGCGGCC  AACTTACTTC  TGACAACGAT
     CGGTATTGGT  ACTCACTATT  GTGACGCCGG  TTGAATGAAG  ACTGTTGCTA

551  CGGAGGACCG  AAGGAGCTAA  CCGCTTTTTT  GCACAACATG  GGGGATCATG
     GCCTCCTGGC  TTCCTCGATT  GGCGAAAAAA  CGTGTTGTAC  CCCCTAGTAC

601  TAACTCGCCT  TGATCGTTGG  GAACCGGAGC  TGAATGAAGC  CATACCAAAC
     ATTGAGCGGA  ACTAGCAACC  CTTGGCCTCG  ACTTACTTCG  GTATGGTTTG

651  GACGAGCGTG  ACACCACGAT  GCCTGTAGCA  ATGGCAACAA  CGTTGCGCAA
```

Figure 28: functional map and sequence of pMCS cloning vector (continued)

```
     CTGCTCGCAC TGTGGTGCTA CGGACATCGT TACCGTTGTT GCAACGCGTT

                                                      AseI
                                                    ~~~~~

701  ACTATTAACT GGCGAACTAC TTACTCTAGC TTCCCGGCAA CAATTAATAG
     TGATAATTGA CCGCTTGATG AATGAGATCG AAGGGCCGTT GTTAATTATC

751  ACTGGATGGA GGCGGATAAA GTTGCAGGAC CACTTCTGCG CTCGGCCCTT
     TGACCTACCT CCGCCTATTT CAACGTCCTG GTGAAGACGC GAGCCGGGAA

801  CCGGCTGGCT GGTTTATTGC TGATAAATCT GGAGCCGGTG AGCGTGGGTC
     GGCCGACCGA CCAAATAACG ACTATTTAGA CCTCGGCCAC TCGCACCCAG

851  TCGCGGTATC ATTGCAGCAC TGGGGCCAGA TGGTAAGCCC TCCCGTATCG
     AGCGCCATAG TAACGTCGTG ACCCCGGTCT ACCATTCGGG AGGGCATAGC

901  TAGTTATCTA CACGACGGGG AGTCAGGCAA CTATGGATGA ACGAAATAGA
     ATCAATAGAT GTGCTGCCCC TCAGTCCGTT GATACCTACT TGCTTTATCT

951  CAGATCGCTG AGATAGGTGC CTCACTGATT AAGCATTGGT AACTGTCAGA
     GTCTAGCGAC TCTATCCACG GAGTGACTAA TTCGTAACCA TTGACAGTCT

1001 CCAAGTTTAC TCATATATAC TTTAGATTGA TTTAAAACTT CATTTTTAAT
     GGTTCAAATG AGTATATATG AAATCTAACT AAATTTTGAA GTAAAAATTA
```

Figure 28: functional map and sequence of pMCS cloning vector (continued)

```
1051   TTAAAAGGAT CTAGGTGAAG ATCCTTTTTG ATAATCTCAT GACCAAAATC
       AATTTTCCTA GATCCACTTC TAGGAAAAAC TATTAGAGTA CTGGTTTTAG

1101   CCTTAACGTG AGTTTTCGTT CCACTGAGCG TCAGACCCCG TAGAAAAGAT
       GGAATTGCAC TCAAAAGCAA GGTGACTCGC AGTCTGGGGC ATCTTTTCTA

1151   CAAAGGATCT TCTTGAGATC CTTTTTTTCT GCGCGTAATC TGCTGCTTGC
       GTTTCCTAGA AGAACTCTAG GAAAAAAAGA CGCGCATTAG ACGACGAACG

1201   AAACAAAAAA ACCACCGCTA CCAGCGGTGG TTTGTTTGCC GGATCAAGAG
       TTTGTTTTTT TGGTGGCGAT GGTCGCCACC AAACAAACGG CCTAGTTCTC

1251   CTACCAACTC TTTTTCCGAA GGTAACTGGC TTCAGCAGAG CGCAGATACC
       GATGGTTGAG AAAAAGGCTT CCATTGACCG AAGTCGTCTC GCGTCTATGG
                                       Eco57I
                                       ~~~~~~~

1301   AAATACTGTC CTTCTAGTGT AGCCGTAGTT AGGCCACCAC TTCAAGAACT
       TTTATGACAG GAAGATCACA TCGGCATCAA TCCGGTGGTG AAGTTCTTGA

1351   CTGTAGCACC GCCTACATAC CTCGCTCTGC TAATCCTGTT ACCAGTGGCT
       GACATCGTGG CGGATGTATG GAGCGAGACG ATTAGGACAA TGGTCACCGA
```

Figure 28: functional map and sequence of pMCS cloning vector (continued)

```
1401  GCTGCCAGTG GCGATAAGTC GTGTCTTACC GGGTTGGACT CAAGACGATA
      CGACGGTCAC CGCTATTCAG CACAGAATGG CCCAACCTGA GTTCTGCTAT

1451  GTTACCGGAT AAGGCGCAGC GGTCGGGCTG AACGGGGGGT TCGTGCACAC
      CAATGGCCTA TTCCGCGTCG CCAGCCCGAC TTGCCCCCCA AGCACGTGTG

1501  AGCCCAGCTT GGAGCGAACG ACCTACACCG AACTGAGATA CCTACAGCGT
      TCGGGTCGAA CCTCGCTTGC TGGATGTGGC TTGACTCTAT GGATGTCGCA

1551  GAGCTATGAG AAAGCGCCAC GCTTCCCGAA GGGAGAAAGG CGGACAGGTA
      CTCGATACTC TTTCGCGGTG CGAAGGGCTT CCCTCTTTCC GCCTGTCCAT

1601  TCCGGTAAGC GGCAGGGTCG GAACAGGAGA GCGCACGAGG GAGCTTCCAG
      AGGCCATTCG CCGTCCCAGC CTTGTCCTCT CGCGTGCTCC CTCGAAGGTC
                                            BssSI
                                            ~~~~~~

1651  GGGGAAACGC CTGGTATCTT TATAGTCCTG TCGGGTTTCG CCACCTCTGA
      CCCCTTTGCG GACCATAGAA ATATCAGGAC AGCCCAAAGC GGTGGAGACT

1701  CTTGAGCGTC GATTTTTGTG ATGCTCGTCA GGGGGGCGGA GCCTATGGAA
      GAACTCGCAG CTAAAAACAC TACGAGCAGT CCCCCGCCT  CGGATACCTT

1751  AAACGCCAGC AACGCGGCCT TTTTACGGTT CCTGGCCTTT TGCTGGCCTT
```

Figure 28: functional map and sequence of pMCS cloning vector (continued)

```
             TTTGCGGGTCG TTGCGCCCGGA AAAATGCCAA GGACCGGGAAA ACGACCGGAA

                            HindIII                  PacI         BsrGI
                            ~~~~~                   ~~~~~~        ~~~~

1801   TTGCTCACAT GTAAGCTTCC CCCCCCCTT AATTAACCCC CCCCCCTGTA
       AACGAGTGTA CATTCGAAGG GGGGGGGAA TTAATTGGGG GGGGGACAT

       BsrGI         NheI                    BglII          AatII
       ~~           ~~~~~                   ~~~~~~         ~~~~

1851   CACCCCCCCC CCGCTAGCCC CCCCCCCAG ATCTCCCCCC CCCCGACGTC
       GTGGGGGGGG GGCGATCGGG GGGGGGGTC TAGAGGGGGG GGGGCTGCAG

              XbaI          SphI             EcoRI
             ~~~~~~        ~~~~~            ~~~~~~~

1901   CCCCCTCTAG ACCCCCCCCC CGCATGCCCC CCCCCCCGAA TTCACGT
       GGGGAGATC TGGGGGGGGG GCGTACGGGG GGGGGGGCTT AAGTGCA
```

Figure 29: functional map and sequence of pCAL module M1

LacZ

XbaI (138)

AatII (6)

M1
142 bp

Figure 29: functional map and sequence of pCAL module M1

```
     AatII
     ~~~~~
  1  GACGTCTTAA  TGTGAGTTAG  CTCACTCATT  AGGCACCCCA  GGCTTTACAC
     CTGCAGAATT  ACACTCAATC  GAGTGAGTAA  TCCGTGGGGT  CCGAAATGTG

 51  TTTATGCTTC  CGGCTCGTAT  GTTGTGTGGA  ATTGTGAGCG  GATAACAATT
     AAATACGAAG  GCCGAGCATA  CAACACACCT  TAACACTCGC  CTATTGTTAA

                                        XbaI
                                        ~~~~
101  TCACACAGGA  AACAGCTATG  ACCATGATTA  CGAATTCTA   GA
     AGTGTGTCCT  TTGTCGATAC  TGGTACTAAT  GCTTAAAGAT  CT
```

Figure 30: functional map and sequence of pCAL module M7-II

EcoRI (2)

gIII supershort

XmnI (311)

HindIII (516)

M7-III (ss/myc/TAG)
520 bp

Figure 30: functional map and sequence of pCAL module M7-II (continued)

```
       EcoRI
       ~~~~~~
  1    GAATTCGAGC AGAAGCTGAT CTCTGAGGAG GATCTGTAGG GTGGTGGCTC
       CTTAAGCTCG TCTTCGACTA GAGACTCCTC CTAGACATCC CACCACCGAG

 51    TGGTTCCGGT GATTTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGGG
       ACCAAGGCCA CTAAAACTAA TACTTTTCTA CCGTTTGCGA TTATTCCCCC

101    CTATGACCGA AAATGCCGAT GAAAACGCGC TACAGTCTGA CGCTAAAGGC
       GATACTGGCT TTTACGGCTA CTTTTGCGCG ATGTCAGACT GCGATTTCCG

151    AAACTTGATT CTGTCGCTAC TGATTACGGT GCTGCTATCG ATGGTTTCAT
       TTTGAACTAA GACAGCGATG ACTAATGCCA CGACGATAGC TACCAAAGTA

201    TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT GGTGATTTTG
       ACCACTGCAA AGGCCGGAAC GATTACCATT ACCACGATGA CCACTAAAAC

251    CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT
       GACCGAGATT AAGGGTTTAC CGAGTTCAGC CACTGCCACT ATTAAGTGGA

                                   XmnI
                                   ~~~~~~~
301    TTAATGAATA ATTTCCGTCA ATATTTACCT TCCCTCCCTC AATCGGTTGA
       AATTACTTAT TAAAGGCAGT TATAAATGGA AGGGAGGGAG TTAGCCAACT
```

Figure 30: functional map and sequence of pCAL module M7-II (continued)

```
351  ATGTCGCCCT  TTTGTCTTTG  GCGCTGGTAA  ACCATATGAA  TTTTCTATTG
     TACAGCGGGA  AAACAGAAAC  CGCGACCATT  TGGTATACTT  AAAAGATAAC

401  ATTGTGACAA  AATAAACTTA  TTCCGTGGTG  TCTTTGCGTT  TCTTTTATAT
     TAACACTGTT  TTATTTGAAT  AAGGCACCAC  AGAAACGCAA  AGAAAATATA

451  GTTGCCACCT  TTATGTATGT  ATTTTCTACG  TTTGCTAACA  TACTGCGTAA
     CAACGGTGGA  AATACATACA  TAAAAGATGC  AAACGATTGT  ATGACGCATT

                            HindIII
                            ~~~~~
501  TAAGGAGTCT  TGATAAGCTT
     ATTCCTCAGA  ACTATTCGAA
```

Figure 31: functional map and sequence of pCAL module M9-II

HindIII (12)

Ipp-Terminator

PacI (76)

FseI (96)

BsrGI (109)

M9-II
123 bp

Figure 31: functional map and sequence of pCAL module M9-II (continued)

```
                HindIII
                ~~~~~
 1   GGGGGGGGG  AAGCTTGACC  TGTGAAGTGA  AAAATGGCGC  AGATTGTGCG
     CCCCCCCCC  TTCGAACTGG  ACACTTCACT  TTTTACCGCG  TCTAACACGC

                            PacI                    FseI
                            ~~~~~~~                 ~~~~~~
51   ACATTTTTT  TGTCTGCCGT  TTAATTAAAG  GGGGGGGGG  GCCGGCCTGG
     TGTAAAAAA  ACAGACGGCA  AATTAATTTC  CCCCCCCCC  CGGCCGGACC

          BsrGI
          ~~~~~
101  GGGGGGTGT  ACAGGGGGGG  GGG
     CCCCCCACA  TGTCCCCCCC  CCC
```

Figure 32: functional map and sequence of pCAL module M11-III

M11-III
470 bp

NheI (2)

GenII-Nick

functional ssori

BsrGI (466)

Figure 32: functional map and sequence of pCAL module M11-III (continued)

```
      NheI
      ~~~~~
  1   GCTAGCACGC  GCCCTGTAGC  GGCGGCATTAA  GGCGGGCGGG  TGTGGTGGTT
      CGATCGTGCG  CGGGACATCG  CCGCGGTAATT  CGGCCGCCCC  ACACCACCAA

 51   ACGGCGAGCG  TGACCGCTAC  ACTTGCCAGC  GCCCTAGCGC  CCGCTCCTTT
      TGCGCGTCGC  ACTGGCGATG  TGAACGGTCG  CGGGATCGCG  GGCGAGGAAA

101   CGTTTCTTC   CCTTCCTTTC  TCGCCCACGTT  CGCCGGCTTT  CCCCGTCAAG
      GCGAAAGAAG  GGAAGGAAAG  AGCGGGTGCAA  GCGGCCGAAA  GGGGCAGTTC

151   CTCTAAATCG  GGGCATCCCT  TTAGGGTTCC  GATTTAGTGC  TTTACGGCAC
      GAGATTTAGC  CCCGTAGGGA  AATCCCAAGG  CTAAATCACG  AAATGCCGTG

201   CTCGACCCCA  AAAAACTTGA  TTAGGGTGAT  GGTTCTCGTA  GTGGGCCATC
      GAGCTGGGGT  TTTTTGAACT  AATCCCACTA  CCAAGAGCAT  CACCCGGTAG

251   GCCCTGATAG  ACGGTTTTTC  GCCCTTTGAC  GTTGGAGTCC  ACGTTCTTTA
      CGGGACTATC  TGCCAAAAAG  CGGGAAACTG  CAACCTCAGG  TGCAAGAAAT

301   ATAGTGGACT  CTTGTTCCAA  ACTGGAACAA  CACTCAACCC  TATCTCGGTC
      TATCACCTGA  GAACAAGGTT  TGACCTTGTT  GTGAGTTGGG  ATAGAGCCAG

351   TATTCTTTTG  ATTTATAAGG  GATTTTGCCG  ATTTCGGCCT  ATTGGTTAAA
```

Figure 32: functional map and sequence of pCAL module M11-III (continued)

```
      ATAAGAAAAC TAAATATTCC CTAAAACGGC TAAAGCCGGA TAACCAATTT

401   AAATGAGCTG ATTTAACAAA AATTTAACGC GAATTTTAAC AAAATATTAA
      TTTACTCGAC TAAAATTGTT TTAAATTGCG CTTAAAATTG TTTTATAATT

                        BsrGI
                        ~~~~~
451   CGTTTACAAT TTCATGTACA
      GCAAATGTTA AAGTACATGT
```

Figure 33: functional map and sequence of pCAL module M14-Ext2

BglII (2)

ds ori

M14-EXT2
733 bp

BssSI (551)

COLE1_ORI

NheI (729)

Figure 33: functional map and sequence of pCAL module M14-Ext2 (continued)

```
        BglII
        ~~~~~
  1   AGATCTGACC AAAATCCCTT AACGTGAGTT TTCGTTCCAC TGAGCGTCAG
      TCTAGACTGG TTTTAGGGAA TTGCACTCAA AAGCAAGGTG ACTCGCAGTC

 51   ACCCCGTAGA AAAGATCAAA GGATCTTCTT GAGATCCTTT TTTTCTGCGC
      TGGGGCATCT TTTCTAGTTT CCTAGAAGAA CTCTAGGAAA AAAAGACGCG

101   GTAATCTGCT GCTTGCAAAC AAAAAAACCA CCGCTACCAG CGGTGGTTTG
      CATTAGACGA CGAACGTTTG TTTTTTTGGT GGCGATGGTC GCCACCAAAC

151   TTTGCCGGAT CAAGAGCTAC CAACTCTTTT TCCGAAGGTA ACTGGCTACA
      AAACGGCCTA GTTCTCGATG GTTGAGAAAA AGGCTTCCAT TGACCGATGT

201   GCAGAGGCGCA GATACCAAAT ACTGTTCTTC TAGTGTAGCC GTAGTTAGGC
      CGTCTCGCGT CTATGGTTTA TGACAAGAAG ATCACATCGG CATCAATCCG

251   CACCACTTCA AGAACTCTGT AGCACCGCCT ACATACCTCG CTCTGCTAAT
      GTGGTGAAGT TCTTGAGACA TCGTGGCGGA TGTATGGAGC GAGACGATTA

301   CCTGTTACCA GTGGCTGCTG CCAGTGGCGA TAAGTCGTGT CTTACCGGGT
      GGACAATGGT CACCGACGAC GGTCACCGCT ATTCAGCACA GAATGGCCCA

351   TGGACTCAAG ACGATAGTTA CCGGATAAGG CGCAGCGGTC GGGCTGAACG
```

Figure 33: functional map and sequence of pCAL module M14-Ext2 (continued)

```
     ACCTGAGTTC TGCTATCAAT GGCCTATTCC GCGTCGCCAG CCCGACTTGC
401  GGGGGTTCGT GCACACAGCC CAGCTTGGAG CGAACGACCT ACACCGAACT
     CCCCCAAGCA CGTGTGTCGG GTCGAACCTC GCTTGCTGGA TGTGGCTTGA
451  GAGATACCTA CAGCGTGAGC TATGAGAAAG CGCCACGCTT CCCGAAGGGA
     CTCTATGGAT GTCGCACTCG ATACTCTTTC GCGGTGCGAA GGGCTTCCCT
501  GAAAGGCGGA CAGGTATCCG GTAAGCGGCA GGGTCGGAAC AGGAGAGCGC
     CTTTCCGCCT GTCCATAGGC CATTCGCCGT CCCAGCCTTG TCCTCTGCGG
                                                  BssSI
                                                    ~
551  ACGAGGGAGC TTCCAGGGGG AAACGCCTGG TATCTTTATA GTCCTGTCGG
     TGCTCCCTCG AAGGTCCCCC TTTGCGGACC ATAGAAATAT CAGGACAGCC
          BssSI
          ~~~~~
601  GTTTCGCCAC CTCTGACTTG AGCGTCGATT TTTGTGATGC TCGTCAGGGG
     CAAAGCGGTG GAGACTGAAC TCGCAGCTAA AAACACTACG AGCAGTCCCC
651  GGCGGAGCCT ATGGAAAAAC GCCAGCAACG CGGCCTTTTT ACGGTTCCTG
     CCGCCTCGGA TACCTTTTTG CGGTCGTTGC GCCGGAAAAA TGCCAAGGAC
```

Figure 33: functional map and sequence of pCAL module M14-Ext2 (continued)

NheI
~~~~~

701 GCCTTTTGCT GGCCTTTTGC TCACATGGCT AGC
     CGGAAAACGA CCGGAAAAACG AGTGTACCGA TCG

Figure 34: functional map and sequence of pCAL module M17

Figure 34: functional map and sequence of pCAL module M17 (continued)

```
     AatII
     ~~~~~
  1  GGGACGTCGG GTGAGGTTCC AACTTTCACC ATAATGAAAT AAGATCACTA
     CCCTGCAGCC CACTCCAAGG TTGAAAGTGG TATTACTTTA TTCTAGTGAT

 51  CCGGGCGTAT TTTTTGAGTT ATCGAGATTT TCAGGAGCTA AGGAAGCTAA
     GGCCCGCATA AAAAACTCAA TAGCTCTAAA AGTCCTCGAT TCCTTCGATT

101  AATGGAGAAA AAAATCACTG GATATACCAC CGTTGATATA TCCCAATGGC
     TTACCTCTTT TTTTAGTGAC CTATATGGTG GCAACTATAT AGGGTTACCG

151  ATCGTAAAGA ACATTTTGAG GCATTTCAGT CAGTTGCTCA ATGTACCTAT
     TAGCATTTCT TGTAAAACTC CGTAAAGTCA GTCAACGAGT TACATGGATA

201  AACCAGACCG TTCAGCTGGA TATTACGGCC TTTTTAAAGA CCGTAAAGAA
     TTGGTCTGGC AAGTCGACCT ATAATGCCGG AAAAATTTCT GGCATTTCTT

251  AAATAAGCAC AAGTTTTATC CGGCCTTTAT TCACATTCTT GCCCGCCTGA
     TTTATTCGTG TTCAAAATAG GCCGGAAATA AGTGTAAGAA CGGGCGGACT

301  TGAATGCTCA CCCGGAGTTC CGTATGGCAA TGAAAGACGG TGAGCTGGTG
     ACTTACGAGT GGGCCTCAAG GCATACCGTT ACTTTCTGCC ACTCGACCAC

351  ATATGGGATA GTGTTCACCC TTGTTACACC GTTTTCCATG AGCAAACTGA
```

Figure 34: functional map and sequence of pCAL module M17 (continued)

```
      TATACCCTAT CACAAGTGGG AACAATGTGG CAAAAGGTAC TCGTTTGACT

401   AACGTTTTCA TCGCTCTGGA GTGAATACCA CGACGATTTC CGGCAGTTTC
      TTGCAAAAGT AGCGAGACCT CACTTATGGT GCTGCTAAAG GCCGTCAAAG

451   TACACATATA TTCGCAAGAT GTGGCCGTGTT ACGGTGAAAA CCTGCCTAT
      ATGTGTATAT AAGCGTTCTA CACCGCACAA TGCCACTTTT GGACCGGATA

501   TTCCCTAAAG GGTTTATTGA GAATATGTTT TTCGTCTCAG CCAATCCCTG
      AAGGGATTTC CCAAATAACT CTTATACAAA AAGCAGAGTC GGTTAGGGAC

551   GGTGAGTTTC ACCAGTTTTG ATTTAAACGT AGCCAATATG GACAACTTCT
      CCACTCAAAG TGGTCAAAAC TAAATTTGCA TCGGTTATAC CTGTTGAAGA

601   TCGCCCCCGT TTTCACTATG GGCAAATATT ATACGCAAGG CGACAAGGTG
      AGCGGGGGCA AAAGTGATAC CCGTTTATAA TATGCGTTCC GCTGTTCCAC

651   CTGATGCCGC TGGCGATTCA GGTTCATCAT GCCGTTTGTG ATGGCTTCCA
      GACTACGGCG ACCGCTAAGT CCAAGTAGTA CGGCAAACAC TACCGAAGGT

701   TGTCGGCAGA ATGCTTAATG AATTACAACA GTACTGCGAT GAGTGGCAGG
      ACAGCCGTCT TACGAATTAC TTAATGTTGT CATGACGCTA CTCACCGTCC

751   GCGGGGCGTA ATTTTTTTAA GGCAGTTATT GGGTGCCCTT AAACGCCTGG
```

Figure 34: functional map and sequence of pCAL module M17 (continued)

```
      CGCCCCGCAT  TAAAAAAATT  CCGTCAATAA  CCCACGGGAA  TTTGCGGACC

                  BglII
                  ~~~~~

801   TGCTAGATCT  TCC
      ACGATCTAGA  AGG
```

Figure 35: functional map and sequence of modular vector pCAL4

pCAL4
2755 bp

EcoRI (1)
gIII supershort
XmnI (310)
HindIII (515)
PacI (579)
FseI (599)
BsrGI (612)
functional ssori
GenII-Nick
BanII (919)
NheI (1076)
replication start
BssSI (1254)
ColEI Ext2 origin
BglII (1803)
cat
AatII (2608)
lac p/o
XbaI (2739)
SphI (2749)

107 / 204

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

EcoRI
~~~~

```
  1  AATTCGAGCA GAAGCTGATC TCTGAGGAGG ATCTGTAGGG TGGTGGCTCT
     TTAAGCTCGT CTTCGACTAG AGACTCCTCC TAGACATCCC ACCACCGAGA

 51  GGTTCCGGTG ATTTTGATTA TGAAAAGATG GCAAACGCTA ATAAGGGGGC
     CCAAGGCCAC TAAAACTAAT ACTTTTCTAC CGTTTGCGAT TATTCCCCCG

101  TATGACCGAA AATGCCGATG AAAACGCGCT ACAGTCTGAC GCTAAAGGCA
     ATACTGGCTT TTACGGCTAC TTTTGCGCGA TGTCAGACTG CGATTTCCGT

151  AACTTGATTC TGTCGCTACT GATTACGGTG CTGCTATCGA TGGTTTCATT
     TTGAACTAAG ACAGCGATGA CTAATGCCAC GACGATAGCT ACCAAAGTAA

201  GGTGACGTTT CCGGCCTTGC TAATGGTAAT GGTGCTACTG GTGATTTTGC
     CCACTGCAAA GGCCGGAACG ATTACCATTA CCACGATGAC CACTAAAACG

251  TGGCTCTAAT TCCCAAATGG CTCAAGTCGG TGACGGTGAT AATTCACCTT
     ACCGAGATTA AGGGTTTACC GAGTTCAGCC ACTGCCACTA TTAAGTGGAA

                                XmnI
                              ~~~~~~~~~
301  TAATGAATAA TTTCCGTCAA TATTTACCTT CCCTCCCTCA ATCGGTTGAA
     ATTACTTATT AAAGGCAGTT ATAAATGGAA GGGAGGGAGT TAGCCAACTT
```

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

```
351  TGTCGCCCTT TTGTCTTTGG CGCTGGTAAA CCATATGAAT TTTCTATTGA
     ACAGCGGGAA AACAGAAACC GCGACCATTT GGTATACTTA AAAGATAACT

401  TTGTGACAAA ATAAACTTAT TCCGTGGTGT CTTTGCGTTT CTTTTATATG
     AACACTGTTT TATTTGAATA AGGCACCACA GAAACGCAAA GAAAATATAC

451  TTGCCACCTT TATGTATGTA TTTTCTACGT TTGCTAACAT ACTGCGTAAT
     AACGGTGGAA ATACATACAT AAAAGATGCA AACGATTGTA TGACGCATTA
                 HindIII
                 ~~~~~~
501  AAGGAGTCTT GATAAGCTTG ACCTGTGAAG TGAAAAATGG CGCAGATTGT
     TTCCTCAGAA CTATTCGAAC TGGACACTTC ACTTTTTACC GCGTCTAACA
                                        PacI        FseI
                                        ~~~~~       ~~~~~
551  GCGACATTTT TTTTGTCTGC CGTTTAATTA AAGGGGGGGG GGGGCCGGCC
     CGCTGTAAAA AAAACAGACG GCAAATTAAT TTCCCCCCCC CCCCGGCCGG
                 BsrGI
                 ~~~~~
601  TGGGGGGGGG TGTACATGAA ATTGTAAACG TTAATATTTT GTTAAAATTC
     ACCCCCCCCC ACATGTACTT TAACATTTGC AATTATAAAA CAATTTTAAG
```

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

```
651  GCGTTAAATT TTTGTTAAAT CAGCTCATTT TTTAACCAAT AGGCCGAAAT
     CGCAATTTAA AAACAATTTA GTCGAGTAAA AAATTGGTTA TCCGGCTTTA

701  CGGCAAAATC CCTTATAAAT CAAAAGAATA GACCGAGATA GGGTTGAGTG
     GCCGTTTTAG GGAATATTTA GTTTTCTTAT CTGGCTCTAT CCCAACTCAC

751  TTGTTCCAGT TTGGAACAAG AGTCCACTAT TAAAGAACGT GGACTCCAAC
     AACAAGGTCA AACCTTGTTC TCAGGTGATA ATTTCTTGCA CCTGAGGTTG

801  GTCAAAGGGC GAAAAACCGT CTATCAGGGC GATGGCCCAC TACGAGAACC
     CAGTTTCCCG CTTTTTGGCA GATAGTCCCG CTACCGGGTG ATGCTCTTGG

851  ATCACCCTAA TCAAGTTTTT TGGGGTCGAG GTGCCGTAAA GCACTAAATC
     TAGTGGGATT AGTTCAAAAA ACCCCAGCTC CACGGCATTT CGTGATTTAG
                              BanII

901  GGAACCCTAA AGGGAGCCCC CGATTTAGAG CTTGACGGGG AAAGCCGGCG
     CCTTGGGATT TCCCTCGGGG GCTAAATCTC GAACTGCCCC TTTCGGCCGC

951  AACGTGGCGA GAAAGGAAGG GAAGAAAGCG AAAGGAGCGG GCGCTAGGGC
     TTGCACCGCT CTTTCCTTCC CTTCTTTCGC TTTCCTCGCC CGCGATCCCG
```

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

```
1001  GCTGGCAAGT GTAGCGGTCA CGCTGCGCGT AACCACCACA CCCGCCGCGC
      CGACCGTTCA CATCGCCAGT GCGACGCGCA TTGGTGGTGT GGGCGGCGCG

                                 NheI
                                 ~~~~
1051  TTAATGCGCC GCTACAGGGC GCGTGCTAGC CATGTGAGCA AAAGGCCAGC
      AATTACGCGG CGATGTCCCG CGCACGATCG GTACACTCGT TTTCCGGTCG

1101  AAAAGGCCAG GAACCGTAAA AAGGCCGCGT TGCTGGCGTT TTTCCATAGG
      TTTTCCGGTC CTTGGCATTT TTCCGGCGCA ACGACCGCAA AAAGGTATCC

1151  CTCCGCCCCC CTGACGAGCA TCACAAAAAT CGACGCTCAA GTCAGAGGTG
      GAGGCGGGGG GACTGCTCGT AGTGTTTTTA GCTGCGAGTT CAGTCTCCAC

1201  GCGAAACCCG ACAGGACTAT AAAGATACCA GGCGTTTCCC CCTGGAAGCT
      CGCTTTGGGC TGTCCTGATA TTTCTATGGT CCGCAAAGGG GGACCTTCGA

         BssSI
         ~~~~
1251  CCCTCGTGCG CTCTCCTGTT CCGACCCTGC CGCTTACCGG ATACCTGTCC
      GGGAGCACGC GAGAGGACAA GGCTGGGACG GCGAATGGCC TATGGACAGG

1301  GCCTTTCTCC CTTCGGGAAG CGTGGCGCTT TCTCATAGCT CACGCTGTAG
      CGGAAAGAGG GAAGCCCTTC GCACCGCGAA AGAGTATCGA GTGCGACATC
```

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

```
1351  GTATCTCAGT TCGGTGTAGG TCGTTCGCTC CAAGCTGGGC TGTGTGCACG
      CATAGAGTCA AGCCACATCC AGCAAGCGAG GTTCGACCCG ACACACGTGC

1401  AACCCCCCGT TCAGCCCGAC CGCTGCGCCT TATCCGGTAA CTATCGTCTT
      TTGGGGGGCA AGTCGGGCTG GCGACGCGGA ATAGGCCATT GATAGCAGAA

1451  GAGTCCAACC CGGTAAGACA CGACTTATCG CCACTGGCAG CAGCCACTGG
      CTCAGGTTGG GCCATTCTGT GCTGAATAGC GGTGACCGTC GTCGGTGACC

1501  TAACAGGATT AGCAGAGCGA GGTATGTAGG CGGTGCTACA GAGTTCTTGA
      ATTGTCCTAA TCGTCTCGCT CCATACATCC GCCACGATGT CTCAAGAACT

1551  AGTGGTGGCC TAACTACGGC TACACTAGAA GAACAGTATT TGGTATCTGC
      TCACCACCGG ATTGATGCCG ATGTGATCTT CTTGTCATAA ACCATAGACG

1601  GCTCTGCTGT AGCCAGTTAC CTTCGGAAAA AGAGTTGGTA GCTCTTGATC
      CGAGACGACA TCGGTCAATG GAAGCCTTTT TCTCAACCAT CGAGAACTAG

1651  CGGCAAACAA ACCACCGCTG GTAGCGGTGG TTTTTTTGTT TGCAAGCAGC
      GCCGTTTGTT TGGTGGCGAC CATCGCCACC AAAAAAACAA ACGTTCGTCG

1701  AGATTACGCG CAGAAAAAAA GGATCTCAAG AAGATCCTTT GATCTTTTCT
      TCTAATGCGC GTCTTTTTTT CCTAGAGTTC TTCTAGGAAA CTAGAAAAGA
```

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

```
1751  ACGGGGTCTG  ACGCTCAGTG  GAACGAAAAC  TCACGTTAAG  GGATTTTGGT
      TGCCCCAGAC  TGCGAGTCAC  CTTGCTTTTG  AGTGCAATTC  CCTAAAACCA

         BglII
         ~~~~~~
1801  CAGATCTAGC  ACCAGGCGTT  TAAGGGCACC  AATAACTGCC  TTAAAAAAT
      GTCTAGATCG  TGGTCCGCAA  ATTCCCGTGG  TTATTGACGG  AATTTTTTA

1851  TACGCCCCGC  CCTGCCACTC  ATCGCAGTAC  TGTTGTAATT  CATTAAGCAT
      ATGCGGGGCG  GGACGGTGAG  TAGCGTCATG  ACAACATTAA  GTAATTCGTA

1901  TCTGCCGACA  TGGAAGCCAT  CACAAACGGC  ATGATGAACC  TGAATCGCCA
      AGACGGCTGT  ACCTTCGGTA  GTGTTTGCCG  TACTACTTGG  ACTTAGCGGT

1951  GCGGCATCAG  CACCTTGTCG  CCTTGCGTAT  AATATTTGCC  CATAGTGAAA
      CGCCGTAGTC  GTGGAACAGC  GGAACGCATA  TTATAAACGG  GTATCACTTT

2001  ACGGGGGCGA  AGAAGTTGTC  CATATTGGCT  ACGTTTAAAT  CAAAACTGGT
      TGCCCCCGCT  TCTTCAACAG  GTATAACCGA  TGCAAATTTA  GTTTTGACCA

2051  GAAACTCACC  CAGGGATTGG  CTGAGACGAA  AAACATATTC  TCAATAAACC
      CTTTGAGTGG  GTCCCTAACC  GACTCTGCTT  TTTGTATAAG  AGTTATTTGG
```

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

```
2101  CTTTAGGGAA ATAGGCCAGG TTTTCACCGT AACACGCCAC ATCTTGCGAA
      GAAATCCCTT TATCCGGTCC AAAAGTGGCA TTGTGCGGTG TAGAACGCTT

2151  TATATGTGTA GAAACTGCCG GAAATCGTCG TGGTATTCAC TCCAGAGCGA
      ATATACACAT CTTTGACGGC CTTTAGCAGC ACCATAAGTG AGGTCTCGCT

2201  TGAAAACGTT TCAGTTTGCT CATGGAAAAC GGTGTAACAA GGGTGAACAC
      ACTTTTGCAA AGTCAAACGA GTACCTTTTG CCACATTGTT CCCACTTGTG

2251  TATCCCATAT CACCAGCTCA CCGTCTTTCA TTGCCATACG GAACTCCGGG
      ATAGGGTATA GTGGTCGAGT GGCAGAAAGT AACGGTATGC CTTGAGGCCC

2301  TGAGCATTCA TCAGGCGGGC AAGAATGTGA ATAAAGGCCG GATAAAACTT
      ACTCGTAAGT AGTCCGCCCG TTCTTACACT TATTTCCGGC CTATTTTGAA

2351  GTGCTTATTT TTCTTTACGG TCTTTAAAAA GGCCGTAATA TCCAGCTGAA
      CACGAATAAA AAGAAATGCC AGAAATTTTT CCGGCATTAT AGGTCGACTT

2401  CGGTCTGGTT ATAGGTACAT TGAGCAACTG ACTGAAATGC CTCAAAATGT
      GCCAGACCAA TATCCATGTA ACTCGTTGAC TGACTTTACG GAGTTTTACA

2451  TCTTTACGAT GCCATTGGGA TATATCAACG GTGGTATATC CAGTGATTTT
      AGAAATGCTA CGGTAACCCT ATATAGTTGC CACCATATAG GTCACTAAAA
```

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

```
2501  TTTCTCCATT TTAGCTTCCT TAGCTCCTGA AAATCTCGAT AACTCAAAAA
      AAAGAGGTAA AATCGAAGGA ATCGAGGACT TTTAGAGCTA TTGAGTTTTT

2551  ATACGCCCGG TAGTGATCTT ATTTCATTAT GGTGAAAGTT GGAACCTCAC
      TATGCGGGCC ATCACTAGAA TAAAGTAATA CCACTTTCAA CCTTGGAGTG
                 AatII

2601  CCGACGTCTA ATGTGAGTTA GCTCACTCAT TAGGCACCCC AGGCTTTACA
      GGCTGCAGAT TACACTCAAT CGAGTGAGTA ATCCGTGGGG TCCGAAATGT

2651  CTTTATGCTT CCGGCTCGTA TGTTGTGTGG AATTGTGAGC GGATAACAAT
      GAAATACGAA GGCCGAGCAT ACAACACACC TTAACACTCG CCTATTGTTA
                                                XbaI   SphI

2701  TTCACACAGG AAACAGCTAT GACCATGATT ACGAATTTCT AGAGCATGCG
      AAGTGTGTCC TTTGTCGATA CTGGTACTAA TGCTTAAAGA TCTCGTACGC
                            EcoRI

2751  GGGGG
      CCCCC
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors

M2
173 bp

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 2:

```
     AatII
     ~~~~~~
1    GACGTCTTAA TGTGAGTTAG CTCACTCATT AGGCACCCCA GGCTTTACAC
     CTGCAGAATT ACACTCAATC GAGTGAGTAA TCCGTGGGGT CCGAAATGTG

51   TTTATGCTTC CGGCTCGTAT GTTGTGTGGA ATTGTGAGCG GATAACAATT
     AAATACGAAG GCCGAGCATA CAACACACCT TAACACTCGC CTATTGTTAA

                                                    XmnI
                                               ------------

                            XbaI
                          ~~~~~~
101  TCACACAGGA AACAGCTATG ACCATGTCTA GAATAACTTC GTATAATGTA
     AGTGTGTCCT TTGTCGATAC TGGTACAGAT CTTATTGAAG CATATTACAT

                SphI
             ~~~~~
151  CGCTATACGA AGTTATCGGCA TGC
     GCGATATGCT TCAATAGCGT ACG
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

AatII (47)

BglII (2)

M3
47 bp

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 3 :

```
       BglII                                                    AatII
       ~~~~~                                                    ~~~~~
1      AGATCTCATA  ACTTCGTATA  ATGTATGCTA  TACGAAGTTA  TGACGTC
       TCTAGAGTAT  TGAAGCATAT  TACATACGAT  ATGCTTCAAT  ACTGCAG
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

GGGGS-linker

EcoRI (2)

gIII long

XmnI (1046)

HindIII (1251)

M7-I (long)
1255 bp

120 / 204

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 7-I (long):

```
    EcoRI
    ------
1   GAATTCGGTG  GTGGTGGATC  TGCGTGCGCT  GAAACGGTTG  AAAGTTGTTT
    CTTAAGCCAC  CACCACCTAG  ACGCACGCGA  CTTGCCAAC   TTTCAACAAA

51  AGCAAAATCC  CATACAGAAA  ATTCATTTAC  TAACGTCTGG  AAAGACGACA
    TCGTTTTAGG  GTATGTCTTT  TAAGTAAATG  ATTGCAGACC  TTTCTGCTGT

101 AAACTTTAGA  TCGTTACGCT  AACTATGAGG  GCTGTCTGTG  GAATGCTACA
    TTTGAAATCT  AGCAATGCGA  TTGATACTCC  CGACAGACAC  CTTACGATGT

151 GGCGTTGTAG  TTTGTACTGG  TGACGAAACT  CAGTGTTACG  GTACATGGGT
    CCGCAACATC  AAACATGACC  ACTGCTTTGA  GTCACAATGC  CATGTACCCA

201 TCCTATTGGG  CTTGCTATCC  CTGAAAATGA  GGGTGGTGGC  TCTGAGGGTG
    AGGATAACCC  GAACGATAGG  GACTTTTACT  CCCACCACCG  AGACTCCCAC

251 GCGGTTCTGA  GGGTGGCGGT  TCTGAGGGTG  GCGGTACTAA  ACCTCCTGAG
    CGCCAAGACT  CCCACCGCCA  AGACTCCCAC  CGCCATGATT  TGGAGGACTC

301 TACGGTGATA  CACCTATTCC  GGGCTATACT  TATATCAACC  CTCTCGACGG
    ATGCCACTAT  GTGGATAAGG  CCCGATATGA  ATATAGTTGG  GAGAGCTGCC
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
351  CACTTATCCG CCTGGTACTG AGCAAAACCC CGCTAATCCT AATCCTTCTC
     GTGAATAGGC GGACCATGAC TCGTTTTGGG GCGATTAGGA TTAGGAAGAG

401  TTGAGGAGTC TCAGCCTCTT AATACTTTCA TGTTTCAGAA TAATAGGTTC
     AACTCCTCAG AGTCGGAGAA TTATGAAAGT ACAAAGTCTT ATTATCCAAG

451  CGAAATAGGC AGGGGGCATT AACTGTTTAT ACGGGCACTG TTACTCAAGG
     GCTTTATCCG TCCCCCGTAA TTGACAAATA TGCCCGTGAC AATGAGTTCC

501  CACTGACCCC GTTAAAACTT ATTACCAGTA CACTCCTGTA TCATCAAAAG
     GTGACTGGGG CAATTTTGAA TAATGGTCAT GTGAGGACAT AGTAGTTTTC

551  CCATGTATGA CGCTTACTGG AACGGTAAAT TCAGAGACTG CGCTTTCCAT
     GGTACATACT GCGAATGACC TTGCCATTTA AGTCTCTGAC GCGAAAGGTA

601  TCTGGCTTTA ATGAGGATTT ATTTGTTTGT GAATATCAAG GCCAATCGTC
     AGACCGAAAT TACTCCTAAA TAAACAAACA CTTATAGTTC CGGTTAGCAG

651  TGACCTGCCT CAACCTCCTG TCAATGCTGG CGGCGGCTCT GGTGGTGGTT
     ACTGGACGGA GTTGGAGGAC AGTTACGACC GCCGCCGAGA CCACCACCAA

701  CTGGTGGCGG CTCTGAGGGT GGTGGCTCTG AGGGTGGCGG TTCTGAGGGT
     GACCACCGCC GAGACTCCCA CCACCGAGAC TCCCACCGCC AAGACTCCCA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
 751  GGCGGCTCTG AGGGAGGCGG TTCCGGTGGT GGCTCTGGTT CCGGTGATTT
      CCGCCGAGAC TCCCTCCGCC AAGGCCACCA CCGAGACCAA GGCCACTAAA

 801  TGATTATGAA AAGATGGCAA ACGCTAATAA GGGGGCTATG ACCGAAAATG
      ACTAATACTT TTCTACCGTT TGCGATTATT CCCCCGATAC TGGCTTTTAC

 851  CCGATGAAAA CGCGCTACAG TCTGACGCTA AAGGCAAACT TGATTCTGTC
      GGCTACTTTT GCGCGATGTC AGACTGCGAT TTCCGTTTGA ACTAAGACAG

 901  GCTACTGATT ACGGTGCTGC TATCGATGGT TTCATTGGTG ACGTTTCCGG
      CGATGACTAA TGCCACGACG ATAGCTACCA AAGTAACCAC TGCAAAGGCC

 951  CCTTGCTAAT GGTAATGGTG CTACTGGTGA TTTTGCTGGC TCTAATTCCC
      GGAACGATTA CCATTACCAC GATGACCACT AAAACGACCG AGATTAAGGG

                                                      XmnI
                                                     --------
1001  AAATGGCTCA AGTCGGTGAA GGTGATAATT CACCTTTAAT GAATAATTTC
      TTTACCGAGT TCAGCCACTT CCACTATTAA GTGGAAATTA CTTATTAAAG

1051  CGTCAATATT TACCTTCCAT CCCTCAATCG GTTGAATGTC GCCCTTTGT
      GCAGTTATAA ATGGAAGGTA GGGAGTTAGC CAACTTACAG CGGGAAAACA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
1101  CTTTGGCGCT GGTAAACCCT ATGAATTTTC TATTGATTGT GACAAAATAA
      GAAACCGCGA CCATTTGGGA TACTTAAAAG ATAACTAACA CTGTTTTATT

1151  ACTTATTCCG TGGTGTCTTT GCGTTTCTTT TATATGTTGC CACCTTTATG
      TGAATAAGGC ACCACAGAAA CGCAAAGAAA ATATACAACG GTGGAAATAC

                                                    HindIII
                                                       ~

1201  TATGTATTTT CTACGTTTGC TAACATACTG CGTAATAAGG AGTCTTGATA
      ATACATAAAA GATGCAAACG ATTGTATGAC GCATTATTCC TCAGAACTAT

      HindI
      ~~~~
1251  AGCTT
      TCGAA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

EcoRI (5)

gIII supershort

XmnI (293)

HindIII (498)

M7-II (ss-TAG)
502 bp

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 7-II (ss-TAG):

EcoRI

```
1    CGGGAATTCG GAGGCGGTTC CGGTGGTGGC TCTGGTTCCG GTGATTTTGA
     GCCCTTAAGC CTCCGCCAAG GCCACCACCG AGACCAAGGC CACTAAAAACT

51   TTATGAAAAG ATGGCAAACG CTAATAAGGG GGCTATGACC GAAAATGCCG
     AATACTTTTC TACCGTTTGC GATTATTCCC CCGATACTGG CTTTTACGGC

101  ATGAAAACGC GCTACAGTCT GACGCTAAAG GCAAACTTGA TTCTGTCGCT
     TACTTTTGCG CGATGTCAGA CTGCGATTTC CGTTTGAACT AAGACAGCGA

151  ACTGATTACG GTGCTGCTAT CGATGGTTTC ATTGGTGACG TTTCCGGCCT
     TGACTAATGC CACGACGATA GCTACCAAAG TAACCACTGC AAAGGCCGGA

201  TGCTAATGGT AATGGTGCTA CTGGTGATTT TGCTGGCTCT AATCCCAAA
     ACGATTACCA TTACCACGAT GACCACTAAA ACGACCGAGA TTAAGGGTTT
```

XmnI

```
251  TGGCTCAAGT CGGTGACGGT GATAATTCAC CTTTAATGAA TAATTCCGT
     ACCGAGTTCA GCCACTGCCA CTATTAAGTG GAAATTACTT ATTAAAGGCA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
301  CAATATTTAC CTTCCCTCCC TCAATCGGTT GAATGTCGCC CTTTTGTCTT
     GTTATAAATG GAAGGGAGGG AGTTAGCCAA CTTACAGCGG GAAAACAGAA

351  TGGCGCTGGT AAACCATATG AATTTTCTAT TGATTGTGAC AAAATAAACT
     ACCGCGACCA TTTGGTATAC TTAAAAGATA ACTAACACTG TTTTATTTGA

401  TATTCCGTGG TGTCTTTGCG TTTCTTTTAT ATGTTGCCAC CTTTATGTAT
     ATAAGGCACC ACAGAAACGC AAAGAAAATA TACAACGGTG GAAATACATA

                                              HindIII
                                              ~~~~
451  GTATTTCTA CGTTTGCTAA CATACTGCGT AATAAGGAGT CTTGATAAGC
     CATAAAGAT GCAAACGATT GTATGACGCA TTATTCCTCA GAACTATTCG

501  Hi         TT
     ~          AA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

HindIII (43)

SphI (6)

M8
47 bp

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 8 :

```
         SphI                                              HindIII
         ~~~~~~                                            ~~~~~~
    1    GCATGCCATA  ACTTCGTATA  ATGTACGCTA  TACGAAGTTA  TAAGCTT
         CGTACGGTAT  TGAAGCATAT  TACATGCGAT  ATGCTTCAAT  ATTCGAA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 10-II :

BsrGI
~~~~~~~

```
1     GGGGGTGTAC ATTCAAATAT GTATCCGCTC ATGAGACAAT AACCCTGATA
      CCCCCACATG TAAGTTTATA CATAGGCGAG TACTCTGTTA TTGGGACTAT

51    AATGCTTCAA TAATATTGAA AAAGGAAGAG TATGAGTATT CAACATTTCC
      TTACGAAGTT ATTATAACTT TTTCCTTCTC ATACTCATAA GTTGTAAAGG

101   GTGTCGCCCT TATTCCCTTT TTTGCGGCAT TTTGCCTTCC TGTTTTTGCT
      CACAGCGGGA ATAAGGGAAA AAACGCCGTA AAACGGAAGG ACAAAAACGA

151   CACCCAGAAA CGCTGGTGAA AGTAAAAGAT GCTGAGGATC AGTTGGGTGC
      GTGGGTCTTT GCGACCACTT TCATTTTCTA CGACTCCTAG TCAACCCACG

201   GCGAGTGGGT TACATCGAAC TGGATCTCAA CAGCGGGTAAG ATCCTTGAGA
      CGCTCACCCA ATGTAGCTTG ACCTAGAGTT GTCGCCATTC TAGGAACTCT

                              XmnI
                              ~~~~~~~

251   GTTTTCGCCC CGAAGAACGT TTTCCAATGA TGAGCACTTT TAAAGTTCTG
      CAAAAGCGGG GCTTCTTGCA AAAGGTTACT ACTCGTGAAA ATTTCAAGAC
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
301   CTATGTGGCG  CGGTATTATC  CCGTATTGAC  GCCGGGCAAG  AGCAACTCGG
      GATACACCGC  GCCATAAATAG GGCATAACTG  CGGCCCGTTC  TCGTTGAGCC

351   TCGCCGCATA  CACTATTCTC  AGAATGACTT  GGTTGAGTAC  TCACCAGTCA
      AGCGGCGTAT  GTGATAAGAG  TCTTACTGAA  CCAACTCATG  AGTGGTCAGT

401   CAGAAAAGCA  TCTTACGGAT  GGCATGACAG  TAAGAGAATT  ATGCAGTGCT
      GTCTTTTCGT  AGAATGCCTA  CCGTACTGTC  ATTCTCTTAA  TACGTCACGA

451   GCCATAACCA  TGAGTGATAA  CACTGCGGCC  AACTTACTTC  TGACAACGAT
      CGGTATTGGT  ACTCACTATT  GTGACGCCGG  TTGAATGAAG  ACTGTTGCTA

501   CGGAGGACCG  AAGGAGCTAA  CCGCTTTTTT  GCACAACATG  GGGGATCATG
      GCCTCCTGGC  TTCCTCGATT  GGCGAAAAAA  CGTGTTGTAC  CCCCTAGTAC

551   TAACTCGCCT  TGATCGTTGG  GAACCGGAGC  TGAATGAAGC  CATACCAAAC
      ATTGAGCGGA  ACTAGCAACC  CTTGGCCTCG  ACTTACTTCG  GTATGGTTTG

601   GACGAGCGTG  ACACCACGAT  GCCTGTAGCA  ATGGCAACAA  CGTTGCGCAA
      CTGCTCGCAC  TGTGGTGCTA  CGGACATCGT  TACCGTTGTT  GCAACGCGTT

651   ACTATTAACT  GGCGAACTAC  TTACTCTAGC  TTCCCGGCAA  CAGTTAATAG
      TGATAATTGA  CCGCTTGATG  AATGAGATCG  AAGGGCCGTT  GTCAATTATC
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
701   ACTGGATGGA GGCGGATAAA GTTGCAGGAC CACTTCTGCG CTCGGCCCTT
      TGACCTACCT CCGCCTATTT CAACGTCCTG GTGAAGACGC GAGCCGGGAA

751   CCGGCTGGCT GGTTTATTGC TGATAAATCT GGAGCCGGTG AGCGTGGGTC
      GGCCGACCGA CCAAATAACG ACTATTTAGA CCTCGGCCAC TCGCACCCAG

801   TCGCGGTATC ATTGCAGCAC TGGGGCCAGA TGGTAAGCCC TCCCGTATCG
      AGCGCCATAG TAACGTCGTG ACCCCGGTCT ACCATTCGGG AGGGCATAGC

851   TAGTTATCTA CACGACGGGG AGTCAGGCAA CTATGGATGA ACGAAATAGA
      ATCAATAGAT GTGCTGCCCC TCAGTCCGTT GATACCTACT TGCTTTATCT

901   CAGATCGCTG AGATAGGTGC CTCACTGATT AAGCATTGGG TAACTGTCAG
      GTCTAGCGAC TCTATCCACG GAGTGACTAA TTCGTAACCC ATTGACAGTC

951   ACCAAGTTTA CTCATATATA CTTTAGATTG ATTTAAAACT TCATTTTTAA
      TGGTTCAAAT GAGTATATAT GAAATCTAAC TAAATTTTGA AGTAAAAATT

1001  TTTAAAAGGA TCTAGGTGAA GATCCTTTTT GATAATCTCA TGACCAAAAT
      AAATTTTCCT AGATCCACTT CTAGGAAAAA CTATTAGAGT ACTGGTTTTA

1051  CCCTTAACGT GAGTTTTCGT TCCACTGAGC GTCAGACCCC GTAGAAAAGA
      GGGAATTGCA CTCAAAAGCA AGGTGACTCG CAGTCTGGGG CATCTTTTCT
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
                                        FseI                 PacI
                                        ~~~~~~~~              ~~
1101  TCAAAGGATC  TTCTTGAGAT  CCTTTTTGAT  AATGGCCGGC  CCCCCCCTT
      AGTTTCCTAG  AAGAACTCTA  GGAAAAACTA  TTACCGGCCG  GGGGGGGAA

      PacI
      ~~~~~~~
1151  AATTAAGGGG  GGG
      TTAATTCCCC  CCC
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

NheI (2)

BanII (167)

GenII-Nick

functional ssori

BsrGI (466)

M11-II
470 bp

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M11-II:

NheI
~~~~~

```
  1  GCTAGCACGC  GCCCTGTAGC  GGCGCATTAA  GCGCGGCGGG  TGTGGTGGTT
     CGATCGTGCG  CGGGACATCG  CCGCGTAATT  CGCGCCGCCC  ACACCACCAA

 51  ACGGCGCAGCG TGACCGCTAC  ACTTGCCAGC  GCCCTAGCCGC CCGCTCCTTT
     TGCGCGTCGC  ACTGGCGATG  TGAACGGTCG  CGGGATCGCG  GGCGAGGAAA

101  CGCTTCTTTC  CCTTCCTTTC  TCGCCACGTT  CGCCGGCTTT  CCCCGTCAAG
     GCGAAGAAAG  GGAAGGAAAG  AGCGGTGCAA  GCGGCCGAAA  GGGGCAGTTC
```

BanII
~~~~~

```
151  CTCTAAATCG  GGGGCTCCCT  TTAGGGTTCC  GATTTAGTGC  TTTACGGCAC
     GAGATTTAGC  CCCCGAGGGA  AATCCCAAGG  CTAAATCACG  AAATGCCGTG

201  CTCGACCCCA  AAAAACTTGA  TTAGGGTGAT  GGTTCTCGTA  GTGGGCCATC
     GAGCTGGGGT  TTTTTGAACT  AATCCCACTA  CCAAGAGCAT  CACCCGGTAG

251  GCCCTGATAG  ACGGTTTTTC  GCCCTTTGAC  GTTGGAGTCC  ACGTTCTTTA
     CGGGACTATC  TGCCAAAAAG  CGGGAAACTG  CAACCTCAGG  TGCAAGAAAT
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
301  ATAGTGGACT CTTGTTCCAA ACTGGAACAA CACTCAACCC TATCTCGGTC
     TATCACCTGA GAACAAGGTT TGACCTTGTT GTGAGTTGGG ATAGAGCCAG

351  TATTCTTTTG ATTTATAAGG GATTTTGCCG ATTTCGGCCT ATTGGTTAAA
     ATAAGAAAAC TAAATATTCC CTAAAACGGC TAAAGCCGGA TAACCAATTT

401  AAATGAGCTG ATTTAACAAA AATTTAACGC GAATTTTAAC AAAATATTAA
     TTTACTCGAC TAAATTGTTT TTAAATTGCG CTTAAAATTG TTTTATAATT
                                  BsrGI
                                  ~~~~~
451  CGTTTACAAT TTCATGTACA
     GCAAATGTTA AAGTACATGT
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

RNAI TT
BglII (2)

ds-ori

AgeI (418)

P15A origin

AgeI (742)
XmnI (776)
NheI (828)

M12
832 bp

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 12:

Bgl1I
~~~~~
1    AGATCTAATA AGATGATCTT CTTGAGATCG TTTTGGTCTG CGCGTAATCT
     TCTAGATTAT TCTACTAGAA GAACTCTAGC AAAACCAGAC GCGCATTAGA

51   CTTGCTCTGA AAACGAAAAA ACCGCCTTGC AGGGCGGTTT TTCGTAGGTT
     GAACGAGACT TTTGCTTTTT TGGCGGAACG TCCCGCCAAA AAGCATCCAA

101  CTCTGAGCTA CCAACTCTTT GAACCGAGGT AACTGGCTTG GAGGAGCGCA
     GAGACTCGAT GGTTGAGAAA CTTGGCTCCA TTGACCGAAC CTCCTCGCGT

151  GTCACTAAAA CTTGTCCTTT CAGTTTAGCC TTAACCGGCG CATGACTTCA
     CAGTGATTTT GAACAGGAAA GTCAAATCGG AATTGGCCGC GTACTGAAGT

201  AGACTAACTC CTCTAAATCA ATTACCAGTG GCTGCTGCCA GTGGTGCTTT
     TCTGATTGAG GAGATTTAGT TAATGGTCAC CGACGACGGT CACCACGAAA

251  TGCATGTCTT TCCGGGTTGG ACTCAAGACG ATAGTTACCG GATAAGGCGC
     ACGTACAGAA AGGCCCAACC TGAGTTCTGC TATCAATGGC CTATTCCGCG

301  AGCGGTCGGA CTGAACGGGG GGTTCGTGCA TACAGTCCAG CTTGGAGCGA
     TCGCCAGCCT GACTTGCCCC CCAAGCACGT ATGTCAGGTC GAACCTCGCT

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
351  ACTGCCTACC CGGAACTGAG TGTCAGGCGT GGAATGAGAC AAACGCGGCC
     TGACGGATGG GCCTTGACTC ACAGTCCGCA CCTTACTCTG TTTGCGCCGG

                                   AgeI
                                 ~~~~~~~
401  ATAACAGCGG AATGACACCG GTAAACCGAA AGGCAGGAAC AGGAGAGCGC
     TATTGTCGCC TTACTGTGGC CATTTGGCTT TCCGTCCTTG TCCTCTCGCG

451  AGGAGGGAGC CGCCAGGGGG AAACGCCTGG TATCTTTATA GTCCTGTCGG
     TCCTCCCTCG GCGGTCCCCC TTTGCGGACC ATAGAAATAT CAGGACAGCC

501  GTTTCGCCAC CACTGATTTG AGCGGTCAGAT TTCGTGATGC TTGTCAGGGG
     CAAAGCGGTG GTGACTAAAC TCGCAGTCTA AAGCACTACG AACAGTCCCC

551  GGCGGAGCCT ATGGAAAAAC GGCTTTGCCG CGGCCCCTC ACTTCCCTGT
     CCGCCTCGGA TACCTTTTTG CCGAAACGGC GCCGGGAGAG TGAAGGGACA

601  TAAGTATCTT CCTGGCATCT TCCAGGAAAT CTCCGCCCCG TTCGTAAGCC
     ATTCATAGAA GGACCGTAGA AGGTCCTTTA GAGGCGGGGC AAGCATTCGG

651  ATTTCCGCTC GCCGCAGTCG AACGACCGAG CGTAGCCGAGT CAGTGAGCGA
     TAAAGGCGAG CGGCGTCAGC TTGCTGGCTC GCATCGCTCA GTCACTCGCT
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
                                                                AgeI
                                                              ~~~~~
701   GGAAGCGGAA TATATCCTGT ATCACATATT CTGCTGACGC ACCGGTGCAG
      CCTTCGCCTT ATATAGGACA TAGTGTATAA GACGACTGCG TGGCCACGTC

                              XmnI
                            ~~~~~~~
751   CCTTTTTTCT CCTGCCACAT GAAGCACTTC ACTGACACCC TCATCAGTGC
      GGAAAAAAGA GGACGGTGTA CTTCGTGAAG TGACTGTGGG AGTAGTCACG

                              NheI
                            ~~~~~~
801   CAACATAGTA AGCCAGTATA CACTCCGCTA GC
      GTTGTATCAT TCGGTCATAT GTGAGGCGAT CG
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

XmnI (39)

BglII (45)

M13
49 bp

BglII (2)

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 13 :

```
    BglII                       XmnI        BglII
    ~~~~~                       ~~~~~~~~~~~~~~~~~~~
  1 AGATCTCATA ACTTCGTATA ATGTATGCTA TACGAAGTTA TTCAGATCT
    TCTAGAGTAT TGAAGCATAT TACATACGAT ATGCTTCAAT AAGTCTAGA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

NheI (2)

lacI

M41
1221 bp

AflIII (1217)

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 41:

```
        NheI
        ~~~~~
  1   GCTAGCATCG AATGGCGCAA AACCTTTCGC GGTATGGCAT GATAGCGCCC
      CGATCGTAGC TTACCGCGTT TTGGAAAGCG CCATACCGTA CTATCGCGGG

 51   GGAAGAGAGT CAATTCAGGG TGGTGAATGT GAAACCAGTA ACGTTATACG
      CCTTCTCTCA GTTAAGTCCC ACCACTTACA CTTTGGTCAT TGCAATATGC

101   ATGTCGCAGA GTATGCCGGT GTCTCTTATC AGACCGTTTC CCGCGTGGTG
      TACAGCGTCT CATACGGCCA CAGAGAATAG TCTGGCAAAG GGCGCACCAC

151   AACCAGGCCA GCCACGTTTC TGCGAAAACG CGGGAAAAAG TGGAAGCGGC
      TTGGTCCGGT CGGTGCAAAG ACGCTTTTGC GCCCTTTTTC ACCTTCGCCG

201   GATGGCGGAG CTGAATTACA TTCCTAACCG CGTGGCACAA CAACTGGCGG
      CTACCGCCTC GACTTAATGT AAGGATTGGC GCACCGTGTT GTTGACCGCC

251   GCAAACAGTC GTTGCTGATT GGCGTTGCCA CCTCCAGTCT GGCCCTGCAC
      CGTTTGTCAG CAACGACTAA CCGCAACGGT GGAGGTCAGA CCGGGACGTG

301   GCGCCGTCGC AAATTGTCGC GGCGATTAAA TCTCGCGCCG ATCAACTGGG
      CGCGGCAGCG TTTAACAGCG CCGCTAATTT AGAGCGCGGC TAGTTGACCC
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
351  TGCCAGCGTG  GTCGTGTCGA  TGGTAGAACG  AAGCGGCGTC  GAAGCCTGTA
     ACGGTCGCAC  CAGCACAGCT  ACCATCTTGC  TTCGCCGCAG  CTTCGGACAT

401  AAGCGGCGGT  GCACAATCTT  CTCGCGCAAC  GTGTCAGTGG  GCTGATTATT
     TTCGCCGCCA  CGTGTTAGAA  GAGCGCGTTG  CACAGTCACC  CGACTAATAA

451  AACTATCCGC  TGGATGACCA  GGATGCTATT  GCTGTGGAAG  CTGCCTGCAC
     TTGATAGGCG  ACCTACTGGT  CCTACGATAA  CGACACCTTC  GACGGACGTG

501  TAATGTTCCG  GCGTTATTTC  TTGATGTCTC  TGACCAGACA  CCCATCAACA
     ATTACAAGGC  CGCAATAAAG  AACTACAGAG  ACTGGTCTGT  GGGTAGTTGT

551  GTATTATTTT  CTCCCATGAG  GACGGTACGC  GACTGGGCGT  GGAGCATCTG
     CATAATAAAA  GAGGGTACTC  CTGCCATGCG  CTGACCCGCA  CCTCGTAGAC

601  GTCGCATTGG  GCCACCAGCA  AATCGCGCTG  TTAGCTGGCC  CATTAAGTTC
     CAGCGTAACC  CGGTGGTCGT  TTAGCGCGAC  AATCGACCGG  GTAATTCAAG

651  TGTCTCGGCG  CGTCTGCGTC  TGGCTGGCTG  GCATAAATAT  CTCACTCGCA
     ACAGAGCCGC  GCAGACGCAG  ACCGACCGAC  CGTATTTATA  GAGTGAGCGT

701  ATCAAATTCA  GCCGATAGCG  GAACGGGAAG  GCGACTGGAG  TGCCATGTCC
     TAGTTTAAGT  CGGCTATCGC  CTTGCCCTTC  CGCTGACCTC  ACGGTACAGG
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
 751  GGTTTCAAC  AAACCATGCA  AATGCTGAAT  GAGGGCATCG  TTCCCACTGC
      CCAAAGTTG  TTTGGTACGT  TTACGACTTA  CTCCCGTAGC  AAGGGTGACG

 801  GATGCTGGTT GCCAACGATC  AGATGGCGCT  GGGCGCAATG  CGTGCCATTA
      CTACGACCAA CGGTTGCTAG  TCTACCGCGA  CCCGCGGTTAC GCACGGTAAT

 851  CCGAGTCCGG GCTGCGCGTT  GGTGCGGACA  TCTCGGTAGT  GGGATACGAC
      GGCTCAGGCC CGACGCGCAA  CCACGCCTGT  AGAGCCATCA  CCCTATGCTG

 901  GATACCGAGG ACAGCTCATG  TTATATCCCG  CCGCTGACCA  CCATCAAACA
      CTATGGCTCC TGTCGAGTAC  AATATAGGGC  GGCGACTGGT  GGTAGTTTGT

 951  GGATTTTCGC CTGCTGGGGC  AAACCAGCGT  GGACCGCTTG  CTGCAACTCT
      CCTAAAAGCG GACGACCCCG  TTTGGTCGCA  CCTGGCGAAC  GACGTTGAGA

1001  CTCAGGGCCA GGCGGTGAAG  GGCAATCAGC  TGTTGCCCGT  CTCACTGGTG
      GAGTCCCGGT CCGCCACTTC  CCGTTAGTCG  ACAACGGGCA  GAGTGACCAC

1051  AAAGAAAAA  CCACCCTGGC  TCCCAATACG  CAAACCGCCT  CTCCCCCGCG
      TTTCTTTTT  GGTGGGACCG  AGGGTTATGC  GTTTGGCGGA  GAGGGGCGCG

1101  GTTGGCCGAT TCACTGATGC  AGCTGGCACG  ACAGGTTTCC  CGACTGGAAA
      CAACCGGCTA AGTGACTACG  TCGACCGTGC  TGTCCAAAGG  GCTGACCTTT
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
1151  GCGGGCAGTG  AGGCTACCCG  ATAAAAGCGG  CTTCCTGACA  GGAGGCCGTT
      CGCCCGTCAC  TCCGATGGGC  TATTTTCGCC  GAAGGACTGT  CCTCCGGCAA

                              Afl1I
                              ~~~~~

1201  TTGTTTTGCA  GCCCACTTAA  G
      AACAAAACGT  CGGGTGAATT  C
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

pCAL0-1:

```
     BglII
     ~~~~~
  1  GATCTAGCAC CAGGCGTTTA AGGGCACCAA TAACTGCCTT AAAAAAATTA
     CTAGATCGTG GTCCGCAAAT TCCCGTGGTT ATTGACGGAA TTTTTTTAAT

 51  CGCCCCGCCC TGCCACTCAT CGCAGTACTG TTGTAATTCA TTAAGCATTC
     GCGGGGCGGG ACGGTGAGTA GCGTCATGAC AACATTAAGT AATTCGTAAG

101  TGCCGACATG GAAGCCATCA CAAACGGCAT GATGAACCTG AATCGCCAGC
     ACGGCTGTAC CTTCGGTAGT GTTTGCCGTA CTACTTGGAC TTAGCGGTCG

151  GGCATCAGCA CCTTGTCGCC TTGCGTATAA TATTTGCCCA TAGTGAAAAC
     CCGTAGTCGT GGAACAGCGG AACGCATATT ATAAACGGGT ATCACTTTTG

201  GGGGGCGAAG AAGTTGTCCA TATTGGCTAC GTTTAAATCA AAACTGGTGA
     CCCCCGCTTC TTCAACAGGT ATAACCGATG CAAATTTAGT TTTGACCACT

251  AACTCACCCA GGGATTGGCT GAGACGAAAA ACATATTCTC AATAAACCCT
     TTGAGTGGGT CCCTAACCGA CTCTGCTTTT TGTATAAGAG TTATTTGGGA

301  TTAGGGAAAT AGGCCAGGTT TTCACCGTAA CACGCCACAT CTTGCGAATA
     AATCCCTTTA TCCGGTCCAA AAGTGGCATT GTGCGGTGTA GAACGCTTAT
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
351   TATGTGTAGA  AACTGCCGGA  AATCGTCGTG  GTATTCACTC  CAGAGCCGATG
      ATACACATCT  TTGACGGCCT  TTAGCAGCAC  CATAAGTGAG  GTCTCGCTAC

401   AAAACGTTTC  AGTTTGCTCA  TGGAAAACGG  TGTAACAAGG  GTGAACACTA
      TTTTGCAAAG  TCAAACGAGT  ACCTTTTGCC  ACATTGTTCC  CACTTGTGAT

451   TCCCATATCA  CCAGCTCACC  GTCTTTCATT  GCCATACGGA  ACTCCGGGTG
      AGGGTATAGT  GGTCGAGTGG  CAGAAAGTAA  CGGTATGCCT  TGAGGCCCAC

501   AGCATTCATC  AGGCGGGCAA  GAATGTGAAT  AAAGGCCGGA  TAAAACTTGT
      TCGTAAGTAG  TCCGCCCGTT  CTTACACTTA  TTTCCGGCCT  ATTTTGAACA

551   GCTTATTTTT  CTTTACGGTC  TTTAAAAAGG  CCGTAATATC  CAGCTGAACG
      CGAATAAAAA  GAAATGCCAG  AAATTTTTCC  GGCATTATAG  GTCGACTTGC

601   GTCTGGTTAT  AGGTACATTG  AGCAACTGAC  TGAAATGCCT  CAAAATGTTC
      CAGACCAATA  TCCATGTAAC  TCGTTGACTG  ACTTTACGGA  GTTTTACAAG

651   TTTACGATGC  CATTGGGATA  TATCAACGGT  GGTATATCCA  GTGATTTTTT
      AAATGCTACG  GTAACCCTAT  ATAGTTGCCA  CCATATAGGT  CACTAAAAAA

701   TCTCCATTTT  AGCTTCCTTA  GCTCCTGAAA  ATCTCGATAA  CTCAAAAAAT
      AGAGGTAAAA  TCGAAGGAAT  CGAGGACTTT  TAGAGCTATT  GAGTTTTTTA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
751   ACGCCCGGTA GTGATCTTAT TTCATTATGG TGAAAGTTGG AACCTCACCC
      TGCGGGCCAT CACTAGAATA AAGTAATACC ACTTTCAACC TTGGAGTGGG

            AatII
            ~~~~~
801   GACGTCTAAT GTGAGTTAGC TCACTCATTA GGCACCCCAG GCTTTACACT
      CTGCAGATTA CACTCAATCG AGTGAGTAAT CCGTGGGGTC CGAAATGTGA

851   TTATGCTTCC GGCTCGTATG TTGTGTGGAA TTGTGAGCGG ATAACAATTT
      AATACGAAGG CCGAGCATAC AACACACCTT AACACTCGCC TATTGTTAAA

                                          XbaI
                                          ~~~~~
901   CACACAGGAA ACAGCTATGA CCATGATTAC GAATTCTAG ACCCCCCCCC
      GTGTGTCCTT TGTCGATACT GGTACTAATG CTTAAAGATC TGGGGGGGGG

            SphI                                    HindIII
            ~~~~~                                   ~~~~~
951   CGCATGCCAT AACTTCGTAT AATGTACGCT ATACGAAGTT ATAAGCTTGA
      GCGTACGGTA TTGAAGCATA TTACATGCGA TATGCTTCAA TATTCGAACT

1001  CCTGTGAAGT GAAAAATGGC GCAGATTGTG CGACATTTTT TTTGTCTGCC
      GGACACTTCA CTTTTTACCG CGTCTAACAC GCTGTAAAAA AAACAGACGG
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

	PacI		FseI		BsrGI
	~~		~~~~~		~~~~~
1051	GTTTAATTAA	AGGGGGGGGG	GGGCCGGCCT	GGGGGGGGGT	GTACATGAAA
	CAAATTAATT	TCCCCCCCCC	CCCGGCCGGA	CCCCCCCCCA	CATGTACTTT
1101	TTGTAAACGT	TAATATTTTG	TTAAAATTCG	CGTTAAATTT	TTGTTAAATC
	AACATTTGCA	ATTATAAAAC	AATTTTAAGC	GCAATTTAAA	AACAATTTAG
1151	AGCTCATTTT	TTAACCAATA	GGCCGAAATC	GGCAAAATCC	CTTATAAATC
	TCGAGTAAAA	AATTGGTTAT	CCGGCTTTAG	CCGTTTTAGG	GAATATTTAG
1201	AAAAGAATAG	ACCGAGATAG	GGTTGAGTGT	TGTTCCAGTT	TGGAACAAGA
	TTTTCTTATC	TGGCTCTATC	CCAACTCACA	ACAAGGTCAA	ACCTTGTTCT
1251	GTCCACTATT	AAAGAACGTG	GACTCCAACG	TCAAAGGGCG	AAAAACCGTC
	CAGGTGATAA	TTTCTTGCAC	CTGAGGTTGC	AGTTTCCCGC	TTTTGGCAG
1301	TATCAGGGCG	ATGGCCCACT	ACGAGAACCA	TCACCCTAAT	CAAGTTTTTT
	ATAGTCCCGC	TACCGGGTGA	TGCTCTTGGT	AGTGGGATTA	GTTCAAAAAA

BanII
~~~~~

| 1351 | GGGGTCGAGG | TGCCGTAAAG | CACTAAATCG | GAACCCTAAA | GGGAGCCCCC |
| | CCCCAGCTCC | ACGGCATTTC | GTGATTTAGC | CTTGGGATTT | CCCTCGGGGG |

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
1401   GATTTAGAGC   TTGACGGGGA   AAGCCGGCGA   ACGTGGCGAG   AAAGGAAGGG
       CTAAATCTCG   AACTGCCCCT   TTCGGCCGCT   TGCACCGCTC   TTTCCTTCCC

1451   AAGAAAGCGA   AAGGAGCGGG   CGCTAGGGCG   CTGGCAAGTG   TAGCGGTCAC
       TTCTTTCGCT   TTCCTCGCCC   GCGATCCCGC   GACCGTTCAC   ATCGCCAGTG

1501   GCTGCGCGTA   ACCACCACAC   CCGCCGCGCT   TAATGCGCCG   CTACAGGGCG
       CGACGCGCAT   TGGTGGTGTG   GGCGGCGCGA   ATTACGCGGC   GATGTCCCGC
                                            NheI

1551   CGTGCTAGCG   GAGTGTATAC   TGGCTTACTA   TGTTGGCACT   GATGAGGGTG
       GCACGATCGC   CTCACATATG   ACCGAATGAT   ACAACCGTGA   CTACTCCCAC
                       XmnI                     AgeI

1601   TCAGTGAAGT   GCTTCATGTG   GCAGGAGAAA   AAAGGCTGCA   CCGGTGCGTC
       AGTCACTTCA   CGAAGTACAC   CGTCCTCTTT   TTTCCGACGT   GGCCACGCAG

1651   AGCAGAATAT   GTGATACAGG   ATATATTCCG   CTTCCTCGCT   CACTGACTCG
       TCGTCTTATA   CACTATGTCC   TATATAAGGC   GAAGGAGCGA   GTGACTGAGC

1701   CTACGCTCGG   TCGTTCGACT   GCGGCGAGCG   GAAATGGCTT   ACGAACGGGG
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
      GATGCGAGCC AGCAAGCTGA CGCCGCTCGC CTTTACCGAA TGCTTGCCCC

1751  CGGAGATTTC CTGGAAGATG CCAGGAAGAT ACTTAACAGG GAAGTGAGAG
      GCCTCTAAAG GACCTTCTAC GGTCCTTCTA TGAATTGTCC CTTCACTCTC

1801  GGCCGCGGCA AAGCCGTTTT TCCATAGGCT CCGCCCCCT GACAAGCATC
      CCGGCGCCGT TTCGGCAAAA AGGTATCCGA GGCGGGGGGA CTGTTCGTAG

1851  ACGAAATCTG ACGCTCAAAT CAGTGGTGGC GAAACCCGAC AGGACTATAA
      TGCTTTAGAC TGCGAGTTTA GTCACCACCG CTTTGGGCTG TCCTGATATT

1901  AGATACCAGG CGTTTCCCCC TGGCGGCTCC CTCCTGCGCT CTCCTGTTCC
      TCTATGGTCC GCAAAGGGGG ACCGCCGAGG GAGGACGCGA GAGGACAAGG

                        AgeI
                        ~~~~~

1951  TGCCTTTCGG TTTACCGGTG TCATTCCGCT GTTATGGCCG CGTTTGTCTC
      ACGGAAAGCC AAATGGCCAC AGTAAGGCGA CAATACCGGC GCAAACAGAG

2001  ATTCCACGCC TGACACTCAG TTCCGGGTAG GCAGTTCGCT CCAAGCTGGA
      TAAGGTGCGG ACTGTGAGTC AAGGCCCATC CGTCAAGCGA GGTTCGACCT

2051  CTGTATGCAC GAACCCCCCG TTCAGTCCGA CCGCTGCGCC TTATCCGGTA
      GACATACGTG CTTGGGGGGC AAGTCAGGCT GGCGACGCGG AATAGGCCAT
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
2101   ACTATCGTCT TGAGTCCAAC CCGGAAAGAC ATGCAAAAGC ACCACTGGCA
       TGATAGCAGA ACTCAGGTTG GGCCTTTCTG TACGTTTTCG TGGTGACCGT

2151   GCAGCCACTG GTAATTGATT TAGAGGAGTT AGTCTTGAAG TCATGCGCCG
       CGTCGGTGAC CATTAACTAA ATCTCCTCAA TCAGAACTTC AGTACGCGGC

2201   GTTAAGGCTA AACTGAAAGG ACAAGTTTTA GTGACTGCGC TCCTCCAAGC
       CAATTCCGAT TTGACTTTCC TGTTCAAAAT CACTGACGCG AGGAGGTTCG

2251   CAGTTACCTC GGTTCAAAGA GTTGGTAGCT CAGAGAACCT ACGAAAAACC
       GTCAATGGAG CCAAGTTTCT CAACCATCGA GTCTCTTGGA TGCTTTTTGG

2301   GCCCTGCAAG GCGGTTTTT  CGTTTTCAGA GCAAGAGATT ACGGCGAGAC
       CGGGACGTTC CGCCAAAAAA GCAAAGTCT  CGTTCTCTAA TGCGCGTCTG
                                            BglII
                                             ~
2351   CAAAACGATC TCAAGAAGAT CATCTTATTA
       GTTTTGCTAG AGTTCTTCTA GTAGAATAAT
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

pCALO-2:

```
      BsrGI
      ~~~~~
  1   GTACATGAAA TTGTAAACGT TAATATTTTG TTAAAATTCG CGTTAAATTT
      CATGTACTTT AACATTTGCA ATTATAAAAC AATTTTAAGC GCAATTTAAA

 51   TTGTTAAATC AGCTCATTTT TTAACCAATA GGCCGAAATC GGCAAATCC
      AACAATTTAG TCGAGTAAAA AATTGGTTAT CCGGCTTTAG CCGTTTTAGG

101   CTTATAAATC AAAAGAATAG ACCGAGATAG GGTTGAGTGT TGTTCCAGTT
      GAATATTTAG TTTTCTTATC TGGCTCTATC CCAACTCACA ACAAGGTCAA

151   TGGAACAAGA GTCCACTATT AAAGAACGTG GACTCCAACG TCAAAGGGCG
      ACCTTGTTCT CAGGTGATAA TTTCTTGCAC CTGAGGTTGC AGTTCCCGC

201   AAAAACCGTC TATCAGGGCG ATGGCCCACT ACGAGAACCA TCACCCTAAT
      TTTTTGGCAG ATAGTCCCGC TACCGGGTGA TGCTCTTGGT AGTGGGATTA

251   CAAGTTTTTT GGGGTCGAGG TGCCGTAAAG CACTAAATCG GAACCCTAAA
      GTTCAAAAAA CCCCAGCTCC ACGGCATTTC GTGATTTAGC CTTGGGATTT

      BanII
      ~~~~~
301   GGGAGCCCCC GATTTAGAGC TTGACGGGGA AAGCCGGCGA ACGTGGCGAG
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
      CCCTCGGGGG CTAAATCTCG AACTGCCCCT TTCGGCCGCT TGCACCGGCTC

351   AAAGGAAGGG AAGAAAGCGA AAGGAGCGGG CGCTAGGGCG CTGGCAAGTG
      TTTCCTTCCC TTCTTTCGCT TTCCTCGCCC GCGATCCCGC GACCGTTCAC

401   TAGCGGTCAC GCTGCGCGTA ACCACCACAC CCGCCGCGCT TAATGCGCCG
      ATCGCCAGTG CGACGCGCAT TGGTGGTGTG GGCGGCGCGA ATTACGCGGC
                                NheI
                                ~~~~
451   CTACAGGGCG CGTGCTAGCG GAGTGTATAC TGGCTTACTA TGTTGGCACT
      GATGTCCCGC GCACGATCGC CTCACATATG ACCGAATGAT ACAACCGTGA
                             XmnI                    AgeI
                             ~~~~~~                   ~
501   GATGAGGGTG TCAGTGAAGT GCTTCATGTG GCAGGAGAAA AAAGGCTGCA
      CTACTCCCAC AGTCACTTCA CGAAGTACAC CGTCCTCTTT TTTCCGACGT
                 ~~~~~~~~
      AgeI
      ~~~~
551   CCGGTGCGTC AGCAGAATAT GTGATACAGG ATATATTCCG CTTCCTCGCT
      GGCCACGCAG TCGTCTTATA CACTATGTCC TATATAAGGC GAAGGAGCGA

601   CACTGACTCG CTACGCTCGG TCGTTCGACT GCGGGCGAGCG GAAATGGCTT
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
      GTGACTGAGC GATGCGAGCC AGCAAGCTGA CGCCGGCTCGC CTTTACCGAA

651   ACGAACGGGG CGGAGATTTC CTGGAAGATG CCAGGAAGAT ACTTAACAGG
      TGCTTGCCCC GCCTCTAAAG GACCTTCTAC GGTCCTTCTA TGAATTGTCC

701   GAAGTGAGAG GGCCGCGGCA AAGCCGTTTT TCCATAGGCT CCGCCCCCT
      CTTCACTCTC CCGGCGCCGT TTCGGCAAAA AGGTATCCGA GGCGGGGGGA

751   GACAAGCATC ACGAAATCTG ACGCTCAAAT CAGTGGTGGC GAAACCCGAC
      CTGTTCGTAG TGCTTTAGAC TGCGAGTTTA GTCACCACCG CTTTGGGCTG

801   AGGACTATAA AGATACCAGG CGTTTCCCCC TGGCGGCTCC CTCCTGCGCT
      TCCTGATATT TCTATGGTCC GCAAAGGGGG ACCGCCGAGG GAGGACGCGA

                                    AgeI
                                   ~~~~~

851   CTCCTGTTCC TGCCTTTCGG TTTACCGGTG TCATTCCGCT GTTATGGCCG
      GAGGACAAGG ACGGAAAGCC AAATGGCCAC AGTAAGGCGA CAATACCGGC

901   CGTTTGTCTC ATTCCACGCC TGACACTCAG TTCCGGGTAG GCAGTTCGCT
      GCAAACAGAG TAAGGTGCGG ACTGTGAGTC AAGGCCCATC CGTCAAGCGA

951   CCAAGCTGGA CTGTATGCAC GAACCCCCCG TTCAGTCCGA CCGCTGCGCC
      GGTTCGACCT GACATACGTG CTTGGGGGGC AAGTCAGGCT GGCGACGCGG
```

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
EP-A-0368684	16-05-90	AU-B-	634186	18-02-93
		AU-A-	4520189	28-05-90
		CA-A-	2002868	11-05-90
		DE-D-	68913658	14-04-94
		DE-T-	68913658	08-09-94
		ES-T-	2052027	01-07-94
		WO-A-	9005144	17-05-90
		JP-T-	3502801	27-06-91
WO-A-9511998	04-05-95	AU-A-	8091694	22-05-95
		EP-A-	0725838	14-08-96

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	NUCLEIC ACIDS RESEARCH, vol. 21, no. 9, 11 May 1993, page 2265/2266 XP000575849 WATERHOUSE P ET AL: "COMBINATORIAL INFECTION AND IN VIVO RECOMBINATION: A STRATEGY FOR MAKING LARGE PHAGE ANTIBODY REPERTOIRES" see the whole document ---	1-55
A	WO 95 11998 A (UNITED BIOMEDICAL INC) 4 May 1995 see the whole document ---	1-55
A	ANNALES DE BIOLOGIE CLINIQUE, vol. 49, no. 4, April 1991, PARIS, FR, pages 231-242, XP000407361 R.H. MELOEN ET AL.: "The use of peptides to reconstruct conformational determinants" see page 231, right-hand column, paragraph 2 - page 233, right-hand column, line 4 ---	1-55
A	CHEMICAL ABSTRACTS, vol. 122, no. 3, 16 January 1995 Columbus, Ohio, US; abstract no. 24865z, COX, JONATHAN P. L. ET AL: "A directory of human germ-line V.kappa. segments reveals a strong bias in their usage" page 227; column 1; XP002024224 cited in the application see abstract & EUR. J. IMMUNOL. (1994), 24(4), 827-36 CODEN: EJIMAF;ISSN: 0014-2980, 1994, -----	1-55

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
1001  TTATCCGGTA ACTATCGTCT TGAGTCCAAC CCGGAAAGAC ATGCAAAAGC
      AATAGGCCAT TGATAGCAGA ACTCAGGTTG GGCCTTTCTG TACGTTTTCG

1051  ACCACTGGCA GCAGCCACTG GTAATTGATT TAGAGGAGTT AGTCTTGAAG
      TGGTGACCGT CGTCGGTGAC CATTAACTAA ATCTCCTCAA TCAGAACTTC

1101  TCATGCGCCG GTTAAGGCTA AACTGAAAGG ACAAGTTTTA GTGACTGCGC
      AGTACGCGGC CAATTCCGAT TTGACTTTCC TGTTCAAAAT CACTGACGCG

1151  TCCTCCAAGC CAGTTACCTC GGTTCAAAGA GTTGGTAGCT CAGAGAACCT
      AGGAGGTTCG GTCAATGGAG CCAAGTTTCT CAACCATCGA GTCTCTTGGA

1201  ACGAAAAACC GCCCTGCAAG GCGGTTTTTT CGTTTTCAGA GCAAGAGATT
      TGCTTTTTGG CGGGACGTTC CGCCAAAAAA GCAAAAGTCT CGTTCTCTAA

                                                    BglII
                                                    ~~~~~
1251  ACGGCGCAGAC CAAAACGATC TCAAGAAGAT CATCTTATTA GATCTAGCAC
      TGCGCGTCTG  GTTTTGCTAG AGTTCTTCTA GTAGAATAAT CTAGATCGTG

1301  CAGGCGTTTA AGGGCACCAA TAACTGCCTT AAAAAAATTA CGCCCCGCCC
      GTCCGCAAAT TCCCGTGGTT ATTGACGGAA TTTTTTTAAT GCGGGGCGGG
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
1351  TGCCACTCAT  CGCAGTACTG  TTGTAATTCA  TTAAGCATTC  TGCCGACATG
      ACGGTGAGTA  GCGTCATGAC  AACATTAAGT  AATTCGTAAG  ACGGCTGTAC

1401  GAAGCCATCA  CAAACGGCAT  GATGAACCTG  AATCGCCAGC  GGCATCAGCA
      CTTCGGTAGT  GTTTGCCGTA  CTACTTGGAC  TTAGCGGTCG  CCGTAGTCGT

1451  CCTTGTCGCC  TTGCGTATAA  TATTTGCCCA  TAGTGAAAAC  GGGGGCGAAG
      GGAACAGCGG  AACGCATATT  ATAAACGGGT  ATCACTTTTG  CCCCGCGTTC

1501  AAGTTGTCCA  TATTGGCTAC  GTTTAAATCA  AAACTGGTGA  AACTCACCCA
      TTCAACAGGT  ATAACCGATG  CAAATTTAGT  TTTGACCACT  TTGAGTGGGT

1551  GGGATTGGCT  GAGACGAAAA  ACATATTCTC  AATAAACCCT  TTAGGGAAAT
      CCCTAACCGA  CTCTGCTTTT  TGTATAAGAG  TTATTTGGGA  AATCCCTTTA

1601  AGGCCAGGTT  TTCACCGTAA  CACGCCACAT  CTTGCGAATA  TATGTGTAGA
      TCCGGTCCAA  AAGTGGCATT  GTGCGGTGTA  GAACGCTTAT  ATACACATCT

1651  AACTGCCGGA  AATCGTCGTG  GTATTCACTC  CAGAGCGGATG  AAAACGTTTC
      TTGACGGCCT  TTAGCAGCAC  CATAAGTGAG  GTCTCGCTAC  TTTGCAAAG

1701  AGTTTGCTCA  TGGAAAACGG  GTGAACACTA  TCCCATATCA
      TCAAACGAGT  ACCTTTTGCC  CACTTGTGAT  AGGGTATAGT
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
1751  CCAGCTCACC GTCTTTCATT GCCATACGGA ACTCCGGGTG AGCATTCATC
      GGTCGAGTGG CAGAAAGTAA CGGTATGCCT TGAGGCCCAC TCGTAAGTAG

1801  AGGCGGGCAA GAATGTGAAT AAAGGCCGGA TAAAACTTGT GCTTATTTTT
      TCCGCCCGTT CTTACACTTA TTTCCGGCCT ATTTTGAACA CGAATAAAAA

1851  CTTTACGGTC TTTAAAAAGG CCGTAATATC CAGCTGAACG GTCTGGTTAT
      GAAATGCCAG AAATTTTTCC GGCATTATAG GTCGACTTGC CAGACCAATA

1901  AGGTACATTG AGCAACTGAC TGAAATGCCT CAAAATGTTC TTTACGATGC
      TCCATGTAAC TCGTTGACTG ACTTTACGGA GTTTTACAAG AAATGCTACG

1951  CATTGGGATA TATCAACGGT GGTATATCCA GTGATTTTTT TCTCCATTTT
      GTAACCCTAT ATAGTTGCCA CCATATAGGT CACTAAAAAA AGAGGTAAAA

2001  AGCTTCCTTA GCTCCTGAAA ATCTCGATAA CTCAAAAAAT ACGCCCGGTA
      TCGAAGGAAT CGAGGACTTT TAGAGCTATT GAGTTTTTTA TGCGGGCCAT

                                                   AatII
                                                   ~~~~~~

2051  GTGATCTTAT TTCATTATGG TGAAAGTTGG AACCTCACCC GACGTCTAAT
      CACTAGAATA AAGTAATACC ACTTTCAACC TTGGAGTGGG CTGCAGATTA

2101  GTGAGTTAGC TCACTCATTA GGCACCCCAG GCTTTACACT TTATGCTTCC
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
      CACTCAATCG AGTGAGTAAT CCGTGGGGTC CGAAATGTGA AATACGAAGG

2151  GGCTCGTATG TTGTGTGGAA ATAACAATTT CACACAGGAA
      CCGAGCATAC AACACACCTT TATTGTTAAA GTGTGTCCTT

                              XbaI                    SphI
                              ~~~~~~                  ~~~~~~
2201  ACAGCTATGA CCATGATTAC GAATTTCTAG ACCCCCCCCC CGCATGCCAT
      TGTCGATACT GGTACTAATG CTTAAAGATC TGGGGGGGGG GCGTACGGTA

                              HindIII
                              ~~~~~~
2251  AACTTCGTAT AATGTACGCT ATAAGCTTGA ATACGAAGTT CCTGTGAAGT
      TTGAAGCATA TTACATGCGA TATTCGAACT TATGCTTCAA GGACACTTCA

                                                    PacI
                                                    ~~~~~~
2301  GCAGATTGTG CGACATTTTT GAAAAATGGC TTTGTCTGCC GTTTAATTAA
      CGTCTAACAC GCTGTAAAAA CTTTTTACCG AAACAGACGG CAAATTAATT

                 FseI
                 ~~~~~~
2351  GGGGGGGGGC CGGCCATTAT CAAAAAGGAT CTCAAGAAGA TCCTTTGATC
      CCCCCCCCCG GCCGGTAATA GTTTTTCCTA GAGTTCTTCT AGGAAACTAG
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
2401   TTTTCTACGG GGTCTGACGC TCAGTGGAAC GAAAACTCAC GTTAAGGGAT
       AAAAGATGCC CCAGACTGCG AGTCACCTTG CTTTTGAGTG CAATTCCCTA

2451   TTTGGTCATG AGATTATCAA AAAGGATCTT CACCTAGATC CTTTTAAATT
       AAACCAGTAC TCTAATAGTT TTTCCTAGAA GTGGATCTAG GAAAATTTAA

2501   AAAAATGAAG TTTTAAATCA ATCTAAAGTA TATATGAGTA AACTTGGTCT
       TTTTTACTTC AAAATTTAGT TAGATTTCAT ATATACTCAT TTGAACCAGA

2551   GACAGTTACC CAATGCTTAA TCAGTGAGGC ACCTATCTCA GCGATCTGTC
       CTGTCAATGG GTTACGAATT AGTCACTCCG TGGATAGAGT CGCTAGACAG

2601   TATTTCGTTC ATCCATAGTT GCCTGACTCC CCGTCGTGTA GATAACTACG
       ATAAAGCAAG TAGGTATCAA CGGACTGAGG GGCAGCACAT CTATTGATGC

2651   ATACGGGAGG GCTTACCATC TGGCCCCAGT GCTGCAATGA TACCGGCGAGA
       TATGCCCTCC CGAATGGTAG ACCGGGGTCA CGACGTTACT ATGGCGCTCT

2701   CCCACGCTCA CCGGCTCCAG ATTTATCAGC AATAAACCAG CCAGCCGGAA
       GGGTGCGAGT GGCCGGAGGTC TAAATAGTCG TTATTTGGTC GGTCGGCCTT

2751   GGGCCGAGCG CAGAAGTGGT CCTGCAACTT TATCCGCCTC CATCCAGTCT
       CCCGGCTCGC GTCTTCACCA GGACGTTGAA ATAGGCGGAG GTAGGTCAGA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
2801  ATTAACTGTT  GCCGGGAAGC  TAGAGTAAGT  AGTTCGCCAG  TTAATAGTTT
      TAATTGACAA  CGGCCCTTCG  ATCTCATTCA  TCAAGCGGTC  AATTATCAAA

2851  GCGCAACGTT  GTTGCCATTG  CTACAGGCAT  CGTGGTGTCA  CGCTCGTCGT
      CGCGTTGCAA  CAACGGTAAC  GATGTCCGTA  GCACCACAGT  GCGAGCAGCA

2901  TTGGTATGGC  TTCATTCAGC  TCCGGTTCCC  AACGATCAAG  GCGAGTTACA
      AACCATACCG  AAGTAAGTCG  AGGCCAAGGG  TTGCTAGTTC  CGCTCAATGT

2951  TGATCCCCCA  TGTTGTGCAA  AAAAGCGGTT  AGCTCCTTCG  GTCCTCCGAT
      ACTAGGGGGT  ACAACACGTT  TTTTCGCCAA  TCGAGGAAGC  CAGGAGGCTA

3001  CGTTGTCAGA  AGTAAGTTGG  CCGCAGTGTT  ATCACTCATG  GTTATGGCAG
      GCAACAGTCT  TCATTCAACC  GGCGTCACAA  TAGTGAGTAC  CAATACCGTC

3051  CACTGCATAA  TTCTCTTACT  GTCATGCCAT  CCGTAAGATG  CTTTTCTGTG
      GTGACGTATT  AAGAGAATGA  CAGTACGGTA  GGCATTCTAC  GAAAAGACAC

3101  ACTGGTGAGT  ACTCAACCAA  GTCATTCTGA  GAATAGTGTA  TGCGGGCACC
      TGACCACTCA  TGAGTTGGTT  CAGTAAGACT  CTTATCACAT  ACGCCCGTGG

3151  GAGTTGCTCT  TGCCCGGCGT  CAATACGGGA  TAATACCGCG  CCACATAGCA
      CTCAACGAGA  ACGGGCCGCA  GTTATGCCCT  ATTATGGCGC  GGTGTATCGT
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

XmnI

```
3201  GAACTTTAAA  AGTGCTCATC  ATTGGAAAAC  GTTCTTCGGG  GCGAAAACTC
      CTTGAAATTT  TCACGAGTAG  TAACCTTTTG  CAAGAAGCCC  CGCTTTTGAG

3251  TCAAGGATCT  TACCGCTGTT  GAGATCCAGT  TCGATGTAAC  CCACTCGCGC
      AGTTCCTAGA  ATGGCGACAA  CTCTAGGTCA  AGCTACATTG  GGTGAGCGCG

3301  ACCCAACTGA  TCCTCAGCAT  CTTTTACTTT  CACCAGCGTT  TCTGGGTGAG
      TGGGTTGACT  AGGAGTCGTA  GAAAATGAAA  GTGGTCGCAA  AGACCCACTC

3351  CAAAAACAGG  AAGGCAAAAT  GCCGCAAAAA  AGGGAATAAG  GGCGACACGG
      GTTTTTGTCC  TTCCGTTTTA  CGGCGTTTTT  TCCCTTATTC  CCGCTGTGCC

3401  AAATGTTGAA  TACTCATACT  CTTCCTTTTT  CAATATTATT  GAAGCATTTA
      TTTACAACTT  ATGAGTATGA  GAAGGAAAAA  GTTATAATAA  CTTCGTAAAT
```

BsrGI

```
3451  TCAGGGTTAT  TGTCTCATGA  GCGGATACAT  ATTTGAAT
      AGTCCCAATA  ACAGAGTACT  CGCCTATGTA  TAAACTTA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

BglII (1)
AatII (46)
lac p/o
XbaI (177)
SphI (197)
HindIII (234)
lpp-Terminator
PacI (298)
FseI (314)
bla-term
bla
XmnI (1180)
BsrGI (1439)
functional ssori
GenII-Nick
BanII (1746)
NheI (1903)
XmnI (1959)
AgeI (1989)
P15A origin
AgeI (2313)
ds-ori
RNAI TT

pCALO-3
2728 bp

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

pCALO-3:

```
    BglII                                            AatII
    ~~~~                                             ~~~~~
1   GATCTCATAA CTTCGTATAA TGTATGCTAT ACGAAGTTAT GACGTCTAAT
    CTAGAGTATT GAAGCATATT ACATACGATA TGCTTCAATA CTGCAGATTA

51  GTGAGTTAGC TCACTCATTA GGCACCCCAG GCTTTACACT TTATGCTTCC
    CACTCAATCG AGTGAGTAAT CCGTGGGGTC CGAAATGTGA AATACGAAGG

101 GGCTCGTATG TTGTGTGGAA ATAACAATTT CACACAGGAA
    CCGAGCATAC AACACACCTT TATTGTTAAA GTGTGTCCTT

              XbaI                          SphI
              ~~~~                          ~~~~
151 ACAGCTATGA CCATGATTAC GAATTCTAG ACCCCCCCCC CGCATGCCAT
    TGTCGATACT GGTACTAATG CTTAAAGATC TGGGGGGGGG GCGTACGGTA

                         HindIII
                         ~~~~~
201 AACTTCGTAT AATGTACGCT ATACGAAGTT ATAAGCTTGA CCTGTGAAGT
    TTGAAGCATA TTACATGCGA TATGCTTCAA TATTCGAACT GGACACTTCA

                                                    PacI
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
251  GAAAAATGGC GCAGATTGTG CGACATTTTT TTTGTCTGCC GTTAATTAA
     CTTTTTACCG CGTCTAACAC GCTGTAAAAA AAACAGACGG CAAATTAATT

                       FseI
301  GGGGGGGGGC CGGCCATTAT CAAAAAGGAT CTCAAGAAGA TCCTTTGATC
     CCCCCCCCCG GCCGGTAATA GTTTTTCCTA GAGTTCTTCT AGGAAACTAG

351  TTTTCTACGG GGTCTGACGC TCAGTGGAAC GAAAACTCAC GTTAAGGGAT
     AAAAGATGCC CCAGACTGCG AGTCACCTTG CTTTTGAGTG CAATTCCCTA

401  TTTGGTCATG AGATTATCAA AAAGGATCTT CACCTAGATC CTTTTAAATT
     AAACCAGTAC TCTAATAGTT TTTCCTAGAA GTGGATCTAG GAAAATTTAA

451  AAAAATGAAG TTTTAAATCA ATCTAAAGTA TATATGAGTA AACTTGGTCT
     TTTTTACTTC AAAATTTAGT TAGATTTCAT ATATACTCAT TTGAACCAGA

501  GACAGTTACC CAATGCTTAA TCAGTGAGGC ACCTATCTCA GCGATCTGTC
     CTGTCAATGG GTTACGAATT AGTCACTCCG TGGATAGAGT CGCTAGACAG

551  TATTTCGTTC ATCCATAGTT GCCTGACTCC CCGTCGTGTA GATAACTACG
     ATAAAGCAAG TAGGTATCAA CGGACTGAGG GGCAGCACAT CTATTGATGC
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
1001  TTATCCGGTA ACTATCGTCT TGAGTCCAAC CCGGAAAGAC ATGCAAAAGC
      AATAGGCCAT TGATAGCAGA ACTCAGGTTG GGCCTTTCTG TACGTTTTCG

1051  ACCACTGGCA GCAGCCACTG GTAATTGATT TAGAGGAGTT AGTCTTGAAG
      TGGTGACCGT CGTCGGTGAC CATTAACTAA ATCTCCTCAA TCAGAACTTC

1101  TCATGCGCCG GTTAAGGCTA AACTGAAAGG ACAAGTTTTA GTGACTGCGC
      AGTACGCGGC CAATTCCGAT TTGACTTTCC TGTTCAAAAT CACTGACGCG

1151  TCCTCCAAGC CAGTTACCTC GGTTCAAAGA GTTGGTAGCT CAGAGAACCT
      AGGAGGTTCG GTCAATGGAG CCAAGTTTCT CAACCATCGA GTCTCTTGGA

                                                  Bgl II
                                                  ~~~~~~~
1201  ACGAAAAACC GCCCTGCAAG GCGGTTTTTT CGTTTTCAGA GCAAGAGATT
      TGCTTTTTGG CGGGACGTTC CGCCAAAAAA GCAAAAGTCT CGTTCTCTAA

1251  ACGGCCAGAC CAAAACGATC TCAAGAAGAT CATCTTATTA GATCTAGCAC
      TGCCGGTCTG GTTTTGCTAG AGTTCTTCTA GTAGAATAAT CTAGATCGTG

1301  CAGGCGGTTTA AGGGCACCAA TAACTGCCTT AAAAAAATTA CGCCCCGCCC
      GTCCGCAAAT TCCCGTGGTT ATTGACGGAA TTTTTTTAAT GCGGGGCGGG
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
1001   CACTGCATAA TTCTCTTACT GTCATGCCAT CCGTAAGATG CTTTTCTGTG
       GTGACGTATT AAGAGAATGA CAGTACGGTA GGCATTCTAC GAAAAGACAC

1051   ACTGGTGAGT ACTCAACCAA GTCATTCTGA GAATAGTGTA TGCGGCGACC
       TGACCACTCA TGAGTTGGTT CAGTAAGACT CTTATCACAT ACGCCGCTGG

1101   GAGTTGCTCT TGCCCGGCGT CAATACGGGA TAATACCGCG CCACATAGCA
       CTCAACGAGA ACGGGCCGCA GTTATGCCCT ATTATGGCGC GGTGTATCGT

                                  XmnI
                                 ~~~~~~~~

1151   GAACTTTAAA AGTGCTCATC ATTGGAAAAC GTTCTTCGGG GCGAAAACTC
       CTTGAAATTT TCACGAGTAG TAACCTTTTG CAAGAAGCCC CGCTTTTGAG

1201   TCAAGGATCT TACCGCTGTT GAGATCCAGT TCGATGTAAC CCACTCGCGC
       AGTTCCTAGA ATGGCGACAA CTCTAGGTCA AGCTACATTG GGTGAGCGCG

1251   ACCCAACTGA TCCTCAGCAT CTTTTACTTT CACCAGCGTT TCTGGGTGAG
       TGGGTTGACT AGGAGTCGTA GAAAATGAAA GTGGTCGCAA AGACCCACTC

1301   CAAAAACAGG AAGGCAAAAT GCCGCAAAAA AGGGAATAAG GGCGACACGG
       GTTTTTGTCC TTCCGTTTTA CGGCGTTTTT TCCCTTATTC CCGCTGTGCC

1351   AAATGTTGAA TACTCATACT CTTCCTTTTT CAATATTATT GAAGCATTTA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
      TTTACAACTT ATGAGTATGA GAAGGAAAAA GTTATAATAA CTTCGTAAAT
                                                     BsrGI
                                                     ~~~~~~~

1401  TCAGGGTTAT TGTCTCATGA GCGGATACAT ATTTGAATGT ACATGAAATT
      AGTCCCAATA ACAGAGTACT CGCCTATGTA TAAACTTACA TGTACTTTAA

1451  GTAAACGTTA ATATTTTGTT AAAATTCGCG TTAAATTTTT GTTAAATCAG
      CATTTGCAAT TATAAAACAA TTTTAAGCGC AATTTAAAAA CAATTTAGTC

1501  CTCATTTTTT AACCAATAGG CCGAAATCGG CAAAATCCCT TATAAATCAA
      GAGTAAAAAA TTGGTTATCC GGCTTTAGCC GTTTTAGGGA ATATTTAGTT

1551  AAGAATAGAC CGAGATAGGG TTGAGTGTTG TTCCAGTTTG GAACAAGAGT
      TTCTTATCTG GCTCTATCCC AACTCACAAC AAGGTCAAAC CTTGTTCTCA

1601  CCACTATTAA AGAACGTGGA CTCCAACGTC AAAGGGCGAA AAACCGTCTA
      GGTGATAATT TCTTGCACCT GAGGTTGCAG TTTCCCGCTT TTTGGCAGAT

1651  TCAGGGCGAT GGCCCACTAC GAGAACCATC ACCCTAATCA AGTTTTTTGG
      AGTCCCGCTA CCGGGTGATG CTCTTGGTAG TGGGATTAGT TCAAAAAACC
                                                     BanII
                                                     ~~~~~~~
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
1701  GGTCGAGGTG CCGTAAAGCA CTAAATCGGA ACCCTAAAGG GAGCCCCCGA
      CCAGCTCCAC GGCATTTCGT GATTTAGCCT TGGGATTTCC CTCGGGGGCT

1751  TTTAGAGCTT GACGGGGAAA GCCGGCGAAC GTGGCGAGAA AGGAAGGGAA
      AAATCTCGAA CTGCCCCTTT CGGCCGCTTG CACCGCTCTT TCCTTCCCTT

1801  GAAAGCGAAA GGAGCGGGCG CTAGGGCGCT GGCAAGTGTA GCGGTCACGC
      CTTTCGCTTT CCTCGCCCGC GATCCCGCGA CCGTTCACAT CGCCAGTGCG

1851  TGCGCGTAAC CACCACACCC GCCGCGCTTA ATGCGCCGCT ACAGGGGCCG
      ACGCGCCATTG GTGGTGTGGG CGGCGCGAAT TACGCGGGGA TGTCCCGCGC
                          NheI

1901  TGCTAGCGGA GTGTATACTG GCTTACTATG TTGGCACTGA TGAGGGTGTC
      ACGATCGCCT CACATATGAC CGAATGATAC AACCGTGACT ACTCCCACAG
                    XmnI
                                          AgeI

1951  AGTGAAGTGC TTCATGTGGC AGGAGAAAAA AGGCTGCACC GGTGCCGTCAG
      TCACTTCACG AAGTACACCG TCCTCTTTTT TCCGACGTGG CCACGCAGTC

2001  CAGAATATGT GATACAGGAT ATATTCCGCT TCCTCGCTCA CTGACTCGCT
      GTCTTATACA CTATGTCCTA TATAAGGCGA AGGAGCGAGT GACTGAGCGA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
2051  ACGCTCGGTC  GTTCGACTGC  GGCGAGCGGA  AATGGCTTAC  GAACGGGGCG
      TGCGAGCCAG  CAAGCTGACG  CCGCTCGCCT  TTACCGAATG  CTTGCCCCGC

2101  GAGATTTCCT  GGAAGATGCC  AGGAAGATAC  TTAACAGGGA  AGTGAGAGGG
      CTCTAAAGGA  CCTTCTACGG  TCCTTCTATG  AATTGTCCCT  TCACTCTCCC

2151  CCGCGGCAAA  GCCGTTTTTC  CATAGGCTCC  GCCCCCCTGA  CAAGCATCAC
      GGCGCCGTTT  CGGCAAAAAG  GTATCCGAGG  CGGGGGGACT  GTTCGTAGTG

2201  GAAATCTGAC  GCTCAAATCA  GTGGTGGCGA  AACCCGACAG  GACTATAAAG
      CTTTAGACTG  CGAGTTTAGT  CACCACCGCT  TTGGGCTGTC  CTGATATTTC

2251  ATACCAGGCG  TTTCCCCCTG  GCGGCTCCCT  CCTGCGCTCT  CCTGTTCCTG
      TATGGTCCGC  AAAGGGGGAC  CGCCGAGGGA  GGACGCGAGA  GGACAAGGAC

                     AgeI
                     ~~~~~

2301  CCTTTCGGTT  TACCGGTGTC  ATTCCGCTGT  TATGGCCGCG  TTTGTCTCAT
      GGAAAGCCAA  ATGGCCACAG  TAAGGCGACA  ATACCGGCGC  AAACAGAGTA

2351  TCCACGCCTG  ACACTCAGTT  CCGGGTAGGC  AGTTCGCTCC  AAGCTGGACT
      AGGTGCGGAC  TGTGAGTCAA  GGCCCATCCG  TCAAGCGAGG  TTCGACCTGA
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

```
2401  GTATGCACGA ACCCCCCGTT CAGTCCGACC GCTGCGCCTT ATCCGGTAAC
      CATACGTGCT TGGGGGGCAA GTCAGGCTGG CGACGCGGAA TAGGCCATTG

2451  TATCGTCTTG AGTCCAACCC GGAAAGACAT GCAAAAGCAC CACTGGCAGC
      ATAGCAGAAC TCAGGTTGGG CCTTTCTGTA CGTTTTCGTG GTGACCGTCG

2501  AGCCACTGGT AATTGATTTA GAGGAGTTAG TCTTGAAGTC ATGCGCCGGT
      TCGGTGACCA TTAACTAAAT CTCCTCAATC AGAACTTCAG TACGCGGCCA

2551  TAAGGCTAAA CTGAAAGGAC AAGTTTTAGT GACTGCGCTC CTCCAAGCCA
      ATTCCGATTT GACTTTCCTG TTCAAAATCA CTGACGCGAG GAGGTTCGGT

2601  GTTACCTCGG TTCAAAGAGT TGGTAGCTCA GAGAACCTAC GAAAAACCGC
      CAATGGAGCC AAGTTTCTCA ACCATCGAGT CTCTTGGATG CTTTTTGGCG

2651  CCTGCAAGGC GGTTTTTTCG TTTTCAGAGC AAGAGATTAC GCGCAGACCA
      GGACGTTCCG CCAAAAAAGC AAAAGTCTCG TTCTCTAATG CGCGTCTGGT

                                      BglII

2701  AAACGATCTC AAGAAGATCA TCTTATTA
      TTTGCTAGAG TTCTTCTAGT AGAATAAT
```

Figure 35b: List of oligonucleotides used for synthesis of modules

M1: PCR using template

NoVspAatII: TAGACGTC

M2: synthesis

BloxA-A: TATGAGATCTCATAACTTCGTATAATGTACGCTATACG-
AAGTTAT

BloxA-B: TAATAACTTCGTATAGCATACATTATACGAAGTTATG-
AGATCTCA

M3: PCR, NoVspAatII as second oligo

XloxS-muta: CATTTTTTGCCCTCGTTATCTACGCATGCGATAACTTCGTA-
TAGCGTACATTATACGAAGTTATTCTAGACATGGTCATAGCTGTTTCCTG

M7-I: PCR

gIIINEW-fow: GGGGGGGAATTCGGTGGTGGTGGATCTGCGTGCGCTG-
AAACGGTTGAAAGTTG

gIIINEW-rev: CCCCCCCAAGCTTATCAAGACTCCTTATTACG

M7-II: PCR

gIIIss-fow: GGGGGGGGGAATTCGGAGGCGGTTCCGGTGGTGGC

M7-III: PCR

gIIIsupernew-fow: GGGGGGGGGAATTCGAGCAGAAGCTGATCTCT-
GAGGAGGATCTGTAGGGTGGTGGCTCTGGTTCCGGTGATTTTG

Figure 35b: List of oligonucleotides used for synthesis of modules (continued)

M8: synthesis

lox514-A: CCATAACTTCGTATAATGTACGCTATACGAAGTTATA

lox514-B: AGCTTATAACTTCGTATAGCGTACATTATACGAAGT-

TATGGCATG

M9II: synthesis

M9II-fow: AGCTTGACCTGTGAAGTGAAAAATGGCGCAGATT-

GTGCGACATTTTTTTTGTCTGCCGTTTAATTAAAGGGGGGGT

M9II-rev: GTACACCCCCCCCCAGGCCGGCCCCCCCCCCCCTTTAA-

TTAAACGGCAGACAAAAAAAATGTCGCACAATCTGCG

M10II: assembly PCR with template

bla-fow: GGGGGGGGTGTACATTCAAATATGTATCCGCTCATG

bla-seq4: GGGTTACATCGAACTGGATCTC

bla1-muta: CCAGTTCGATGTAACCCACTCGCGCACCCAACTGATC-

CTCAGCATCTTTTACTTTCACC

blaII-muta: ACTCTAGCTTCCCGGCAACAGTTAATAGACTGGATG-

GAGGCGG

bla-NEW: CTGTTGCCGGGAAGCTAGAGTAAG

bla-rev: CCCCCCCTTAATTAAGGGGGGGGGGCCGGCCATTATCAAA-

AAGGATCTCAAGAAGATCC

M11II/III: PCR, site-directed mutagenesis

Figure 35b: List of oligonucleotides used for synthesis of modules (continued)

f1-fow: GGGGGGGGGCTAGCACGCGCCCTGTAGCGGCGCATTAA

f1-rev: CCCCCCCTGTACATGAAATTGTAAACGTTAATATTTTG

f1-t133.muta: GGGCGATGGCCCACTACGAGAACCATCACCCTAATC

M12: assembly PCR using template

p15-fow: GGGGGGGAGATCTAATAAGATGATCTTCTTGAG

p15-NEWI: GAGTTGGTAGCTCAGAGAACCTACGAAAAACCGCCCTG-

CAAGGCG

p15-NEWII: GTAGGTTCTCTGAGCTACCAACTC

p15-NEWIII: GTTTCCCCCTGGCGGCTCCCTCCTGCGCTCTCCTGTTCCT-

GCC

p15-NEWIV: AGGAGGGAGCCGCCAGGGGGAAAC

p15-rev: GACATCAGCGCTAGCGGAGTGTATAC

M13: synthesis

BloxXB-A: GATCTCATAACTTCGTATAATGTATGCTATACGAAGTTA-

TTCA

BloxXB-B: GATCTGAATAACTTCGTATAGCATACATTATACGAAGTTA-

TGAGA

M14-Ext2: PCR, site-directed mutagenesis

ColEXT2-fow: GGGGGGGGAGATCTGACCAAAATCCCTTAACGTGAG

Col-mutal: GGTATCTGCGCTCTGCTGTAGCCAGTTACCTTCGG

Figure 35b: List of oligonucleotides used for synthesis of modules (continued)

Col-rev: CCCCCCCGCTAGCCATGTGAGCAAAAGGCCAGCAA

M17: assembly PCR using template

CAT-1: GGGACGTCGGGTGAGGTTCCAAC

CAT-2: CCATACGGAACTCCGGGTGAGCATTCATC

CAT-3: CCGGAGTTCCGTATGG

CAT-4: ACGTTTAAATCAAAACTGG

CAT-5: CCAGTTTTGATTTAAACGTAGCCAATATGGACAACTTCTTC-
GCCCCCGTTTTCACTATGGGCAAATATT

CAT-6: GGAAGATCTAGCACCAGGCGTTTAAG

M41: assembly PCR using template

LAC1: GAGGCCGGCCATCGAATGGCGCAAAAC

LAC2: CGCGTACCGTCCTCATGGGAGAAAATAATAC

LAC3: CCATGAGGACGGTACGCGACTGGGCGTGGAGCATCTGGTCGCA-
TTGGGTCACCAGCAAATCCGCTGTTAGCTGGCCCATTAAG

LAC4: GTCAGCGGCGGGATATAACATGAGCTGTCCTCGGTATCGTCG

LAC5: GTTATATCCCGCCGCTGACCACCATCAAAC

LAC6: CATCAGTGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCGT4TTG-
GGAGCCAGGGTGGTTTTTC

LAC7: GGTTAATTAACCTCACTGCCCGCTTTCCAGTCGGGAAACCTGTCGTGCC-
AGCTGCATCAGTGAATCGGCCAAC

M41-MCS-fow: CTAGACTAGTGTTTAAACCGGACCGGGGGGGGGGCTT-
AAGGGGGGGGGGGGG

Figure 35b: List of oligonucleotides used for synthesis of modules (continued)

M41-MCS-rev: CTAGCCCCCCCCCCCCCTTAAGCCCCCCCCCGGTCCGGT-

TTAAACACTAGT

M41-fow: CTAGACTAGTGTTTAAACCGGACCGGGGGGGGGGCTTAA-

GGGGGGGGGGGG

M41-rev: CCCCCCCTTAAGTGGGCTGCAAAACAAAACGGCCTCC-

TGTCAGGAAGCCGCTTTTATCGGGTAGCCTCACTGCCCGCTTTCC

M41-A2: GTTGTTGTGCCACGCGGTTAGGAATGTAATTCAGCTCCGC

M41-B1: AACCGCGTGGCACAACAAC

M41-B2: CTTCGTTCTACCATCGACACGACCACGCTGGCACCCAGTTG

M41-C1: GTGTCGATGGTAGAACGAAG

M41-CII: CCACAGCAATAGCATCCTGGTCATCCAGCGGATAGTT-

AATAATCAGCCCACTGACACGTTGCGCGAG

M41-DI: GACCAGGATGCTATTGCTGTGG

M41-DII: CAGCGCGATTTGCTGGTGGCCCAATGCGACCAGATGC

M41-EI: CACCAGCAAATCGCGCTG

M41-EII: CCCGGACTCGGTAATGGCACGCATTGCGCCCAGCGCC

M41-FI: GCCATTACCGAGTCCGGG

M42: synthesis

Eco-H5-Hind-fow: AATTCCACCATCATCACCATTGACGTCTA

Eco-H5-Hind-rev: AGCTTAGACGTCAATGGTGATGATGGTGG

Figure 36: functional map and sequence of ß-lactamase-MCS module

Pml I (189)
Bsa BI (182)
Nsp V (173)
Bsi WI (166)
Eco O109I (161)
Psp 5II (161)
Sty I (157)
Msc I (156)
Bst XI (152)
Bst EII (140)
Bsu 36I (136)
Hpa I (132)
Mlu I (126)

BamH I (192)
Kpn I (202)
Fse I (210)

Pst I (1356)
Bss SI (1346)
Eag I (1340)
-35 (bla)
-10 (bla)

Bbe I (1361)
Ase I (1364)
Eco 57I (1366)
Xho I (1371)
Bss HII (1376)
Bbs I (1386)
Bsp EI (1397)
Bsr GI (1403)

bla

bla-term

bla MCS
1289 bp

Figure 36: functional map and sequence of ß-lactamase-MCS module (continued)

```
                                              StyI
                                              Psp5II
                                              EcoO109I              BsiWI NspV

       MluI   Bsu36I   BstEII      BstXI      MscI
              HpaI                                           PmlI

126   CGCGTTAACC TCAGGTGACC AAGCCCCTGG CCAAGGTCCC GTACGTTCGA
      GCGCAATTGG AGTCCACTGG TTCGGGGACC GGTTCCAGGG CATGCAAGCT

      NspVBsaBI            BamHI  KpnI        FseI

176   AGATTACCAT CACGTGGATC CGGTACCAGG CCGGCCATTA TCAAAAAGGA
      TCTAATGGTA GTGCACCTAG GCCATGGTCC GGCCGGTAAT AGTTTTTCCT

226   TCTCAAGAAG ATCCTTTGAT CTTTTCTACG GGGTCTGACG CTCAGTGGAA
      AGAGTTCTTC TAGGAAACTA GAAAAGATGC CCCAGACTGC GAGTCACCTT

276   CGAAAACTCA CGTTAAGGGA TTTTGGTCAT GAGATTATCA AAAGGATCT
      GCTTTTGAGT GCAATTCCCT AAAACCAGTA CTCTAATAGT TTTCCTAGA
```

Figure 36: functional map and sequence of ß-lactamase-MCS module (continued)

326 TCACCTAGAT CCTTTTAAAT TAAAAATGAA GTTTTAAATC AATCTAAAGT
    AGTGGATCTA GGAAAATTTA ATTTTTACTT CAAAATTTAG TTAGATTTCA

376 ATATATGAGT AAACTTGGTC TGACAGTTAC CAATGCTTAA TCAGTGAGGC
    TATATACTCA TTTGAACCAG ACTGTCAATG GTTACGAATT AGTCACTCCG

426 ACCTATCTCA GCGATCTGTC TATTTCGTTC ATCCATAGTT GCCTGACTCC
    TGGATAGAGT CGCTAGACAG ATAAAGCAAG TAGGTATCAA CGGACTGAGG

476 CCGTCGTGTA GATAACTACG ATACGGGAGG GCTTACCATC TGGCCCCAGT
    GGCAGCACAT CTATTGATGC TATGCCCTCC CGAATGGTAG ACCGGGGTCA

526 GCTGCAATGA TACCGCCGAGA CCCACGCTCA CCGGCTCCAG ATTTATCAGC
    CGACGTTACT ATGGCGCTCT GGGTGCGAGT GGCCGAGGTC TAAATAGTCG

576 AATAAACCAG CCAGCCGGAA GGGCCGAGCG CAGAAGTGGT CCTGCAACTT
    TTATTTGGTC GGTCGGCCTT CCCGGCTCGC GTCTTCACCA GGACGTTGAA

626 TATCCGCCTC CATCCAGTCT ATTAACTGTT GCCGGGAAGC TAGAGTAAGT
    ATAGGCGGAG GTAGGTCAGA TAATTGACAA CGGCCCTTCG ATCTCATTCA

676 AGTTCGCCAG TTAATAGTTT GCGCAACGTT GTTGCCATTG CTACAGGCAT
    TCAAGCGGTC AATTATCAAA CGCGTTGCAA CAACGGTAAC GATGTCCGTA

Figure 36: functional map and sequence of ß-lactamase-MCS module (continued)

726 CGTGGTGTCA CGCTCGTCGT TTGGTATGGC TTCATTCAGC TCCGGTTCCC
    GCACCACAGT GCGAGCAGCA AACCATACCG AAGTAAGTCG AGGCCAAGGG

776 AACGATCAAG GCGAGTTACA TGATCCCCCA TGTTGTGCAA AAAAGCGGTT
    TTGCTAGTTC CGCTCAATGT ACTAGGGGGT ACAACACGTT TTTTCGCCAA

826 AGCTCCTTCG GTCCTCCGAT CGTTGTCAGA AGTAAGTTGG CCGCAGTGTT
    TCGAGGAAGC CAGGAGGCTA GCAACAGTCT TCATTCAACC GGCGTCACAA

876 ATCACTCATG GTTATGGCAG CACTGCATAA TTCTCTTACT GTCATGCCAT
    TAGTGAGTAC CAATACCGTC GTGACGTATT AAGAGAATGA CAGTACGGTA

926 CCGTAAGATG CTTTTCTGTG ACTGGTGAGT ACTCAACCAA GTCATTCTGA
    GGCATTCTAC GAAAAGACAC TGACCACTCA TGAGTTGGTT CAGTAAGACT

976 GAATAGTGTA TGCGGCGACC GAGTTGCTCT TGCCCGGCGT CAATACGGGA
    CTTATCACAT ACGCCGCTGG CTCAACGAGA ACGGGCCGCA GTTATGCCCT

1026 TAATACCGCG CCACATAGCA GAACTTTAAA AGTGCTCATC ATTGGAAAAC
     ATTATGGCGC GGTGTATCGT CTTGAAATTT TCACGAGTAG TAACCTTTTG

1076 GTTCTTCGGG GCGAAAACTC TCAAGGATCT TACCGCTGTT GAGATCCAGT
     CAAGAAGCCC CGCTTTTGAG AGTTCCTAGA ATGGCGACAA CTCTAGGTCA

Figure 36: functional map and sequence of ß-lactamase-MCS module (continued)

```
1126  TCGATGTAAC CCACTCGTGC ACCCAACTGA TCTTCAGCAT CTTTTACTTT
      AGCTACATTG GGTGAGCACG TGGGTTGACT AGAAGTCGTA GAAAATGAAA
                      BssSI                Eco57I

1176  CACCAGCGTT TCTGGGTGAG CAAAAACAGG AAGGCAAAAT GCCGCAAAAA
      GTGGTCGCAA AGACCCACTC GTTTTTGTCC TTCCGTTTTA CGGCGTTTTT
               BssSI

1226  AGGGAATAAG GGCGACACGG AAATGTTGAA TACTCATACT CTTCCTTTTT
      TCCCTTATTC CCGCTGTGCC TTTACAACTT ATGAGTATGA GAAGGAAAAA

1276  CAATATTATT GAAGCATTTA TCAGGGTTAT TGTCTCATGA GCGGATACAT
      GTTATAATAA CTTCGTAAAT AGTCCCAATA ACAGAGTACT CGCCTATGTA
                                  PstI        XhoI

1326  ATTTGAATGT ACTCGGCCGC ACGAGCTGCA GGGGCCATTA ATGGCTCGAG
      TAAACTTACA TGAGCCGGCG TGCTCGACGT CCGCGGTAAT TACCGAGCTC
               EagI  BssSI            BbeI AseI   BssHII
          BspEI BsrGI
      BssHII
```

Figure 36: functional map and sequence of ß-lactamase-MCS module (continued)

```
1376  CGCGCTTCAG  CGCTTTGTCT  TCCGGATGTA  CATGAAATT
      GCGCGAAGTC  GCGAAACAGA  AGGCCTACAT  GTACTTTAA
        Eco57 I       Bbs I
       ~~~~~         ~~~~~
```

Figure 37: Oligo and primer design for Vκ CDR3 libraries

```
                              1                    10
O_K3L_5   5'-  G C C C T G C A A G C G │G A A G A C│
                                       │  Bbsl     │
                                         E     D
Vk1 & Vk3 5'-  G C C C T G C A A G C G │G A A G A C│


                                         E       D
Vk2       5'-  G C C C T G C A A G C G │G A A G A C│
                                         E       D
Vk4       5'-  G C C C T G C A A G C G │G A A G A C│
```

Figure 37: Oligo and primer design for Vκ CDR3 libraries

Figure 37: Oligo and primer design for Vκ CDR3 libraries

50

60

3'- G G A

T
A C C T

G

T
A C C T

G

T
A C C T

G

G C T			G C T		G C T
G A T	G A T	G A T	G A T		G A T
G A G			G A G		G A G
T T T			T T T		T T T
G G T	G G T	G G T	G G T		G G T
C A T			C A T		C A T
A T T			A T T		A T T
A A G			A A G		A A G
C T T			C T T		C T T
A T G			A T G		A T G
A A T	A A T	A A T	A A T		A A T
			C C T	C C T	C C T
C A G			C A G		C A G
C G T			C G T		C G T
T C T	T C T	T C T	T C T	T C T	T C T
A C T			A C T		A C T
G T T			G T T		G T T
T G G			T G G		T G G
T A T	T A T		T A T		T A T

50% Y

80% P

Figure 37: Oligo and primer design for Vκ CDR3 libraries

```
                  70                              80  81
A A C C G  G  T A A G C T T T C G  G  -5' O_K3L_3

    ┌─────────────┐
    │    Mscl     │
    └─────────────┘
F         G        Q
T┌─────────────┐
 │T G G C C A│T T C G A A A G C  C  -3'
 └─────────────┘


F         G        Q
T┌─────────────┐
 │T G G C C A│T T C G A A A G C  C  -3'
 └─────────────┘
F         G        Q
T┌─────────────┐
 │T G G C C A│T T C G A A A G C  C  -3'
 └─────────────┘
```

Figure 38: Oligo and primer design for Vλ CDR3 libraries

Figure 38: Oligo and primer design for Vλ CDR3 libraries

```
                30              40                  50
     Y   Y   C   Q   S           D
  - A T T A T T G C C A G A G C       G A C
                                                    G C T G C T -
                                    A
                                    C
                                    D                G A T G A T
                                    E                G A G G A G
                                    F                T T T T T T
                                    G                G G T G G T
                                    H                C A T C A T
                                    I                A T T A T T
                                    K                A A G A A G
                                    L                C T T C T T
                                    M                A T G A T G
                                    N                A A T A A T
                                    P                C C T C C T
                                    Q                C A G C A G
                                    R  C G T          C G T C G T
                                    S                T C T T C T
                                    T                A C T A C T
                                    V                G T T G T T
                                    W  T G G
                                    Y  T A T          T A T T A T
                                       3     1       18        18
                                       3     1       18        18
                                       3     1       18        18
```

199 / 204

Figure 38: Oligo and primer design for Vλ CDR3 libraries

```
                        60                    70                    80

                                 G   G   G   T   K   L
                                 G G C G G C G G C A C G A A G T T A

            |       | gap | gap |       |
          - G C T | G C T | G C T | G C T |
                          
            G A T | G A T | G A T | G A T
            G A G | G A G | G A G | G A G
            T T T | T T T | T T T | T T T
            G G T | G G T | G G T | G G T
            C A T | C A T | C A T | C A T
            A T T | A T T | A T T | A T T
            A A G | A A G | A A G | A A G
            C T T | C T T | C T T | C T T
            A T G | A T G | A T G | A T G
            A A T | A A T | A A T | A A T
            C C T | C C T | C C T | C C T
            C A G | C A G | C A G | C A G
            C G T | C G T | C G T | C G T
            T C T | T C T | T C T | T C T
            A C T | A C T | A C T | A C T
            G T T | G T T | G T T | G T T
                                    T G G
            T A T | T A T | T A T | T A T |  Variability
            18                      19        3.32E+05
            18      18              19        5.98E+06
            18      18      18      19        1.08E+08
```

Figure 38: Oligo and primer design for Vλ CDR3 libraries

```
                      90                    100              108

     T    V    L    G    Q    E    F
   A C C G T T C T T G G C C A G G A A T T C G A G C C -3'
           3'- C C G G T C C T T A A G C T C G G -5'
```

Figure 39: functional map of expression vector series pBS13

Figure 40: Expression data for HuCAL scFvs (pBS13, 30°C)

% soluble	κ1	κ2	κ3	κ4	λ1	λ2	λ3
H1A	61%	58%	52%	42%	90%	61%	60%
H1B	39%	48%	66%	48%	47%	39%	36%
H2	47%	57%	46%	49%	37%	36%	45%
H3	85%	67%	76%	61%	80%	71%	83%
H4	69%	52%	51%	44%	45%	33%	42%
H5	49%	49%	46%	67%	54%	46%	47%
H6	90%	58%	54%	47%	45%	50%	51%

Total amount compared to H3κ2	κ1	κ2	κ3	κ4	λ1	λ2	λ3
H1A	289%	94%	166%	272%	20%	150%	78%
H1B	219%	122%	89%	139%	117%	158%	101%
H2	186%	223%	208%	182%	126%	60%	97%
H3	50%		71%	54%	59%	130%	47%
H4	37%	55%	60%	77%	195%	107%	251%
H5	98%	201%	167%	83%	93%	128%	115%
H6	65%	117%	89%	109%	299%	215%	278%

Figure 40: Expression data for HuCAL scFvs (pBS13, 30°C)

Soluble amount compared to H3κ2	κ1	κ2	κ3	κ4	λ1	λ2	λ3
H1A	191%	88%	121%	122%	26%	211%	76%
H1B	124%	95%	83%	107%	79%	142%	59%
H2	126%	204%	139%	130%	66%	50%	70%
H3	63%	-	81%	49%	69%	143%	61%
H4	40%	47%	49%	54%	95%	55%	125%
H5	69%	158%	116%	80%	72%	84%	84%
H6	85%	122%	87%	77%	162%	162%	212%

McPC	
soluble	38%
%H3k2 total	117%
%H3k2 soluble	69%

INTERNATIONAL SEARCH REPORT

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6   C12N15/13   C12N15/10   C12N15/62   C12N15/70   C12N1/21
         C07K1/04   G01N33/53

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6   C12N   C07K   G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 368 684 A (MEDICAL RES COUNCIL) 16 May 1990 cited in the application see the whole document ---	1-55
A	EUROPEAN J. IMMUNOLOGY, vol. 23, July 1993, VCH VERLAGSGESELLSCHAFT MBH, WEINHEIM, BRD, pages 1456-1461, XP000616572 S.C. WILLIAMS AND G. WINTER: "Cloning and sequencing of human immunoglobulin V-lambda gene segments" cited in the application see the whole document ---	1-55

-/--

[X] Further documents are listed in the continuation of box C.   [X] Patent family members are listed in annex.

Date of the actual completion of the international search	Date of mailing of the international search report
30 January 1997	11. 02. 97

Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax (+31-70) 340-3016	Authorized officer Hornig, H

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	PROC. NATL.ACAD SCI., vol. 89, May 1992, NATL. ACAD SCI.,WASHINGTON,DC,US;, pages 4457-4461, XP002024223 C. F. BARBAS III ET AL.: "Semisynthetic combinatorial antibody libraries: a chemical solution to the diversity problem" cited in the application see the whole document ---	1-55
A	PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, vol. 89, no. 21, 1 November 1992, pages 10026-10030, XP000322464 COLLET T A ET AL: "A BINARY PLASMID SYSTEM FOR SHUFFLING COMBINATORIAL ANTIBODY LIBRARIES" see the whole document ---	1-55
A	PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, vol. 89, no. 8, 15 April 1992, pages 3576-3580, XP000384398 GRAM H ET AL: "IN VITRO SELECTION AND AFFINITY MATURATION OF ANTIBODIES FROM A NAIVE COMBINATORIAL IMMUNOGLOBULIN LIBRARY" see the whole document ---	1-55
A	PROTEIN ENGINEERING, vol. 8, no. 1, 1 January 1995, pages 81-89, XP000500393 KNAPPIK A ET AL: "ENGINEERED TURNS OF RECOMBINANT ANTIBODY IMPROVE ITS IN VIVO FOLDING" cited in the application see the whole document ---	1-55
A	ANNUAL REVIEW OF IMMUNOLOGY, vol. 12, 1 January 1994, pages 433-455, XP000564245 WINTER G ET AL: "MAKING ANTIBODIES BY PHAGE DISPLAY TECHNOLOGY" cited in the application see the whole document ---	1-55
A	JOURNAL OF MOLECULAR BIOLOGY, vol. 224, no. 2, 1 January 1992, pages 487-499, XP000564649 FOOTE J ET AL: "ANTIBODY FRAMEWORK RESIDUES AFFECTING THE CONFORMATION OF THE HYPERCARIABLE LOOPS" cited in the application see the whole document ---	1-55

-/--

1

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

SphI (12)

XbaI (2)

SapI (74)

EcoRI (92)

M19
96 bp

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 19:

```
     XbaI  SphI                                    EcoRI
     ~~~~~~~~~~                                     ~~~~~
1    TCTAGAGCAT GCGTAGGAGA AAATAAAATG AAACAAAGCA CTATTGCACT
     AGATCTCGTA CGCATCCTCT TTTATTTTAC TTTGTTTCGT GATAACGTGA

                SapI
                ~~~~~~~
51   GGCACTCTTA CCGTTGCTCT TCACCCCTGT TACCAAAGCC GAATTC
     CCGTGAGAAT GGCAACGAGA AGTGGGGACA ATGGTTTCGG CTTAAG
```

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

SphI (12)

XbaI (2)

SapI (74)

MunI (110)

EcoRI (116)

M20
120 bp

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 20 :

       XbaI   SphI
       ~~~~~~~~~~~~

   1   TCTAGAGCAT GCGTAGGAGA AAATAAAATG AAACAAAGCA CTATTGCACT
       AGATCTCGTA CGCATCCTCT TTTATTTTAC TTTGTTTCGT GATAACGTGA

                      SapI
                      ~~~~~~~~~

  51   GGCACTCTTA CCGTTGCTCT TCACCCCTGT TACCAAAGCC GACTACAAAG
       CCGTGAGAAT GGCAACGAGA AGTGGGGACA ATGGTTTCGG CTGATGTTTC

              MunI EcoRI
              ~~~~~~~~~~~~

 101   ATGAAGTGCA ATTGGAATTC
       TACTTCACGT TAACCTTAAG

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

NsiI (85)

EcoRI (92)

XbaI (2)

M21
96 bp

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 21:

```
       XbaI
       ~~~~~~
1    TCTAGAGGTT GAGGTGATTT TATGAAAAAG AATATCGCAT TTCTTCTTGC
     AGATCTCCAA CTCCACTAAA ATACTTTTTC TTATAGCGTA AAGAAGAACG

                   NsiI                      EcoRI
                   ~~~~~~                     ~~~~~
51   ATCTATGTTC GTTTTTCTA TTGCTACAAA TGCATACGCT GAATTC
     TAGATACAAG CAAAAAAGAT AACGATGTTT ACGTATGCGA CTTAAG
```